



Parts Manual

Mfg. No: 881884
Yard King, 18" Walk Behind Mower




Model Components	Page
Deck & Catcher Group.....	4
Engine & Blade Group.....	6
Handles & Control Group.....	8
Rear Axle Group.....	10
Wheels Group.....	12
Torque Specification Chart.....	14

Not For
Reproduction

Deck & Catcher Group


Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 881884



Deck & Catcher Group

REF NO	PART NO	QTY	DESCRIPTION
4	CH87930A	1	CATCHER ASSEMBLY -(Includes Ref. Nos. 4-1, 4-2)
4-1	-----	1	FRAME, Grass Catcher, 18" Deck
4-2	-----	1	BAG, Grass Catcher, 18" Deck
6	-----	1	DECK ASSEMBLY -(Not a serviceable part)
6-1	-----	4	BOLT, M8 x 16
6-2	-----	1	BRACKET, Lower Handle, RH
6-3	-----	2	NUT, Locking, Hex, M6
6-4	-----	4	NUT, Flanged Hex, M6
6-5	-----	1	BRACKET, Lower Handle, LH
6-6	-----	1	DECK
6-7	-----	1	BRACKET, Height Adjustment
6-8	-----	2	SCREW, M6 x 12
14	CH87923A	1	REAR FLAP ASSEMBLY -(Includes Ref. Nos. 14-1, 14-2, 14-3, 14-4, 14-5)
14-1	-----	2	NUT, Flanged Hex, M6
14-2	-----	1	SPRING, Rear Flap, RH
14-3	-----	1	FLAP, Rear
14-4	-----	1	AXLE, Rear Flap
14-5	-----	1	SPRING, Rear Flap, LH
30	CH87961A	1	HANDLE BRACKET SET -(Includes Ref. Nos. 6-2, 6-5)
6-2	-----	1	BRACKET, Lower Handle, RH
6-5	-----	1	BRACKET, Lower Handle, LH



Engine & Blade Group

REF NO	PART NO	QTY	DESCRIPTION
1	CH87917A	1	BLADE MOUNT ASSEMBLY -(Includes Ref. Nos. 1-1, 1-2, 1-3, 1-4, 1-5)
1-1	-----	1	SPACER
1-2	HA25874A	1	KEY
1-3	EE14736A	1	SLEEVE, Crankshaft
1-4	EN73054B	1	WASHER, Blade Disc
1-5	EE14484B	1	BOLT, Flanged, Blade Disc
11	CH87926A	1	ENGINE MOUNT ASSEMBLY -(Includes Ref. Nos. 11-1, 11-2, 11-3)
11-1	-----	3	NUT, Locking, Hex, M6
11-2	-----	3	WASHER
11-3	-----	3	BOLT, Hex, M8 x 35
13	08P502-0037-H1	1	** ENGINE, Briggs & Stratton 450E Series -(Not a serviceable part)
31	CA09585A	1	BLADE BAR KIT -(Includes Ref. Nos. 1-4, 1-5, 2)
1-4	EN73054B	1	WASHER, Blade Disc
1-5	EE14484B	1	BOLT, Flanged, Blade Disc
2	-----	1	BLADE

Not For
Reproduction


Footnotes:

Note:** Refer to your local Briggs & Stratton distributor for parts and service.

Handles & Control Group

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 881884




Handles & Control Group

REF NO	PART NO	QTY	DESCRIPTION
3	CH87929A	1	THROTTLE CONTROL KIT -(Includes Ref. Nos. 3-1, 3-2, 3-3, 3-4)
3-1	-----	1	NUT, Hex
3-2	-----	1	WASHER
3-3	-----	1	THROTTLE CONTROL ASSEMBLY
3-4	-----	1	BOLT, Hex, M6 x 55
15	CH87927A	1	LOWER HANDLE ASSEMBLY -(Includes Ref. Nos. 15-1, 15-2, 15-3, 15-4, 15-5, 15-6, 15-7)
15-1	-----	2	PLUG, Handle
15-2	-----	1	CLAMP, Handle Cable
15-3	-----	2	HANDLE, Lower
15-4	-----	4	BOLT
15-5	-----	4	WASHER, Flat, M8
15-6	-----	4	WASHER, Lock
15-7	-----	4	NUT, Hex
16	CH87928A	1	UPPER HANDLE ASSEMBLY -(Includes Ref. Nos. 16-1, 16-2, 16-3, 16-4)
16-1	-----	2	NUT, Hex
16-2	-----	2	KNOB
16-3	-----	1	HANDLE, Upper
16-4	-----	2	BOLT, M8 x 50

Rear Axle Group

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 881884



Rear Axle Group


REF NO	PART NO	QTY	DESCRIPTION
8	CH87924A	1	HEIGHT ADJUSTMENT HANDLE ASSEMBLY -(Includes Ref. Nos. 8-1, 8-2, 8-3, 8-4)
8-1	-----	1	KNOB, Handle
8-2	-----	2	SCREW, M6 x 14
8-3	-----	2	NUT, Self-locking
8-4	-----	1	HANDLE ASSEMBLY
9	CH87920A	1	8" WHEEL ASSEMBLY -(Includes Ref. Nos. 9-1, 9-2, 9-3, 9-4, 9-5)
9-1	-----	1	CAP, Hub, Rear, 8"
9-2	-----	1	NUT, Locking, Hex, M6
9-3	-----	2	BEARING, Wheel
9-4	-----	1	WHEEL, Rear, 8"
9-5	-----	1	WASHER, Spring
10	CH87925A	1	REAR AXLE ASSEMBLY -(Includes Ref. Nos. 10-1, 10-2, 10-3, 10-4, 10-5)
10-1	-----	4	BUSH, Rear Axle
10-2	-----	1	AXLE, Rear
10-3	-----	4	NUT, Flanged Hex, M6
10-4	-----	2	BRACKET, Axle
10-5	-----	4	SCREW, M6 x 12

Wheels Group

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 881884

Reference Rear Axle Group



Wheels Group


REF NO	PART NO	QTY	DESCRIPTION
5	CH87921A	1	CONLINK ASSEMBLY -(Includes Ref. Nos. 5-1, 5-2, 5-3)
5-1	-----	1	CONNECTING LINK
5-2	-----	2	NUT, Self-locking
5-3	CH88102A	1	SPRING, Connecting Link
7	CH87918A	1	6" WHEEL ASSEMBLY -(Includes Ref. Nos. 7-1, 7-2, 7-3, 7-4, 7-5)
7-1	-----	1	CAP, Hub, Front, 6"
7-2	-----	1	NUT, Locking, Hex, M6
7-3	-----	2	BEARING, Wheel
7-4	-----	1	WHEEL, Front, 6"
7-5	-----	1	WASHER, Spring
12	CH87919A	1	FRONT AXLE ASSEMBLY -(Includes Ref. Nos. 12-1, 12-2, 12-3, 12-4, 12-5)
12-1	-----	4	BUSH, Rear Axle
12-2	-----	1	AXLE, Front
12-3	-----	4	NUT, Flanged Hex, M6
12-4	-----	2	BRACKET, Axle
12-5	-----	4	SCREW, M6 x 12

Hardware Identification & Torque Specifications

Torque Specification Chart								
FOR STANDARD METRIC MACHINE HARDWARE (Tolerance ± 20%)								
Property Class	5.6		8.8		10.9		12.9	
	Class 5.6		Class 8.8		Class 10.9		Class 12.9	
Size Of Hardware	in/lbs	Nm.	in/lbs	Nm.	in/lbs	Nm.	in/lbs	Nm.
	ft/lbs		ft/lbs		ft/lbs		ft/lbs	
M3	5.88	.56	13.44	1.28	19.2	1.80	22.92	2.15
M4	13.44	1.28	30.72	2.90	43.44	4.10	52.56	4.95
M5	26.4	2.50	60.96	5.75	5.97	8.10	7.15	9.7
M6	44.64	4.3	7.3	9.9	10.3	14	12.1	16.5
M7	5.2	7.1	12.1	16.5	16.9	23	19.9	27
M8	7.7	10.5	17.7	24	25	34	29	40
M10	15	21	35	48	50	67	59	81
M12	26	36	61	83	86.2	117	103	140
M14	42	58	101	132	136	185	162	220
M16	64	88	147	200	210	285	250	340
M18	89	121	202	275	287	390	346	470
M20	126	171	290	390	405	550	486	660
M22	169	230	390	530	559	745	656	890
M24	217	295	497	375	708	960	840	1140
M27	320	435	733	995	1032	1400	1239	1680
M30	435	590	995	1350	1401	1900	1681	2280
M33	590	800	1349	1830	1902	2580	2278	3090
M36	759	1030	1740	2360	2441	3310	2935	3980
M39	988	1340	2249	3050	3163	4290	3798	5150

Torque Specification Chart						
FOR STANDARD MACHINE HARDWARE (Tolerance ± 20%)						
Hardware Grade	No Marks		SAE Grade 5		SAE Grade 8	
	SAE Grade 2		SAE Grade 5		SAE Grade 8	
Size Of Hardware	in/lbs	Nm.	in/lbs	Nm.	in/lbs	Nm.
	ft/lbs		ft/lbs		ft/lbs	
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.0
5/16-18	11	15.0	17	23.1	25	34.0
5/16-24	12	16.3	19	25.8	29	34.0
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.0
7/16-14	30	40.8	50	68.0	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.0	75	102.0	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.0
9/16-18	75	102.0	120	163.2	170	231.2
5/8-11	90	122.4	150	204.0	220	299.2
5/8-18	100	136	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.0
3/4-16	180	244.8	300	408.0	420	571.2
7/8-9	140	190.4	400	544.0	600	816.0
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,244.0
1-12	240	326.4	640	870.4	1,000	1,360.0

The guides and ruler furnished below are designed to help you select the appropriate hardware.




Nut, M8

Thread Diameter (mm)

Inside Diameter (in) Threads per inch

Nut, 1/2-16



Screw, M8- 1.25 x 25

Thread Diameter (mm) Distance between threads (mm) Body Length (mm)

Body Diameter Threads per inch Body Length (in)

Screw, 1/2- 16 x 2



Standard Hardware Sizing

When a washer or nut is identified as 1/2" (M8), this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch (8mm metric thread diameter); if a second number is present it represents the *threads per inch* (distance between threads).

When bolt or capscrew is identified as 1/2 - 16 x 2" (M8 - 1.25 x 50), this means the *Nominal size*, or body diameter is 1/2 inch (8mm metric thread diameter), the second number, 16, represents the *threads per inch*, (*distance between threads*). The final number is the body length of the bolt or screw, 2 inches (50mm).

NOTES

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- Recommended seating torque values for locknuts:
 - for prevailing torque locknuts - use 65% of grade 5 torques.
 - for flange whizlock nuts and screws - use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawings, all torque values must meet this specification.

Common Hardware Types

Hex Head Capscrew



Washer



Carriage Bolt



Hex Nut

Wrench & Fastener Size Guide

1/4" Bolt or Nut Wrench—7/16"	5/16" Bolt or Nut Wrench—1/2"	3/8" Bolt or Nut Wrench—9/16"	7/16" Bolt or Nut Wrench (Bolt)—5/8" Wrench (Nut)—11/16"	1/2" Bolt or Nut Wrench—3/4"
M6 Bolt or Nut Wrench—10mm	M8 Bolt or Nut Wrench—13mm	M10 Bolt or Nut Wrench—17mm	M12 Bolt or Nut Wrench—19mm	M14 Bolt or Nut Wrench—22mm

YARD KING