

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
91-767	11-3/8	7/8			2.5	0.250	7/16	1-1/4	L	
96-349	11-15/16	3/8	5/16	2-3/8	2.5	0.203	0	3/4		G3™
91-802	12-1/8	3/4 X 5/8	1/4	1-5/8	2	0.203	0	7/8		
96-632	12-1/8	3/4 X 5/8	1/4	1-5/8	2.5	0.203	0	3/4		G3™
91-636	12-3/16	5/8			2.5	0.203	0	1		
96-661	12-3/16	5/8			2.5	0.203	0	1		G3™
91-310	13-3/4	3/8	5/16	2-3/8	2	0.164	0	1-1/16		
92-039	13-3/4	5/8			2.5	0.203	0	3/4		
90-643	13-7/8	3/4			2.5	0.203	0	3/4		G3™
91-244	13-7/8	5/8			2	0.203	1/8	1-1/16		
91-805	13-7/8	3/4			2	0.203	0	1-1/16		
92-040	13-7/8	5/8			2	0.203	1/8	1-1/16		
96-040	13-7/8	5/8			2.25	0.203	0	3/4		G3™
96-374	14	5/8			2.5	0.250	0	3/4		G3™
91-265	14-1/4	5/8			2.5	0.203	0	1		
96-324	14-1/4	5/8			2.5	0.203	0	1		G3™
91-500	14-3/8	11/16			2	0.203	0	13/16		
396-714	14-1/2	5/8			3	0.250	0	1		G6®
596-303	14-1/2	11/16			3	0.203	0	1		G5™
91-167	14-1/2	11/16			2.5	0.187	0	1-1/4		
91-501	14-1/2	5/8			2.5	0.203	0	1-1/16		
91-712	14-1/2	3/4	3/8	3-1/16	2	0.187	0	1-1/8	L	
91-804	14-1/2	3/4			2	0.203	0	7/8		
92-217	14-1/2	5/8			2.5	0.203	5/16	1-1/8		
96-303	14-1/2	11/16			2.5	0.203	0	1		G3™
96-808	14-1/2	5/8			2.5	0.203	5/16	3/4		G3™
95-010	14-9/16	1-1/4	1/2	3	2.5	0.187	0	1		
595-088	14-5/8	5 pt. star			3	0.164	0	1		G5™
95-084	14-5/8	5 pt. star			2.5	0.203	0	1		
95-088	14-5/8	5 pt. star			2.5	0.203	0	3/4		G3™
98-056	14-13/16	11/16 6 pt. star	5/16	2-1/2	3	0.120	5/16	1-1/8		
98-069	14-13/16	5/8 6 pt. star			3	0.120	5/16	1-3/16		
98-486	14-13/16	3/8	5/16	2-1/2	3	0.149	5/16	1-1/4		
98-670	14-13/16	5/8 6 pt. star			2.5	0.187	5/16	3/4		G3™
91-327	14-7/8	3/4			3	0.203	5/16	1-1/4		
91-342	14-7/8	7/16	1/2	1-5/8	2	0.149	1/4	13/16		
95-058	14-7/8	5/8			2.5	0.203	0	1		
98-061	14-7/8	5/8 6 pt. star			2.5	0.149	7/16	1-3/16		
98-083	14-7/8	3/4			2.5	0.203	7/16	1-1/8		
98-084	14-7/8	5/8 6 pt. star			2.5	0.203	7/16	1-1/8		
98-637	14-7/8	5/8 6 pt. star			2.5	0.187	7/16	3/4		G3™
491-530	14-15/16	11/16			2.5	0.203	0	1-1/4		
496-399	14-15/16	11/16			2.5	0.203	0	3/4		G3™
391-608	15	5/8			3	0.250	0	1		G6®
396-713	15	1/2			3	0.250	5/16	1		G6®
91-536	15	1/2			2.5	0.250	5/16	1		
91-557	15	1/2			2.5	0.250	5/16	3/4		
91-608	15	5/8			2.5	0.250	0	1		
92-150	15	1/2			2.5	0.203	5/16	1-1/4		
96-343	15	1/2			2.5	0.203	5/16	1		G3™
392-142	15-1/8	1/2			3	0.250	0	1		G6®
91-414	15-1/8	3/4			2.5	0.203	1/2	11/16		
92-142	15-1/8	1/2			2.5	0.203	0	1		
596-327	15-1/4	5/8			3	0.203	0	1		G5™
91-369	15-1/4	5/8			2.5	0.203	0	1		
91-373	15-1/4	5/8			2.5	0.203	0	1		
96-327	15-1/4	5/8			2.5	0.203	0	1		G3™
91-097	15-5/16	3/8	3/8	2-3/4	2	0.187	0	1		

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
92-146	15-5/16	3/4	3/8	2-9/16	2	0.187	0	1		
594-601	15-3/8	5/8	5/16	1-1/4	3	0.134	5/16	1		G5™
91-430	15-3/8	11/16	3/8	1-1/2	2	0.187	0	1		
95-006	15-3/8	5 pt. star			2.25	0.149	1/8	15/16		
95-014	15-3/8	3/8			2.25	0.187	0	1		
95-049	15-3/8	5 pt. star			2.25	0.187	0	1		
95-607	15-3/8	3/8			2.25	0.187	0	3/4		G3™
595-614	15-1/2	5 pt. star			3	0.164	0	1		G5™
92-147	15-1/2	3/4			2.5	0.312	1/2	0		
94-026	15-1/2	5/8			2.5	0.187	5/16	3/4		
94-039	15-1/2	5/8			2.5	0.203	5/16	15/16		
94-061	15-1/2	5/8			2.5	0.187	5/16	1		
94-615	15-1/2	5/8			2.5	0.203	5/16	3/4		G3™
95-045	15-1/2	5 pt. star			2.25	0.149	1/8	1		
95-052	15-1/2	5 pt. star			2.25	0.149	1/8	1		
95-614	15-1/2	5 pt. star			2.5	0.187	0	3/4		G3™
90-205	15-11/16	5/8			2.5	0.203	0	13/16		
96-302	15-11/16	5/8			2.5	0.203	0	1		G3™
597-606	15-3/4	13/16			3	0.164	5/8	1		G5™
69-239-0	15-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	0	1		G3™
69-247-0	15-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	0	5/8		
69-248-0	15-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	0	5/8		
69-250-0	15-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	5/8	5/8		
69-251-0	15-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	5/8	5/8		
97-012	15-3/4	13/16			2.25	0.187	5/8	1		
97-017	15-3/4	13/16			2.25	0.134	11/16	1-1/8		
97-123	15-3/4	13/16			2.25	0.134	5/8	1		
97-606	15-3/4	13/16			2.5	0.187	5/8	3/4		G3™
591-594	15-13/16	13/16			3	0.164	5/8	1		G5™
91-589	15-13/16	3/4			2.5	0.164	5/8	3/4		G5™
98-080	15-15/16	3/4			3	0.203	7/16	1-5/16		
396-725	16	11/16			3	0.250	0	1		G6®
596-373	16	3/4	5/16	2-1/2	3	0.187	1/2	1		G5™
91-073	16	3/4	5/16	2-1/2	2.5	0.203	9/16	1-1/8		
91-389	16	11/16			2	0.203	0	13/16		
91-448	16	11/16			2.5	0.203	0	15/16		
91-615	16	1	3/8	2-9/16	2.5	0.203	0	1-1/4		
96-394	16	11/16			2.5	0.203	0	1		G3™
96-397	16	1	3/8	2-9/16	2.5	0.203	0	1		G3™
90-644	16-1/16	3/4			2.5	0.203	0	3/4		G3™
91-806	16-1/16	3/4			2	0.203	0	15/16		
96-013	16-1/16	3/8			4	0.134	0	1-1/4		
590-685	16-1/8	3/4	3/8	2-9/16	3	0.187	0	1		G5™
599-132	16-1/8	3/4			3	0.203	0	1		G5™
90-685	16-1/8	3/4	3/8	2-9/16	2.5	0.203	0	3/4		G3™
91-705	16-1/8	3/4	3/8	2-9/16	2	0.203	0	1-1/16		
91-723	16-1/8	3/4	3/8	2-9/16	2	0.203	0	1-1/8		
99-132	16-1/8	3/4			2.5	0.203	0	1-1/16		
396-809	16-3/16	5/8			3	0.250	3/8	1		G6®
596-816	16-3/16	5/8			3	0.203	3/8	1		G5™
92-153	16-3/16	5/8			2.5	0.250	5/16	1-1/8		
198-063	16-1/4	5/8 6 pt. star			2.5	0.149	7/16	1-1/8		
392-205	16-1/4	15/16			3	0.250	3/8	1		G6®
396-321	16-1/4	15/16			3	0.250	0	1		G6®
396-716	16-1/4	5/8			3	0.250	0	1		G6®
492-726	16-1/4	15/16			3	0.203	3/8	1-1/16		
593-600	16-1/4	5/8			3	0.203	1/2	1		G5™
595-087	16-1/4	5 pt. star			3	0.164	0	1		G5™

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
596-310	16-1/4	5/8			3	0.203	0	1		G5™
596-321	16-1/4	15/16			3	0.203	0	1		G5™
598-627	16-1/4	11/16 6 pt. star	5/16	2-1/2	3	0.164	5/16	1		G5™
598-634	16-1/4	5/8 6 pt. star			3	0.164	5/16	1		G5™
598-640	16-1/4	5/8 6 pt. star			3	0.164	7/16	1		G5™
91-180	16-1/4	5/8			2.5	0.187	0	1		
91-183	16-1/4	5/8			2.5	0.250	0	1		
91-313	16-1/4	5/8			2.5	0.203	0	1		
91-330	16-1/4	3/4			3	0.203	5/16	1-3/8		
91-368	16-1/4	5/8			2.5	0.203	0	1		
91-480	16-1/4	5/8	1/4	1-5/8	2.5	0.250	0	1-3/16		
92-026	16-1/4	15/16			2.5	0.203	0	1		
92-029	16-1/4	15/16			2.5	0.203	0	1		
93-005	16-1/4	5/8	1/4	1-5/8	2.5	0.250	0	1-3/16		
93-009	16-1/4	5/8			2.5	0.203	1/2	1-1/8		
95-087	16-1/4	5 pt. star			2.5	0.203	0	1		
96-310	16-1/4	5/8			2.5	0.203	0	3/4		G3™
96-321	16-1/4	15/16			2.5	0.203	0	1		G3™
98-054	16-1/4	5/8 6 pt. star			3	0.120	5/16	1-3/16		
98-057	16-1/4	11/16 6 pt. star	5/16	2-1/2	3	0.120	5/16	1-3/16		
98-085	16-1/4	5/8 6 pt. star			2.5	0.203	7/16	1-1/8		
98-487	16-1/4	3/8	5/16	2-1/2	3	0.149	5/16	1-3/16		
98-634	16-1/4	5/8 6 pt. star			2.5	0.187	5/16	3/4		G3™
98-640	16-1/4	5/8 6 pt. star			2.5	0.187	7/16	3/4		G3™
99-127	16-1/4	5/8			2.5	0.203	0	1-1/16		
98-082	16-5/16	3/4			2.5	0.203	7/16	1-1/8		
91-266	16-3/8	5/8			2.5	0.203	0	1		
96-328	16-3/8	5/8			2.5	0.203	0	1		G3™
391-606	16-1/2	13/16			3	0.250	0	1		G6®
391-614	16-1/2	3/4			3	0.250	0	1		G6®
392-165	16-1/2	5/8			3	0.250	1/2	1		G6®
396-735	16-1/2	5/8			3	0.250	0	1		G6®
596-308	16-1/2	5/8			3	0.203	0	1		G5™
596-330	16-1/2	3/4	5/16	2-1/2	3	0.187	1/2	1		G5™
91-056	16-1/2	3/4	5/16	2-1/2	2.5	0.203	1/2	1-5/16		
91-606	16-1/2	13/16			2.25	0.149	0	5/8		
91-620	16-1/2	5/8			2.5	0.203	0	1		
91-621	16-1/2	5/8			3	0.203	0	1-1/2		
92-036	16-1/2	5/8			2.5	0.250	0	1		
92-054	16-1/2	9/16			2.5	0.203	0	1		
92-145	16-1/2	5/8			2.5	0.203	0	1		
92-165	16-1/2	5/8			2.5	0.203	1/2	1		
92-207	16-1/2	5/8			2.5	0.203	0	13/16		
92-737	16-1/2	5/8			2.5	0.203	0	1-1/16		
92-743	16-1/2	5/8			2.5	0.203	0	1		
96-308	16-1/2	5/8			2.5	0.203	0	1		G3™
96-381	16-1/2	3/4			3	0.203	7/16	3/4		G3™
98-081	16-1/2	3/4			3	0.203	7/16	1-3/8		
99-120	16-1/2	3/8			2.75	0.164	1/4	7/8		
99-126	16-1/2	5/8			2.5	0.203	0	1-1/16		
99-500	16-1/2	5/8			3	0.203	0	1-3/16		
392-047	16-9/16	11/16			3	0.250	1/2	1		G6®
90-697	16-9/16	3/4	5/16	2-1/2	2.5	0.203	1/2	3/4		G3™
91-003	16-9/16	3/4			2.5	0.203	7/16	7/8		
91-333	16-9/16	3/4	5/16	2-1/2	2.5	0.203	1/2	15/16		
91-401	16-9/16	13/16			2.5	0.203	5/16	13/16		
91-447	16-9/16	13/16			2.5	0.203	7/16	1-1/16		
92-047	16-9/16	11/16			2.5	0.250	1/2	1-1/8		

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
95-011	16-9/16	1-1/4	1/2	3	2.5	0.187	0	1		
96-047	16-9/16	11/16			2.5	0.203	1/2	3/4		G3™
96-618	16-9/16	13/16			2.5	0.203	7/16	1		G3™
391-613	16-5/8	1-1/8			3	0.250	1/2	1		G6®
391-617	16-5/8	11/16			3	0.250	5/16	1		G6®
392-300	16-5/8	3/4			3	0.250	5/8	1		G6®
396-732	16-5/8	13/16			3	0.250	3/8	1		G6®
592-124	16-5/8	7/8			3	0.203	5/8	1		G5™
596-332	16-5/8	13/16			3	0.203	3/8	1		G5™
91-381	16-5/8	13/16			2.5	0.203	3/8	1-3/16		
91-383	16-5/8	13/16			2.5	0.203	1/4	3/4		
91-613	16-5/8	1-1/8			2.5	0.250	9/16	1-1/8		
92-124	16-5/8	7/8			2.5	0.250	9/16	1-1/8		
92-300	16-5/8	3/4			2.5	0.250	11/16	1-1/8		
96-332	16-5/8	13/16			2.5	0.203	3/8	1		G3™
195-062	16-11/16	5 pt. star	5/16	3-15/16	2.5	0.203	0	1-1/4		
596-615	16-11/16	5 pt. star			3	0.187	0	1		G5™
91-433	16-11/16	11/16			2	0.203	0	1-1/16		
91-435	16-11/16	11/16			2	0.250	3/8	1-1/16		
95-068	16-11/16	5 pt. star			2.5	0.203	5/16	13/16		
96-603	16-11/16	3/4			2.5	0.203	11/16	3/4		G3™
96-615	16-11/16	5 pt. star			2.5	0.203	0	1		G3™
69-241-0	16-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	0	1		G3™
69-249-0	16-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	0	5/8		
69-252-0	16-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	5/8	5/8		
91-703	16-3/4	1			2.5	0.203	9/16	1-1/8	L	
91-087	16-7/8	1			2.5	0.203	13/16	13/16		
92-175	16-7/8	1			2.5	0.250	3/4	13/16	L	
396-354	16-15/16	13/16			3	0.250	1/2	1		G6®
592-160	16-15/16	5/8			3	0.187	5/16	1		G5™
596-354	16-15/16	13/16			3	0.203	5/8	1		G5™
90-348	16-15/16	13/16			2.5	0.203	9/16	1-1/8		
91-096	16-15/16	3/8	3/8	2-3/4	2	0.187	0	1		
91-123	16-15/16	1/2			2.5	0.203	5/16	1-5/16		
91-126	16-15/16	1/2			2.5	0.203	5/16	3/4		
92-160	16-15/16	5/8			2.5	0.203	5/16	1-1/4		
92-161	16-15/16	5/8			2.5	0.203	5/16	3/4		
96-354	16-15/16	13/16			2.5	0.203	9/16	3/4		G3™
99-617	16-15/16	1/2			2.5	0.203	5/16	3/4		G3™
392-139	17	3/4			3	0.250	7/16	1		G6®
396-723	17	5/8			3	0.250	0	1		G6®
396-805	17	5/8			3	0.250	5/16	1		G6®
590-669	17	11/16			3	0.203	0	1		G5™
592-616	17	7 pt. star			3	0.164	5/16	1		G5™
596-323	17	5/8			3	0.203	0	1		G5™
90-669	17	11/16			2.5	0.203	0	3/4		G3™
91-108	17	11/16	3/8	3-11/16	2.5	0.164	3/8	1-3/16		
91-117	17	7/8 x 1-1/4			2.5	0.187	7/16	1		
91-146	17	11/16			2.5	0.187	0	1-1/4		
91-242	17	5/8			2	0.203	5/16	1-1/8		
91-502	17	5/8			2.5	0.203	0	1-3/16		
91-505	17	5/8			2.5	0.250	0	1-1/8		
91-508	17	5/8			2.5	0.250	0	1-3/16		
91-525	17	5/8			2.5	0.250	5/16	1-3/16		
91-715	17	3/4	3/8	2-9/16	2	0.187	0	1		
92-104	17	7 pt. star			2.75	0.164	3/16	1-3/16		
92-139	17	3/4			3	0.203	7/16	1-5/16		
92-616	17	7 pt. star			2.5	0.187	1/4	3/4		G3™

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
92-675	17	11/16	3/8	3-11/16	2.5	0.187	3/8	1-3/16		G3™
96-323	17	5/8			2.5	0.203	0	1		G3™
191-108	17-1/16	11/16	3/8	3-11/16	2.51	0.164	1/4	1		
396-770	17-1/16	7/8			3	0.250	1/2	1		G6®
91-079	17-1/16	7/8			2.5	0.250	7/16	1-1/16		
91-496	17-1/16	11/16	3/8	3-11/16	2.5	0.164	1/4	1-3/8		
91-586	17-1/16	7 pt. Star			2.5	0.187	3/16	1-3/8		
92-105	17-1/16	7 pt. star			2.75	0.164	1/4	1-1/4		
92-144	17-1/16	7/8			3	0.250	7/16	1-5/16		
92-158	17-1/16	5/8			2.5	0.250	5/16	1-1/8		
396-738	17-3/16	11/16			3	0.250	0	1		G6®
90-656	17-3/16	3/4			2.5	0.203	7/16	3/4		G3™
91-393	17-3/16	11/16			2.5	0.203	0	13/16		
91-415	17-3/16	3/4			2.5	0.203	1/2	11/16		
392-141	17-1/4	1/2			3	0.250	0	1		G6®
92-141	17-1/4	1/2			2.5	0.203	0	1		
98-037	17-1/4	3/8	5/16	2-1/2	2.5	0.187	5/16	1-1/8		
598-064	17-5/16	5/8 6 pt. star			3	0.149	5/16	1		G5™
98-064-1	17-5/16	5/8 6 pt. star			2.5	0.187	1/4	1-3/16		
595-609	17-3/8	5 pt. star			3	0.164	0	1		G5™
95-018	17-3/8	5 pt. star			2.25	0.149	1/8	15/16		
95-027	17-3/8	3/8			2.25	0.187	0	1		
95-050	17-3/8	5 pt. star			2.25	0.187	0	1		
95-609	17-3/8	5 pt. star			2.5	0.187	0	3/4		G3™
392-206	17-1/2	15/16			3	0.250	3/8	1		G6®
492-731	17-1/2	15/16			3	0.203	3/8	1-1/16		
594-078	17-1/2	5/8			3	0.164	3/8	1		G5™
594-085	17-1/2	5/8			3	0.203	0	1		G5™
91-573	17-1/2	3/8	3/8	3	2.5	0.187	1/2	3/4		G3™
94-059	17-1/2	5/8			2.25	0.164	7/16	1-3/16		
94-063	17-1/2	5/8			2.25	0.164	1/2	15/16		
94-085	17-1/2	5/8			2.5	0.250	0	1		
94-128	17-1/2	5/8			2.25	0.164	5/16	1-1/4		
96-382	17-1/2	5/8			2.25	0.187	7/16	3/4		G3™
97-018	17-11/16	13/16			2.25	0.149	3/8	1-1/8		
198-086	17-3/4	5/8 6 pt. star			2.5	0.149	7/8	3/4		
595-077	17-3/4	5 pt. star			3	0.164	0	1		G5™
69-242-0	17-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	0	1		G3™
69-253-0	17-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	5/8	5/8		
69-258-0	17-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	0	5/8		
69-263-0	17-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	5/8	1		G3™
90-142	17-3/4	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/8	5/8		
95-077	17-3/4	5 pt. star			2.5	0.203	0	1		
596-387	17-13/16	3/4			3	0.164	15/16	1		G5™
92-174	17-13/16	5/8			2.5	0.203	0	7/8		
96-387	17-13/16	3/4			2.5	0.187	1	3/4		G3™
396-704	17-7/8	5/8			3	0.250	0	1		G6®
591-938	17-7/8	5/8 6 pt. star			3	0.164	15/16	1		G5™
592-015	17-7/8	3/4			3	0.164	0	1		G5™
596-704	17-7/8	5/8			3	0.203	0	1		G5™
90-206	17-7/8	5/8			2.5	0.203	0	13/16		
90-207	17-7/8	5/8			3	0.250	5/8	1		
90-618	17-7/8	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/4	5/8		
91-178	17-7/8	1/2			2.75	0.187	9/16	3/4		
91-938	17-7/8	5/8 6 pt. star			2.5	0.187	15/16	3/4		G3™
92-015	17-7/8	3/4			2.5	0.203	0	1		
92-044	17-7/8	5/8			2.5	0.203	0	1-1/16		
92-211	17-7/8	5/8			2.25	0.187	1/16	15/16		

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
92-212	17-7/8	5/8			2.5	0.203	0	1		
96-318	17-7/8	5/8			2.5	0.203	0	3/4		G3™
98-087	17-7/8	3/4			2.5	0.149	1	1-1/8		
98-094	17-7/8	bow-tie			2.5	0.149	1	1-1/8		
98-097	17-7/8	5/8 6 pt. star			2.5	0.149	15/16	1-3/8		
98-671	17-7/8	bow-tie	5/16	2-1/2	2.5	0.149	1	3/4		G3™
393-601	18	5/8			3	0.250	1/2	1		G6®
396-322	18	15/16			3	0.250	0	1		G6®
396-726	18	5/8			3	0.250	0	1		G6®
396-729	18	1/2			3	0.250	5/16	1		G6®
396-806	18	5/8			3	0.250	5/16	1		G6®
41-104	18	5/8			2.5	0.203	3/4	3/4		
593-601	18	5/8			3	0.203	1/2	1		G5™
595-085	18	5 pt. star			3	0.164	0	1		G5™
596-322	18	15/16			3	0.203	0	1		G5™
596-329	18	1/2			3	0.203	5/16	1		G5™
596-344	18	5/8			3	0.203	0	1		G5™
596-817	18	5/8			3	0.203	5/16	1		G5™
91-039	18	5/8			2.5	0.203	1/2	1		
91-170	18	1/2			2.5	0.203	0	1		
91-181	18	5/8			2.5	0.187	0	1		
91-184	18	5/8			2.5	0.250	0	1		
91-218	18	5/8			2.5	0.164	0	1		
91-235	18	5/8			2.5	0.250	0	7/8		
91-256	18	5/8			2.5	0.203	0	1		
91-312	18	5/8			2.5	0.203	0	1		
91-335	18	5/8			2.5	0.203	0	1		
91-532	18	1/2			2.5	0.250	5/16	1		
91-535	18	1/2			2.5	0.250	5/16	1-3/16		
91-538	18	1/2			2.5	0.203	0	1		
91-558	18	1/2			2.5	0.250	5/16	3/4		
91-622	18	5/8			2.5	0.203	0	1		
91-623	18	5/8			3	0.203	0	1-1/2		
91-637	18	5/8			2.5	0.203	0	1		
92-027	18	15/16			2.5	0.203	0	1		
92-030	18	15/16			2.5	0.203	0	1		
92-151	18	5/8			2.5	0.250	5/16	1-1/8		
93-006	18	5/8	1/4	1-5/8	2.5	0.250	0	1-3/16		
93-010	18	5/8			2.5	0.203	1/2	1-1/8		
93-601	18	5/8			2.5	0.203	1/2	3/4		G3™
94-018	18	1/2			2.5	0.187	3/16	11/16		
94-022	18	1/2			2.5	0.187	3/16	1		
94-053	18	5/8			2.5	0.250	0	1		
94-064	18	5/8			2.5	0.187	3/16	11/16		
94-618	18	1/2			2.5	0.203	3/16	3/4		G3™
95-085	18	5 pt. star			2.5	0.203	0	1		
96-322	18	15/16			2.5	0.203	0	1		G3™
96-329	18	1/2			2.5	0.203	5/16	1		G3™
96-344	18	5/8			2.5	0.203	0	3/4		G3™
96-395	18	5/8			2.5	0.203	3/16	3/4		G3™
98-065	18	bow-tie	5/16	2-1/2	2.25	0.134	5/16	1-1/8		
99-501	18	5/8			3	0.203	0	1-3/16		
390-698	18-1/8	3/4	3/8	2-9/16	3	0.250	0	1		G6®
590-698	18-1/8	3/4	3/8	2-9/16	3	0.187	0	1		G5™
90-698	18-1/8	3/4	3/8	2-9/16	2.5	0.203	0	3/4		G3™
91-706	18-1/8	3/4	3/8	2-9/16	2	0.203	0	1		
92-135	18-1/8	1/2			2.5	0.203	0	1		
595-613	18-3/16	5 pt. star			3	0.164	0	1		G5™

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
95-026	18-3/16	5 pt. star			2.25	0.187	1/8	1		
95-034	18-3/16	3/8	3/8	10	2.5	0.187	0	7/8		
95-036	18-3/16	5 pt. star			2.25	0.134	1/8	1		
95-613	18-3/16	5 pt. star			2.5	0.187	0	3/4		G3™
97-105	18-3/16	7/8 X 1			2.25	0.149	3/16	15/16		
98-496	18-5/16	3/8	5/16	2-1/2	3	0.149	5/16	1-1/8		
592-137	18-3/8	5/8			3	0.187	5/16	1		G5™
91-129	18-3/8	1/2			2.5	0.203	5/16	1-1/4		
92-137	18-3/8	5/8			2.5	0.203	5/16	1-1/4		
92-163	18-3/8	5/8			2.5	0.203	5/16	3/4		
96-129	18-3/8	1/2			2.5	0.203	5/16	3/4		G3™
596-818	18-7/16	5/8			3	0.203	5/16	1		G5™
92-157	18-7/16	5/8			2.5	0.203	5/16	1-1/8		
195-072	18-7/16	5 pt. star	5/16	3-15/16	2.75	0.187	1/2	1-3/16		
595-605	18-7/16	5 pt. star			3	0.164	1/2	1		G5™
95-082	18-7/16	5 pt. star			2.5	0.187	5/16	13/16		
95-605	18-7/16	5 pt. star			2.5	0.187	1/2	3/4		G3™
392-208	18-1/2	5/8			3	0.250	0	1		G6®
398-672	18-1/2	5/8 6 pt. star			3	0.250	1/2	1		G6®
596-333	18-1/2	3/4			3	0.203	1/2	1		G5™
596-808	18-1/2	5/8			3	0.203	0	1		G5™
598-672	18-1/2	5/8 6 pt. star			3	0.203	1/2	1		G5™
599-133	18-1/2	3/4			3	0.203	0	1		G5™
91-440	18-1/2	3/4			3	0.203	1/2	1-1/4		
91-713	18-1/2	3/4	3/8	2-9/16	2	0.187	0	3/4		
91-714	18-1/2	3/4	3/8	2-9/16	2.5	0.164	0	1-5/16		
92-042	18-1/2	5/8			2.5	0.203	0	1-1/16		
92-208	18-1/2	5/8			2.5	0.203	0	13/16		
92-738	18-1/2	5/8			2.5	0.203	0	1		
96-133	18-1/2	3/4			2.5	0.203	0	3/4		G3™
96-333	18-1/2	3/4			2.5	0.203	1/2	3/4		G3™
98-072	18-1/2	5/8 6 pt. star			3	0.203	1/2	1-1/4		
98-672	18-1/2	5/8 6 pt. star			2.5	0.203	1/2	1		G3™
99-133	18-1/2	3/4			2.5	0.203	0	1-1/8		
396-748	18-5/8	11/16			3	0.250	1/2	1		G6®
396-796	18-5/8	1-1/8			3	0.250	1/2	1		G6®
396-811	18-5/8	1-1/8			3	0.250	5/8	1		G6®
396-812	18-5/8	7/8			3	0.250	5/8	1		G6®
592-617	18-5/8	7 pt. star			3	0.164	3/8	1		G5™
596-812	18-5/8	7/8			3	0.203	5/8	1		G5™
91-404	18-5/8	13/16			2.5	0.203	5/16	7/8		
91-436	18-5/8	1-1/8			2.5	0.250	1/2	1-1/16		
92-048	18-5/8	11/16			2.5	0.250	1/2	1-1/8		
92-103	18-5/8	7 pt. star			2.75	0.187	1/4	1-1/8		
92-125	18-5/8	1-1/8			2.5	0.250	5/8	1-1/8		
92-127	18-5/8	7/8			2.5	0.250	9/16	1-1/8		
92-132	18-5/8	1-1/8			2.5	0.250	5/8	13/16		
92-617	18-5/8	7 pt. star			2.5	0.187	3/8	3/4		G3™
96-748	18-5/8	3/4			2.5	0.203	1/2	3/4		G3™
396-706	18-11/16	13/16			3	0.250	3/8	1		G6®
596-306	18-11/16	13/16			3	0.203	3/8	1		G5™
91-380	18-11/16	13/16			2.5	0.203	3/8	1-1/8		
91-384	18-11/16	13/16			2.5	0.203	3/8	3/4		
96-306	18-11/16	13/16			2.5	0.203	3/8	1		G3™
396-803	18-3/4	5/8			3	0.250	5/16	1		G6®
69-243-0	18-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	0	1		G3™
69-254-0	18-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	5/8	5/8		
69-259-0	18-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	0	5/8		

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
69-264-0	18-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	5/8	1		G3™
90-143	18-3/4	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/8	5/8		
91-093	18-3/4	3/8	3/8	2-3/4	2	0.187	0	1		
94-060	18-3/4	5/8			2.25	0.164	5/16	1-1/8		G3™
94-070	18-3/4	5/8			2.25	0.164	5/16	7/8		
96-803	18-3/4	5/8			2.25	0.164	5/16	3/4		G3™
90-619	18-7/8	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/4	5/8		
98-019	18-7/8	3/8	5/16	2-1/2	2	0.134	5/16	7/8		
396-719	18-15/16	13/16			3	0.250	1/2	1		G6®
596-719	18-15/16	13/16			3	0.203	1/2	1		G5™
90-354	18-15/16	13/16			2.75	0.250	1/2	1-3/8		
396-769	19	7/8			3	0.250	7/16	1		G6®
596-351	19	3/4			3	0.203	5/8	1		G5™
596-769	19	7/8			3	0.203	7/16	1		G5™
91-138	19	7/8			2.5	0.250	7/16	1-1/16		
92-118	19	7/8			3	0.250	7/16	1-5/16		
92-140	19	bow-tie	5/16	2-1/2	2.25	0.134	1/4	1-1/8		
92-149	19	1/2			2.5	0.250	0	1-1/4		
92-607	19	9/16			2.5	0.203	0	3/4		G3™
94-043	19	1/2			2.5	0.250	3/16	7/8		
95-092	19	5/8			2.5	0.250	0	1		
96-351	19	3/4			3	0.203	9/16	1		G3™
96-364	19	7/8			2.5	0.203	7/16	3/4		G3™
96-701	19	1/2			2.5	0.250	3/16	1		G3™
98-091	19	3/4			3	0.203	7/16	1-5/16		
396-800	19-3/16	7/16	3/8	1-9/16	3	0.250	0	1		G6®
595-601	19-1/4	5 pt. star			3	0.164	0	1		G5™
94-032	19-1/4	5/8			2.5	0.187	9/16	3/4		
94-602	19-1/4	5/8			2.5	0.203	9/16	3/4		G3™
95-031	19-1/4	3/8			2.25	0.187	0	1		
95-033	19-1/4	5 pt. star			2.25	0.134	1/8	1		
95-038	19-1/4	5 pt. star			2.25	0.187	1/8	1-1/16		
95-047	19-1/4	5 pt. star			2.25	0.187	0	1		
95-601	19-1/4	5 pt. star			2.5	0.187	0	3/4		G3™
195-003	19-5/16	5 pt. star	5/16	3-1/8	2.25	0.134	1/8	7/8		
195-033	19-5/16	5 pt. star	3/8	3-1/8	2.25	0.134	1/8	1-1/16		
198-058	19-5/16	5/8 6 pt. star			2.75	0.149	3/8	1-1/2		
598-628	19-5/16	5/8 6 pt. star			3	0.164	5/16	1		G5™
94-038	19-5/16	5/8			2.5	0.187	9/16	1-1/4		
98-044	19-5/16	3/8	5/16	2-1/2	3	0.149	5/16	1-3/8		
98-537	19-5/16	3/8	7/16	2-1/2	3	0.149	5/16	1		
98-628	19-5/16	5/8 6 pt. star			2.5	0.187	5/16	3/4		G3™
198-052	19-3/8	5/8 6 pt. star			3	0.149	5/16	1-1/4		
91-057	19-3/8	3/4	5/16	2-1/2	2.75	0.187	5/16	1-1/2		
91-328	19-3/8	3/4			3	0.203	5/16	1-5/16		
91-329	19-3/8	3/4			3	0.203	5/16	7/8		
95-015	19-3/8	3/8			2.25	0.187	0	1		
95-099	19-3/8	5 pt. star			2.25	0.149	1/8	1		
96-697	19-3/8	3/4			3	0.203	5/16	3/4		G3™
98-493	19-3/8	3/8	5/16	2-1/2	3	0.149	5/16	1-3/16		
396-352	19-7/16	7 pt. Star			3	0.250	7/16	1		G6®
597-602	19-7/16	13/16			3	0.164	3/8	1		G5™
92-109	19-7/16	7 pt. star			3	0.203	7/16	1-3/4		
97-010	19-7/16	13/16			2.25	0.120	3/8	1		
97-021	19-7/16	13/16			2.25	0.134	5/16	1		
97-107	19-7/16	13/16			2.25	0.134	5/8	1-1/8		
97-118	19-7/16	13/16			2.25	0.187	5/8	1-3/16		
99-614	19-7/16	1			2.5	0.203	3/16	3/4		G3™

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
191-392	19-1/2	11/16	3/8	4	2.53	0.203	7/16	5/8		
396-709	19-1/2	11/16			3	0.250	7/16	1		G6®
596-309	19-1/2	11/16			3	0.203	7/16	1		G5™
91-398	19-1/2	11/16			3	0.203	7/16	1-3/4		
91-400	19-1/2	11/16			3	0.203	7/16	1-1/2		
91-403	19-1/2	11/16			2.5	0.203	3/8	1-3/16		
96-309	19-1/2	11/16			2.5	0.203	7/16	3/4		G3™
97-003	19-1/2	13/16			2.75	0.134	1/2	15/16		
97-016	19-5/8	3/8			2.25	0.134	3/8	11/16		
96-005	19-11/16	3/8			2	0.134	1/8	1/2		
69-244-0	19-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	0	1		G3™
69-255-0	19-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	5/8	5/8		
69-260-0	19-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	0	5/8		
69-265-0	19-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	5/8	1		G3™
90-144	19-3/4	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/8	5/8		
96-809	19-3/4	7/16	3/8	2-1/2	2.25	0.134	7/16	3/4		G3™
90-620	19-7/8	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/4	5/8		
97-022	19-7/8	3/8			2.25	0.134	3/8	7/8		
595-024	19-15/16	5/8	3/8	1-7/8	3	0.134	5/8	1		G5™
95-024	19-15/16	5/8	3/8	1-7/8	2.5	0.149	9/16	7/8		
95-041	19-15/16	5/8	3/8	1-7/8	2.5	0.149	7/16	15/16		
91-911	20	5/8	3/16	3	2.75	0.203	1-1/16	3/4		
94-029	20	5/8			2.5	0.250	3/16	1		
94-620	20	5/8			2.5	0.203	3/16	3/4		G3™
95-044	20	5/8	3/8	1-7/8	2	0.134	5/16	13/16		
95-051	20	5/8	3/8	1-7/8	2.25	0.134	7/16	11/16		
96-802	20	1/2			2.5	0.250	1/2	3/4		G3™
98-001	20	13/16	3/8	2-1/2	2.25	0.134	5/16	7/8		
98-066	20	bow-tie	5/16	2-1/2	2.25	0.134	5/16	1-1/8		
98-068	20	bow-tie	5/16	2-1/2	2.25	0.134	5/16	13/16		
91-452	20-1/16	1/2			2	0.250	1/2	7/8	L	
392-301	20-3/16	3/4			3	0.250	5/8	1		G6®
91-046	20-3/16	1/2			2.5	0.250	1/2	15/16	L	
91-761	20-3/16	5/8			2	0.203	13/16	3/4	L	
91-762	20-3/16	5/8			2	0.203	13/16	11/16		
92-301	20-3/16	3/4			2.5	0.250	11/16	1-1/8		
591-259	20-1/4	5/8			3	0.164	0	1		G5™
91-141	20-1/4	3/4			2	0.250	5/8	15/16		
91-259	20-1/4	5/8			2.5	0.203	0	1		
96-605	20-1/4	3/4			2.5	0.203	5/8	3/4		G3™
97-004	20-5/16	7/8			2.75	0.134	1/2	7/8		
97-006	20-5/16	13/16			2.25	0.134	3/8	1		
97-024	20-5/16	13/16			2.25	0.134	5/16	1		
92-121	20-3/8	11/16			2.5	0.250	5/8	1-1/8		
92-122	20-3/8	11/16			2.5	0.250	9/16	1-1/8		
97-109	20-3/8	13/16			2.25	0.134	7/16	1-1/16		
97-119	20-3/8	13/16			2.25	0.187	7/16	1-1/8		
97-604	20-3/8	13/16			2.5	0.187	7/16	3/4		G3™
91-391	20-7/16	3/4			2	0.203	0	1		
191-015	20-7/16	3/4			2.5	0.187	1/2	15/16		
391-574	20-1/2	3/8	3/8	3	3	0.250	1/2	1		G6®
392-025	20-1/2	15/16			3	0.250	0	1		G6®
396-612	20-1/2	7/8			3	0.250	5/8	1		G6®
396-734	20-1/2	7/8			3	0.250	0	1		G6®
396-739	20-1/2	1/2			3	0.250	0	1		G6®
396-740	20-1/2	5/8			3	0.250	0	1		G6®
396-807	20-1/2	5/8			3	0.250	5/16	1		G6®
396-810	20-1/2	1-1/8			3	0.250	5/8	1		G6®

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
596-319	20-1/2	5/8			3	0.203	0	1		G5™
596-734	20-1/2	7/8			3	0.203	0	1		G5™
596-749	20-1/2	15/16			3	0.203	0	1		G5™
596-810	20-1/2	1-1/8			3	0.203	5/8	1		G5™
596-815	20-1/2	5/8			3	0.203	5/16	1		G5™
90-109	20-1/2	5/8			3	0.250	0	1-3/16		
91-050	20-1/2	3/8	3/8	3	2.25	0.187	1/2	13/16		
91-144	20-1/2	3/4			3	0.203	1/2	1-5/16		
91-188	20-1/2	1/2			2.5	0.203	0	1		
91-217	20-1/2	1/2			2.5	0.203	0	1		
91-239	20-1/2	5/8			2.5	0.250	3/4	1-1/16		
91-253	20-1/2	5/8			2.5	0.250	0	1-1/8		
91-264	20-1/2	5/8			2.5	0.203	0	1		
91-311	20-1/2	5/8			2.5	0.203	0	1		
91-378	20-1/2	5/8			2.5	0.203	0	5/8		
91-394	20-1/2	7/8			2.5	0.312	0	1		
91-503	20-1/2	5/8			2.5	0.203	0	1-3/16		
91-506	20-1/2	5/8			2.5	0.250	0	1-3/16		
91-509	20-1/2	5/8			2.5	0.250	0	1-1/8		
91-527	20-1/2	5/8			2.5	0.250	5/16	1-3/16		
91-574	20-1/2	3/8	3/8	3	2.5	0.187	1/2	3/4		G3™
91-732	20-1/2	3/4 X 5/8			2.25	0.187	0	7/8		
92-025	20-1/2	15/16			2.5	0.203	0	1		
92-028	20-1/2	15/16			3	0.203	0	1-5/16		
92-031	20-1/2	15/16			2.5	0.203	0	1		
92-037	20-1/2	5/8			2.5	0.203	0	1-1/16		
92-038	20-1/2	5/8			2.5	0.203	0	13/16		
92-082	20-1/2	15/16			2.5	0.203	0	1		
92-128	20-1/2	1-1/8			2.5	0.250	5/8	1-1/8		
92-130	20-1/2	1-1/8			2.5	0.250	5/8	13/16		
92-159	20-1/2	5/8			2.5	0.250	5/16	1-1/8		
92-209	20-1/2	15/16			3	0.203	0	1-5/16		
92-213	20-1/2	5/8			2.25	0.187	1/16	15/16		
94-055	20-1/2	5/8			2.5	0.250	0	1		
94-072	20-1/2	1/2			2.5	0.250	0	3/4		
96-319	20-1/2	5/8			2.5	0.203	0	3/4		G3™
96-363	20-1/2	1-1/8			2.5	0.203	9/16	3/4		G3™
96-612	20-1/2	7/8			2.5	0.203	5/8	3/4		G3™
96-677	20-1/2	3/4			3	0.203	1/2	1		G3™
96-749	20-1/2	15/16			2.5	0.203	0	1		G3™
96-801	20-1/2	1/2			2.5	0.250	0	1		G3™
96-810	20-1/2	7/16	3/8	2.5	2.25	0.134	7/16	3/4		G3™
396-787	20-9/16	1-1/8			3	0.250	1/2	1		G6®
396-816	20-9/16	1-5/16			3	0.250	5/8	1		G6®
596-787	20-9/16	1-1/8			3	0.203	1/2	1		G5™
91-005	20-9/16	3/8			2.75	0.134	5/16	1		
91-438	20-9/16	1-1/8			2.5	0.250	1/2	1-1/8		
91-616	20-9/16	1	3/8	2-9/16	2.5	0.203	0	1-1/4		
92-049	20-9/16	1-1/8			2.5	0.250	9/16	1-1/8		
92-115	20-9/16	7/8			2.5	0.250	5/8	3/4		
92-123	20-9/16	7/8			2.5	0.250	7/16	13/16		
96-041	20-9/16	3/8			2.75	0.134	1/4	3/4		G3™
96-398	20-9/16	1	3/8	2-9/16	2.5	0.203	0	1		G3™
96-787	20-9/16	1-1/8			2.5	0.203	1/2	3/4		G3™
392-201	20-11/16	15/16			3	0.250	3/8	1		G6®
492-730	20-11/16	15/16			3	0.203	3/8	1-1/16		
91-417	20-11/16	3/4	9/16	3-9/16	2.25	0.149	1/2	11/16		
96-620	20-11/16	3/8	3/8	2-3/4	2.75	0.164	3/16	3/4		G3™

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
99-103	20-11/16	3/8	3/8	2-3/4	2.75	0.164	3/16	1		
99-107	20-11/16	3/8	3/8	2-3/4	2.75	0.164	3/16	1		
99-119	20-11/16	3/8			2.5	0.149	3/8	1-1/8		
99-121	20-11/16	3/8	3/8	2-3/4	2.75	0.164	3/16	1-1/4		
69-245-0	20-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	0	1		G3™
69-256-0	20-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	5/8	5/8		
69-261-0	20-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	0	5/8		
69-266-0	20-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	5/8	1		G3™
90-145	20-3/4	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/8	5/8		
96-811	20-3/4	3/8	7/16	1-15/16	2.75	0.134	3/8	3/4		G3™
392-013	20-13/16	1/2			3	0.250	0	1		G6®
90-651	20-13/16	13/16	3/8	3-7/16	2.25	0.187	0	3/4		G3™
91-291	20-13/16	13/16	3/8	3-7/16	2.25	0.149	0	5/8		
91-444	20-13/16	13/16	3/8	3-7/16	2.25	0.149	3/16	1-1/16		
92-013	20-13/16	1/2			2.5	0.250	0	1		
94-051	20-13/16	7/16	3/8	2-1/2	2.25	0.149	7/16	7/8		
396-730	20-7/8	7/8			3	0.250	1/2	1		G6®
596-730	20-7/8	7/8			3	0.203	1/2	1		G5™
90-621	20-7/8	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/4	5/8		
91-078	20-7/8	7/8			2.5	0.312	7/16	7/8		
91-443	20-7/8	7/8	3/8	3-11/16	2.75	0.134	3/8	1		
91-516	20-7/8	13/16	3/8	3-7/16	2.25	0.120	1	11/16		
91-587	20-7/8	7/8			2.5	0.250	3/8	1		
92-102	20-7/8	1-1/4	9/16	3-1/2	2.75	0.134	9/16	0		
92-113	20-7/8	7/8			3	0.250	1/2	1-1/4		
96-660	20-7/8	7/16	3/8	2-1/2	2.25	0.134	7/16	1		G3™
97-110	20-7/8	3/8	5/16 x 1/2	2-5/16	2.25	0.149	3/8	3/4		
392-138	20-15/16	5/8			3	0.250	5/16	1		G6®
396-703	20-15/16	5/8			3	0.250	5/8	1		G6®
596-627	20-15/16	1			3	0.203	3/4	1		G5™
90-208	20-15/16	5/8			3	0.250	5/8	1		
91-127	20-15/16	1/2			2.5	0.203	5/16	3/4		
91-128	20-15/16	1/2			2.5	0.203	5/16	1-1/4		
91-457	20-15/16	1			2.5	0.203	3/4	1-3/16		
91-584	20-15/16	1	1/2	5	2.5	0.250	7/16	1		
92-011	20-15/16	5/8	1/2	2-9/16	3	0.120	11/16	7/8		
92-138	20-15/16	5/8			2.5	0.203	5/16	1-1/4		
92-172	20-15/16	1			2.5	0.250	3/4	15/16		
92-173	20-15/16	1			2.5	0.312	11/16	11/16		
94-127	20-15/16	7/16	3/8	2-7/16	2.25	0.134	5/16	7/8		
94-770	20-15/16	7/16	3/8	2-7/16	2.25	0.134	3/8	7/8		
96-600	20-15/16	7/16	3/8	2-7/16	2.25	0.134	5/16	3/4		G3™
98-002	20-15/16	13/16	3/8	2-1/2	2.25	0.134	1/4	13/16		
98-007	20-15/16	13/16	3/8	2-1/2	2.25	0.134	5/16	15/16		
98-102	20-15/16	13/16	3/8	2-1/2	2.5	0.134	5/16	3/4		G3™
99-615	20-15/16	1/2			2.5	0.203	5/16	3/4		G3™
195-005	21	5 pt. star	5/16	3-1/8	2.25	0.134	1/8	7/8		
195-019	21	5 pt. star	5/16	3-1/8	2.25	0.149	1/8	15/16		
195-032	21	5 pt. star	5/16	3-1/8	2.25	0.149	1/8	1-1/16		
195-039	21	5 pt. star	5/16	3-1/8	2.25	0.187	1/8	1-1/18		
195-048	21	5 pt. star	5/16	3-1/8	2.25	0.187	0	3/4		
195-067	21	5/8	3/8	1-7/8	2.25	0.134	9/16	1-1/16		
198-049	21	bow-tie	5/16	2-1/2	2.25	0.134	1/4	15/16		
396-629	21	1/2			3	0.250	0	1		G6®
396-702	21	5/8			3	0.250	1/2	1		G6®
396-712	21	1/2			3	0.250	5/16	1		G6®
396-727	21	5/8			3	0.250	0	1		G6®
592-608	21	9/16			3	0.203	0	1		G5™

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
595-621	21	5/8	3/8	1-7/8	3	0.149	1/2	1		G5™
595-622	21	1-1/4	3/8	3-7/16	3	0.134	1/2	1		G5™
595-623	21	5 pt. star			3	0.164	3/8	1		G5™
596-300	21	3/4			3	0.203	1/2	1		G5™
596-346	21	1/2			3	0.203	5/16	1		G5™
596-347	21	5/8			3	0.203	0	1		G5™
596-629	21	1/2			3	0.203	0	1		G5™
596-702	21	5/8			3	0.203	1/2	1		G5™
596-900	21	5 pt. star			3	0.164	0	1		G5™
598-631	21	bow-tie	5/16	2-1/2	3	0.149	5/16	1		G5™
91-035	21	1/2			2.5	0.250	1/4	1-1/4		
91-071	21	1/2			2.25	0.250	0	1		
91-135	21	5/8			2.5	0.203	1/2	1		
91-209	21	5/8			2.5	0.250	0	1		
91-308	21	5/8			2.5	0.203	0	1		
91-442	21	1/2			2	0.250	7/16	1-1/8		
91-482	21	9/16			2.5	0.203	0	1		
91-517	21	1-1/4	7/16	3-7/16	2.75	0.120	1/2	0		
91-531	21	1/2			2.5	0.250	5/16	1		
91-534	21	1/2			2.5	0.250	5/16	1-3/16		
91-537	21	1/2			3	0.250	5/16	1-1/4		
91-539	21	1/2			2.5	0.203	0	1		
91-547	21	1/2			2.5	0.250	5/16	3/4		
91-596	21	5/8			2.5	0.203	0	1		
91-626	21	5/8			2.5	0.203	0	1		
91-628	21	5/8			3	0.203	0	1-1/2		
91-638	21	5/8			2.5	0.203	0	1		
92-134	21	1/2			2.5	0.250	0	1-1/4		
93-008	21	5/8	1/4	1-5/8	2.5	0.250	0	1-3/16		
93-011	21	5/8			2.5	0.250	1/2	1-1/8		
93-013	21	5/8			2.5	0.250	1/2	5/8		
94-017	21	7/16	3/8	2-7/16	2.25	0.134	5/16	7/8		
94-079	21	1/2			2.5	0.250	1/2	15/16		
95-057	21	5/8	3/8	1-7/8	2.75	0.134	1/2	1-9/16		
95-071	21	5/8	3/8	1-7/8	2.75	0.134	1/2	1-1/8		
95-078	21	5/8			2.5	0.250	0	1		
95-086	21	5 pt. star			2.5	0.203	0	1.000		
95-621	21	5/8	3/8	1-7/8	2.5	0.187	1/2	3/4		G3™
96-300	21	3/4			3	0.203	1/2	1		G3™
96-346	21	1/2			2.5	0.203	5/16	1		G3™
96-347	21	5/8			2.5	0.203	0	3/4		G3™
96-702	21	5/8			2.5	0.203	1/2	1		G3™
96-900	21	5 pt. star			2.5	0.187	0	3/4		G3™
98-071	21	3/4			3	0.203	1/2	1-5/16		
98-098	21	bow-tie	5/16	2-1/2	2.25	0.134	1/4	13/16		
98-631	21	bow-tie	5/16	2-1/2	2.5	0.187	5/16	3/4		G3™
99-502	21	5/8			3	0.203	0	1-3/16		
591-635	21-1/8	3/4	5/16	2-1/2	3	0.164	5/16	1		G5™
91-058	21-1/8	3/4	5/16	2-1/2	2.75	0.187	1/4	1-3/8		
91-635	21-1/8	3/4	5/16	2-1/2	2.5	0.187	1/4	3/4		G3™
98-088	21-1/8	5/8 6 pt. star			3	0.164	3/8	1-5/16		
98-090	21-1/8	5/8 6 pt. star			2.75	0.187	1/4	1-3/8		
198-059	21-3/16	5/8 6 pt. star			2.75	0.149	3/8	1-1/2		
198-153	21-3/16	5/8 6 pt. star			3	0.149	5/16	1-1/4		
391-605	21-3/16	13/16			3	0.250	7/16	1		G6®
391-610	21-3/16	1			3	0.250	7/16	1		G6®
598-600	21-3/16	3/8	5/16	2-1/2	3	0.149	5/16	1		G5™
598-629	21-3/16	5/8 6 pt. star			3	0.164	5/16	1		G5™

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
91-605	21-3/16	13/16			2.25	0.149	7/16	13/16		
91-610	21-3/16	1			2.25	0.149	7/16	1		
96-350	21-3/16	3/4	5/16	2-1/2	2.5	0.203	3/8	1		G3™
98-093	21-3/16	5/8 6 pt. star			2.75	0.149	3/8	7/8		
98-153	21-3/16	5/8 6 pt. star			3	0.149	5/16	15/16		
98-499	21-3/16	3/8	5/16	2-1/2	3	0.149	5/16	1-1/4		
98-600	21-3/16	3/8	5/16	2-1/2	2.5	0.187	5/16	3/4		G3™
98-629	21-3/16	5/8 6 pt. star			2.5	0.187	5/16	3/4		G3™
197-019	21-1/4	7/8	3/8	3-9/16	2.25	0.134	3/8	1		
597-601	21-1/4	7/8			3	0.164	3/8	1		G5™
91-332	21-1/4	3/4	5/16	2-1/2	3	0.203	3/8	15/16		
92-101	21-1/4	3/4	3/8	3-1/2	3.25	0.120	1-5/16	1		
97-008	21-1/4	7/8			2.25	0.149	3/8	1-1/8		
97-013	21-1/4	7/8			2.25	0.187	3/8	1-1/8		
97-014	21-1/4	7/8			2.25	0.149	7/16	13/16		
97-020	21-1/4	7/8			2.25	0.134	7/16	1		
97-601	21-1/4	7/8			2.5	0.187	3/8	3/4		G3™
391-607	21-5/16	13/16			3	0.250	0	1		G6®
91-607	21-5/16	13/16			2.25	0.149	0	5/8		
97-005	21-5/16	13/16			2.75	0.134	5/16	13/16		
592-615	21-3/8	7 pt. star			3	0.203	3/8	1		G5™
92-110	21-3/8	7 pt. star			2.75	0.203	3/8	1-5/16		
92-119	21-3/8	13/16			2.75	0.187	7/8	1-1/4		
92-615	21-3/8	7 pt. star			2.5	0.203	1/4	3/4		G3™
92-676	21-3/8	11/16	3/8	3-11/16	2.5	0.187	3/8	1		G3™
192-106	21-7/16	7 pt. star			2.75	0.164	7/16	7/8		
91-446	21-7/16	13/16			2.5	0.203	13/16	1-1/4		
91-449	21-7/16	11/16			2.5	0.164	7/16	1-1/16		
91-604	21-7/16	13/16			2.5	0.203	13/16	3/4		G3™
96-340	21-7/16	11/16			2.5	0.203	7/16	1		G3™
94-019	21-1/2	1/2			2.5	0.187	3/16	11/16		
94-621	21-1/2	1/2			2.5	0.203	3/16	3/4		G3™
391-612	21-9/16	11/16			3	0.250	5/8	1		G6®
394-129	21-9/16	5/8			3	0.250	5/16	1		G6®
94-068	21-9/16	5/8			2.25	0.164	9/16	13/16		
94-069	21-9/16	5/8			2.25	0.164	5/8	1-1/4		
96-362	21-9/16	5/8			2.25	0.187	5/8	3/4		G3™
396-771	21-9/16	13/16			3	0.250	1/2	1		G6®
596-362	21-9/16	5/8			3	0.187	5/8	1		G5™
596-771	21-5/8	13/16			3	0.203	1/2	1		G5™
90-309	21-5/8	13/16			2.5	0.250	1/2	1-1/4		
91-590	21-5/8	13/16			3	0.250	7/16	1-5/16		
97-026	21-5/8	3/8			2.25	0.134	7/16	13/16	L	
99-134	21-5/8	3/8	3/8	1-7/8	2.25	0.134	1/4	1-1/8		
191-139	21-11/16	11/16	3/8	3-11/16	2.52	0.164	7/16	1		
94-045	21-11/16	1/2			2.5	0.250	1/2	1		
94-322	21-11/16	7/16	3/8	2-1/2	2.25	0.149	7/16	13/16		
96-012	21-11/16	3/8			4	0.134	0	1-5/16		
96-607	21-11/16	7/16	3/8	2-1/2	2.25	0.149	7/16	3/4		G3™
96-708	21-11/16	1/2			2.5	0.250	1/2	1		G3™
195-021	21-3/4	5/8	3/8	1-7/8	2.25	0.134	1/2	15/16		
595-602	21-3/4	5/8	3/8	1-7/8	3	0.149	1/2	1		G5™
69-246-0	21-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	0	1		G3™
69-257-0	21-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	5/8	5/8		
69-262-0	21-3/4	1	3/8 x 1/2	1-7/16	2.25	0.149	0	5/8		
69-267-0	21-3/4	1	3/8 x 1/2	1-7/16	2.5	0.149	5/8	1		G3™
90-146	21-3/4	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/8	5/8		
95-023	21-3/4	5/8	3/8	1-7/8	2.5	0.149	9/16	7/8		

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
95-042	21-3/4	5/8	3/8	1-7/8	2.5	0.149	7/16	15/16		
95-073	21-3/4	5/8	3/8	1-7/8	2.25	0.134	9/16	1-3/16		
95-602	21-3/4	5/8	3/8	1-7/8	2.5	0.187	1/2	3/4		G3™
97-001	21-13/16	3/8			2.25	0.149	3/8	1-5/16		
396-710	21-7/8	7/8			3	0.250	3/8	1		G6®
596-722	21-7/8	7/8			3	0.203	3/8	1		G5™
90-622	21-7/8	3/8	3/8 x 1-3/8	2-1/2	2.25	0.149	1/4	5/8		
92-120	21-7/8	7/8			2.5	0.312	3/8	7/8		
97-015	21-7/8	3/8			2.25	0.134	3/8	11/16		
92-602	21-15/16	3/4			2.5	0.203	1/2	3/4		G3™
95-076	21-15/16	5 pt. star			2.25	0.134	9/16	13/16		
95-615	21-15/16	5 pt. star			2.25	0.134	9/16	3/4		G3™
98-005	21-15/16	13/16	3/8	2-1/2	2.25	0.134	5/16	1-1/8		
98-050	21-15/16	bow-tie	5/16	2-1/2	2.25	0.134	5/16	13/16		
98-051	21-15/16	bow-tie	5/16	2-1/2	2.25	0.134	1/4	15/16		
394-075	22	1/2			3	0.250	1/2	1		G6®
591-611	22	3/8	3/8	2-3/4	3	0.134	5/16	1		G5™
91-051	22	3/8	3/8	3	2.25	0.187	1/2	13/16		
91-611	22	3/8	3/8	2-3/4	2.25	0.164	3/16	1-1/4		
91-912	22	5/8	3/16	3	2.75	0.203	1-1/16	3/4	L	
91-913	22	5/8	3/16	3	2.75	0.203	1-1/16	3/4		
94-075	22	1/2			2.5	0.250	1/2	15/16		
94-076	22	1/2			2.5	0.250	1/2	1		
94-077	22	1/2			2.5	0.187	7/16	1		
96-075	22	1/2			2.5	0.187	1/2	3/4		G3™
391-598	22-3/16	1/2			3	0.250	0	1		G6®
396-798	22-3/16	7/16	3/8	1-9/16	3	0.250	0	1		G6®
91-598	22-3/16	1/2			2.5	0.250	0	1		
91-701	22-1/4	3/4	3/8	2-9/16	2	0.203	0	1-1/16		
96-654	22-1/4	3/4	3/8	2-9/16	2.5	0.203	0	3/4		G3™
391-591	22-5/16	1/2			3	0.250	1/2	1		G6®
91-591	22-5/16	1/2			2.5	0.250	1/8	1-1/8		
92-014	22-3/8	1/2			2.5	0.250	1/2	5/8		
392-677	22-1/2	3/8	3/8	3	3	0.250	0	1		G6®
396-808	22-1/2	5/8			3	0.250	5/16	1		G6®
596-601	22-1/2	5/8			3	0.203	0	1		G5™
92-045	22-1/2	5/8			3	0.203	0	1-1/16		
92-152	22-1/2	5/8			2.5	0.250	5/16	1-1/8		
392-203	22-11/16	15/16			3	0.250	3/8	1		G6®
492-732	22-11/16	15/16			3	0.203	3/8	1-1/16		
195-070	22-7/8	5 pt. star	5/16	3-15/16	2.75	0.164	5/16	1-1/8		
596-370	22-7/8	5 pt. star			3	0.187	5/16	1		G5™
95-074	22-7/8	5 pt. star			2.25	0.149	1/8	15/16		
95-370	22-7/8	5 pt. star			2.5	0.203	5/16	1-1/4		
96-370	22-7/8	5 pt. star			2.75	0.187	1/4	3/4		G3™
91-363	23	1/2	7/16	2-7/8	2.5	0.250	0	11/16	L	
91-364	23	1/2	7/16	2-7/8	2.5	0.250	0	11/16		
96-696	23	1/2	3/8	2-7/8	2.5	0.250	0	1	L	G3™
96-795	23	1/2	3/8	2-7/8	2.5	0.250	0	1		G3™
96-401	23-1/4	5/8 6 pt. star			3	0.149	1/4	1		G3™
98-096	23-1/4	5/8 6 pt. star			3.75	0.149	1/4	1-3/8		
396-524	23-5/16	5/8			3	0.250	0	1		G6®
91-528	23-5/16	5/8			2.5	0.250	5/16	1-3/16		
92-415	23-3/4	1			2.5	0.203	0	1		
96-415	23-3/4	1			2.5	0.187	0	3/4		G3™
92-739	23-7/8	5/8			3	0.203	0	1-1/16		
96-215	23-7/8	5/8			2.5	0.203	0	3/4	L	G3™
96-216	23-7/8	5/8			2.5	0.203	0	3/4		G3™

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
396-752	24-1/16	5/8			3	0.250	0	1		G6®
596-752	24-1/16	5/8			3	0.203	0	1		G5™
91-453	24-1/16	1/2			2	0.250	1/2	7/8	L	
91-507	24-1/16	5/8			2.5	0.250	0	1-1/8		
91-515	24-1/16	5/8			3	0.250	0	1-1/8		
91-142	24-1/8	3/4			2.5	0.250	3/4	1-1/8		
396-707	24-3/16	3/4			3	0.250	3/4	1		G6®
91-374	24-3/8	5/8			3	0.203	0	1-1/4		
96-699	24-3/8	5/8			3	0.203	0	3/4		G3™
91-764	24-7/16	1			2.5	0.203	3/4	1-3/16	L	
92-033	24-7/16	15/16			3	0.203	0	1-1/4		
392-057	24-1/2	15/16			3	0.250	0	1		G6®
393-026	24-1/2	5/8			3	0.250	7/16	1		G6®
396-764	24-1/2	5/8			3	0.250	0	1		G6®
396-814	24-1/2	1-1/8			3	0.250	5/8	1		G6®
592-033	24-1/2	15/16			3	0.203	0	1		G5™
596-341	24-1/2	5/8			3	0.203	0	1		G5™
596-717	24-1/2	1-1/8			3	0.203	5/8	1		G5™
91-207	24-1/2	7/8			3	0.250	0	1		
91-254	24-1/2	5/8			2.5	0.250	3/4	1-1/16		
91-493	24-1/2	1-1/8			2.5	0.250	9/16	7/8		
91-627	24-1/2	5/8			2.5	0.203	0	1		
92-035	24-1/2	5/8			3	0.250	0	1-3/16		
92-057	24-1/2	15/16			3	0.203	0	1		
92-084	24-1/2	15/16			3	0.203	0	1-3/16		
92-116	24-1/2	1-1/8			2.5	0.250	5/8	1-3/16		
94-071	24-1/2	1/2			2.5	0.250	0	3/4		G3™
94-074	24-1/2	1/2			2.5	0.250	0	1		
96-341	24-1/2	5/8			2.5	0.203	0	3/4		G3™
96-372	24-1/2	1-1/8			2.5	0.203	9/16	3/4		G3™
392-133	24-9/16	3/4			3	0.250	5/8	1		G6®
392-416	24-9/16	5/8			3	0.250	5/16	1		G6®
92-133	24-9/16	3/4			2.5	0.250	11/16	1-1/8		
92-416	24-9/16	5/8			2.5	0.250	5/16	3/4		
91-766	24-5/8	5/8			2.5	0.250	0	7/8		
392-204	24-11/16	15/16			3	0.250	3/8	1		G6®
391-731	24-3/4	1/2			3	0.250	0	1		G6®
91-731	24-3/4	1/2			2.5	0.250	0	11/16		
96-724	24-3/4	1/2			2.5	0.250	1/2	1		G3™
396-728	24-7/8	1	1/2	6-1/2	3	0.250	3/4	1		G6®
91-456	24-7/8	1	1/2	6-1/2	2.5	0.250	3/4	1-1/8		
92-114	24-7/8	7/8			3	0.250	1/2	1-1/4		
96-624	24-7/8	7/8			3	0.203	13/16	3/4		G3™
396-743	24-15/16	7/8			3	0.250	1/2	1		G6®
396-775	24-15/16	7/8			3	0.250	0	1		G6®
591-585	24-15/16	1	1/2	5	3	0.203	3/8	1		G5™
596-775	24-15/16	7/8			3	0.203	0	1		G5™
91-352	24-15/16	7/16	7/16	2-7/8	2.5	0.250	0	13/16		
91-395	24-15/16	7/8			2.5	0.312	0	1		
91-585	24-15/16	1	1/2	5	2.5	0.250	3/8	1		
92-162	24-15/16	5/8			2.5	0.203	5/16	1-1/4		
93-025	24-15/16	5/8			2.5	0.250	1/2	1-1/4		
96-602	24-15/16	3/4			2.5	0.250	1/4	1	L	G3™
396-731	25	5/8			3	0.250	0	1		G6®
396-737	25	1/2			3	0.250	0	1		G6®
396-778	25	1/2			3	0.250	5/16	1		G6®
396-815	25	3/4			3	0.250	0	1		G6®
596-743	25	7/8			3	0.203	7/16	1		G5™

B

Blades by Length

OREGON	Length	Center Hole	Outer Hole	Center to Center	Width	Thickness	Offset	Air Lift	L-Cut	Type
91-034	25	1/2			2.25	0.250	0	1		
91-036	25	1/2			2.5	0.250	1/4	1-1/16		
91-533	25	1/2			2.5	0.250	5/16	1		
91-544	25	1/2			2.5	0.250	5/16	3/4		
91-588	25	7/8			2.5	0.250	3/8	1		
91-609	25	5/8			2.5	0.250	0	1		
91-917	25	5/8	3/16	3	2.75	0.203	1-1/16	7/8	L	
91-918	25	5/8	3/16	3	2.75	0.203	1-1/16	7/8		
91-919	25	5/8	3/16	3	2.75	0.203	1-1/16	3/4	L	
91-920	25	5/8	3/16	3	2.75	0.203	1-1/16	3/4		
92-164	25	1/2			2.5	0.203	0	1		
92-167	25	7/8	1/4	3	2.75	0.164	1-1/16	13/16	L	
92-168	25	7/8	1/4	3	2.75	0.164	1-1/16	13/16		
92-169	25	5/8			2.5	0.203	0	1		
92-170	25	1	1/2	6-1/2	2.5	0.250	11/16	13/16		
92-171	25	1	1/2	6-1/2	2.5	0.312	11/16	11/16		
94-011	25	3/4			2.5	0.250	1/4	1-1/16	L	
96-778	25	1/2			2.5	0.250	5/16	3/4		G3™
91-047	25-3/16	1/2			2.5	0.250	1/2	15/16	L	
94-040	25-3/16	1/2			2.5	0.250	1/4	1-1/8		
94-073	25-3/16	1/2			2.5	0.250	1/2	1-1/8		
96-705	25-3/16	1/2			2.5	0.250	1/4	1		G3™
391-526	26	5/8			3	0.250	5/16	1		G6®
91-526	26	5/8			2.5	0.250	5/16	1-3/16		
96-741	26-15/16	1/2			2.5	0.250	1/2	1		G3™
391-595	27	13/16			3	0.250	0	1		G6®
92-176	27	5/8	3/16	3	2.75	0.203	1-1/16	7/8	L	
92-177	27	5/8	3/16	3	2.75	0.203	1-1/16	7/8		
94-049	27	1/2			2.5	0.250	1/2	3/4		
94-052	27	1/2			2.5	0.250	1/2	15/16		
596-628	27-7/8	1-1/16	1/2	7-1/2	3	0.187	5/16	1		G5™
96-628	27-7/8	1-1/16	1/2	7-1/2	2.75	0.187	1/4	3/4		G3™
99-113	28	1-1/16	1/2	7-1/2	2.75	0.164	1/4	13/16		
99-114	28	1-1/16	1/2	7-1/2	2.75	0.187	1/4	13/16		
99-131	28	1-1/16	1/2	7-1/2	2.75	0.164	1/4	13/16		
392-302	28-9/16	3/4			3	0.250	5/8	1		G6®
92-302	28-9/16	3/4			2.5	0.250	11/16	1-1/8		
91-489	29	1/2	1/2	6-1/2	2.5	0.312	11/16	1		
91-399	29-9/16	11/16			2.5	0.203	7/16	1-3/8		
595-807	29-5/8	5 pt. star			3	0.149	5/16	1		G5™
99-112	29-7/8	1-1/16	1/2	7-1/2	2.75	0.187	1/4	13/16		
96-630	29-15/16	1-1/16	1/2	7-1/2	2.75	0.187	1/16	3/4		G3™
96-631	29-15/16	11/16			2.75	0.203	9/16	3/4		G3™
98-032	29-15/16	3/8	5/16	2-1/2	3	0.149	1/4	1-1/4		
97-330	30	13/16			2.75	0.149	5/8	1-1/8		
94-021	31-7/16	5/8			2.5	0.187	5/16	1-3/16		
96-633	32-7/8	1-1/16	1/2	7-1/2	2.75	0.187	1/4	3/4		G3™
99-117	32-7/8	1-1/16	1/2	7-1/2	2.75	0.187	1/4	1		

B