

OREGON Bar & Chain Applications

| SAW CHAIN      |                 |       |       |                    |  |            |             | GUIDE BARS     |                        |                                  |                                       |                                  | RETAIL PACKS                   |                    |            |
|----------------|-----------------|-------|-------|--------------------|--|------------|-------------|----------------|------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------|--------------------|------------|
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
| Bar Length (") | Bar Length (cm) | Pitch | Gauge | CHAIN PART NUMBERS |  | Chain Type | Drive Links | Sprocket Teeth | Armor Tip®<br>(AT, LA) | Power Match®<br>(RN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLB) | Double Guard®<br>(SD, DG, MLE) | BAR & CHAIN COMBOS | LOOP PACKS |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |
|                |                 |       |       |                    |  |            |             |                |                        |                                  |                                       |                                  |                                |                    |            |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                                                                                                                                                             |                 |        |       |                    |                         |            |             | GUIDE BARS     |                        |                                  |                                       |                                  | RETAIL PACKS                   |                   |                                           |                                                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|-------|--------------------|-------------------------|------------|-------------|----------------|------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------|-------------------|-------------------------------------------|------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                       |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| Bar Length (")                                                                                                                                                                                                                                                                                        | Bar Length (cm) | Pitch  | Gauge | CHAIN PART NUMBERS |                         | Chain Type | Drive Links | Sprocket Teeth | Armor Tip®<br>(AT, LA) | Power Match®<br>(RN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLB) | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain                 |
| ALPINA                                                                                                                                                                                                                                                                                                |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| ...760, P70                                                                                                                                                                                                                                                                                           |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 18                                                                                                                                                                                                                                                                                                    | 45              | 3/8    | .058  |                    | 73DPX<br>73LGX<br>73LPX | 68         | 8           | 188ATMD009     | 188RNDD009             | 188SLHD009                       |                                       |                                  |                                |                   |                                           | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                                                                                                                                                                                                                                                    | 50              | 3/8    | .058  |                    | 73DPX<br>73LGX<br>73LPX | 72         | 8           | 208ATMD009     | 208RNDD009             | 208SLHD009                       |                                       |                                  |                                |                   |                                           | OMK73DPX072G<br>OMK73LGX072G                               |
| DOLMAR                                                                                                                                                                                                                                                                                                |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 109, 109HS, 110, 110i, 111, 111i, 115, 115i, 115i, PS-410, PS-411, PS-460, PS-510, PS-540, PS-5000D, PS-5100S, PS-5105, PS-5105H; SOME OF THESE SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS.<br>Note: PS410 From Serial No. 34576 & PS411 From Serial No. 33571 use Micro-Lite Only. |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 16                                                                                                                                                                                                                                                                                                    | 40              | .325   | .050  | 20BPX              | 20LPX                   | 66         | 7           |                | 160RNBK095             | 160SLGK095                       |                                       |                                  |                                |                   | OMK20BPX066G                              |                                                            |
| 18                                                                                                                                                                                                                                                                                                    | 45              | .325   | .050  | 20BPX              | 20LPX                   | 72         | 7           |                |                        | 180SLGK095                       |                                       |                                  |                                |                   | OMK20BPX072G                              |                                                            |
| 13                                                                                                                                                                                                                                                                                                    | 33              | .325   | .058  | 21BPX              | 21LPX                   | 56         | 7           |                |                        | 138SLBK095                       |                                       |                                  |                                |                   |                                           |                                                            |
| 15                                                                                                                                                                                                                                                                                                    | 38              | .325   | .058  | 21BPX              | 21LPX                   | 64         | 7           |                | 158RNBK095             | 158SLBK095<br>158SLGK095         |                                       |                                  |                                |                   | OMK21BPX064G                              |                                                            |
| 16                                                                                                                                                                                                                                                                                                    | 40              | .325   | .058  | 21BPX              | 21LPX                   | 66         | 7           |                | 168RNBK095             | 168SLGK095<br>168SLBK095         |                                       |                                  | 105712*                        | OMK21BPX066G      |                                           |                                                            |
| 18                                                                                                                                                                                                                                                                                                    | 45              | .325   | .058  | 21BPX              | 21LPX                   | 72         | 7           |                | 188RNBK095             | 188SLGK095<br>188SLBK095         |                                       |                                  | 105713*                        | OMK21BPX072G      |                                           |                                                            |
| 20                                                                                                                                                                                                                                                                                                    | 50              | .325   | .058  | 21BPX              | 21LPX                   | 78         | 7           |                | 208RNBK095             | 208SLGK095                       |                                       |                                  | 105714*                        | OMK21BPX078G      |                                           |                                                            |
| MICRO-LITE®                                                                                                                                                                                                                                                                                           |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 13                                                                                                                                                                                                                                                                                                    | 33              | .325   | .050  | 95VPX              | 95VPX                   | 56         | 7           |                |                        | 130MLBK095                       |                                       |                                  |                                |                   |                                           |                                                            |
| 15                                                                                                                                                                                                                                                                                                    | 38              | .325   | .050  | 95VPX              | 95VPX                   | 64         | 7           |                |                        | 150MPBK095<br>150MLBK095         |                                       |                                  |                                |                   | OMK95VPX064G                              |                                                            |
| 16                                                                                                                                                                                                                                                                                                    | 40              | .325   | .050  | 95VPX              | 95VPX                   | 66         | 7           |                |                        | 160MPBK095                       |                                       |                                  | 108579*                        | OMK95VPX066G      |                                           |                                                            |
| 18                                                                                                                                                                                                                                                                                                    | 45              | .325   | .050  | 95VPX              | 95VPX                   | 72         | 7           |                |                        | 180MPBK095<br>180MLBK095         |                                       |                                  | 108580*                        | OMK95VPX072G      |                                           |                                                            |
| POWER SHARP® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.                                                                                                                                                                |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 100, 101, 102, 103, 104, 105, 106, 108, ES-161, ES-171, ES-173A, PS-32, PS-34, PS-35, PS-45, PS-340, PS-341, PS-350, PS-400, PS-401, PS-420, PS-3300TH, PS-3410TH, PS-3410TH TLC...                                                                                                                   |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 12                                                                                                                                                                                                                                                                                                    | 30              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 45         | 6           |                |                        | 120SPEA041                       |                                       | 120SDEA041                       | 105698*                        |                   |                                           | OMK91VXL045G                                               |
| 14                                                                                                                                                                                                                                                                                                    | 35              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 52         | 6           |                |                        | 140GPEA041<br>140SPEA041         |                                       | 140SDEA041                       | 105699*                        | OMK91PX052G       |                                           | OMK91VXL052G                                               |
| 16                                                                                                                                                                                                                                                                                                    | 40              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 56         | 6           |                |                        | 160GPEA041<br>160SPEA041         |                                       | 160SDEA041                       | 105700*                        | OMK91PX056G       |                                           | OMK91VXL056G                                               |
| 18                                                                                                                                                                                                                                                                                                    | 45              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 62         | 6           |                |                        |                                  |                                       | 180SDEA041                       |                                |                   |                                           |                                                            |
| INTENZ® ...                                                                                                                                                                                                                                                                                           |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 14                                                                                                                                                                                                                                                                                                    | 35              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 52         | 6           |                |                        | 140SPET041<br>C-INTENZ           |                                       | 140SDET041<br>C-INTENZ           |                                | OMK91PX052G       |                                           | OMK91VXL052G                                               |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                     |                                                                                     |                                |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |                                |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Astor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |

















 DOLMAR

 PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.



...100, 101, 102, 103, 104, 105, 106, 108, ES-161, ES-171, ES-173A, PS-32, PS-34, PS-35, PS-45, PS-340, PS-341, PS-350, PS-400, PS-401, PS-420, PS-3300TH, PS-3410TH, PS-3410TH TLC

|                                                                                                                                                                                                                                                   |    |        |      |            |                         |    |   |            |                          |                          |            |                                      |         |              |                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|--------|------|------------|-------------------------|----|---|------------|--------------------------|--------------------------|------------|--------------------------------------|---------|--------------|--------------------------------------------------------------|
| INTENZ®                                                                                                                                                                                                                                           |    |        |      |            |                         |    |   |            |                          |                          |            |                                      |         |              |                                                              |
| 16                                                                                                                                                                                                                                                | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL                   | 56 | 6 |            |                          |                          |            | 160SDET041<br>C-INTENZ               |         | OMK91PX056G  | OMK91VXL056G                                                 |
| MICRO-LITE® and MICRO-LITE® INTENZ®                                                                                                                                                                                                               |    |        |      |            |                         |    |   |            |                          |                          |            |                                      |         |              |                                                              |
| 12                                                                                                                                                                                                                                                | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 45 | 6 |            |                          |                          |            | 124MLEA041                           |         | OMK90PX045G  |                                                              |
| 14                                                                                                                                                                                                                                                | 35 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 52 | 6 |            |                          |                          |            | 144MLEA041<br>144MLET041<br>C-INTENZ |         | OMK90SG-52E  |                                                              |
| 16                                                                                                                                                                                                                                                | 40 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 56 | 6 |            |                          |                          |            | 164MLEA041                           |         |              |                                                              |
| PS-351 PS-421                                                                                                                                                                                                                                     |    |        |      |            |                         |    |   |            |                          |                          |            |                                      |         |              |                                                              |
| 12                                                                                                                                                                                                                                                | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL                   | 45 | 6 |            |                          | 120SPEA041               |            | 120SDEA041                           | 105698* |              | OMK91VXL045G                                                 |
| 14                                                                                                                                                                                                                                                | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL                   | 52 | 6 |            |                          | 140GPEA041<br>140SPEA041 |            | 140SDEA041                           | 105699* | OMK91PX052G  | OMK91VXL052G                                                 |
| 16                                                                                                                                                                                                                                                | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL                   | 56 | 6 |            |                          | 160GPEA041<br>160SPEA041 |            | 160SDEA041                           | 105700* | OMK91PX056G  | OMK91VXL056G                                                 |
| MICRO-LITE®                                                                                                                                                                                                                                       |    |        |      |            |                         |    |   |            |                          |                          |            |                                      |         |              |                                                              |
| 15                                                                                                                                                                                                                                                | 38 | .325   | .050 | 95VPX      | 95VPX                   | 64 | 7 |            |                          |                          | 150MLBK041 |                                      |         | OMK95VPX064G |                                                              |
| 110, 111, 111i, 112, 113, 114, 115, 115i, 115i/45, 116, 116i, 117, 118, 119, 120, PS-460, PS-510, PS-540, PS-5000D, PS-5100S, PS-5105, PS-5105 H, PS-6000i, PS-6800i, SOME OF THESE SAWS MAY ALSO TAKE A .325 PITCH CHAIN, SEE OTHER APPLICATIONS |    |        |      |            |                         |    |   |            |                          |                          |            |                                      |         |              |                                                              |
| 16                                                                                                                                                                                                                                                | 40 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMK095 | 160RNDK095               |                          |            |                                      |         |              | OMK72LGX060G                                                 |
| 15                                                                                                                                                                                                                                                | 38 | 3/8    | .058 |            | 73DPX<br>73LGX<br>73LPX | 56 | 7 |            | 158RNDK095               |                          |            |                                      |         |              |                                                              |
| 16                                                                                                                                                                                                                                                | 40 | 3/8    | .058 |            | 73DPX<br>73LGX<br>73LPX | 60 | 7 | 168ATMK095 | 168RNDK095               | 168SLHK095               |            |                                      |         |              | OMK73LGX060G                                                 |
| 17                                                                                                                                                                                                                                                | 43 | 3/8    | .058 |            | 73DPX<br>73LGX<br>73LPX | 64 | 7 |            | 178RNDK083               |                          |            |                                      |         |              |                                                              |
| 18                                                                                                                                                                                                                                                | 45 | 3/8    | .058 |            | 73DPX<br>73LGX<br>73LPX | 68 | 7 |            | 188RNDK095               | 188SLHK095               |            |                                      |         |              | OMK73DPX068G<br>OMK73DPX068G<br>OMK73LGX068G<br>OMK73LGX068G |
| 20                                                                                                                                                                                                                                                | 50 | 3/8    | .058 |            | 73DPX<br>73LGX<br>73LPX | 72 | 7 |            | 208RNDK095<br>208RNDK083 | 208SLHK095               |            |                                      |         |              | OMK73DPX072G<br>OMK73LGX072G                                 |
| 24                                                                                                                                                                                                                                                | 60 | 3/8    | .058 |            | 73DPX<br>73LGX<br>73LPX | 84 | 7 |            | 248RNDK095               |                          |            |                                      |         |              | OMK73LGX084G                                                 |

| SAW CHAIN                                                                                                                                                                                              |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | GUIDE BARS                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | RETAIL PACKS                                                                     |                                                                                  |                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|                                                                                                                        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                                                                                         | Bar Length (cm)                                                                  | Pitch                                                                            | Gauge                                                                            | CHAIN PART NUMBERS                                                               |                                                                                  | Drive Links                                                                      | Sprocket Teeth                                                                   | Astor Tip®<br>(AT, LA)                                                           | Power Match®<br>(RN, RW, GN, PM)                                                 | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                            | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                 | Double Guard®<br>(SD, DG, MLE)                                                   | Combo Part Number                                                                | Green Label Chain Loop Low Kickback Chain                                        | Yellow Label Chain Loop Professional Chain                                       |
| ▲ DOLMAR                                                                                                                                                                                               |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 120, 120 SUPER, 120SI, PS-6800I                                                                                                                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                                                                                                                     | 40                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 60                                                                               | 7                                                                                | 160ATMK095                                                                       | 160RNDK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK72LGX060G                                                                     |
| 16                                                                                                                                                                                                     | 40                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 60                                                                               | 7                                                                                | 168ATMK095                                                                       | 168RNDK095                                                                       | 168SLHK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73LGX060G                                                                     |
| 18                                                                                                                                                                                                     | 45                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 68                                                                               | 7                                                                                |                                                                                  |                                                                                  | 188SLHK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G                       |
| 20                                                                                                                                                                                                     | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 7                                                                                |                                                                                  | 208RNDK095                                                                       | 208SLHK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
| 24                                                                                                                                                                                                     | 60                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 84                                                                               | 7                                                                                |                                                                                  | 248RNDK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73LGX084G                                                                     |
| 122, 123, 133, 143, 144, 152, 153, 166, CA                                                                                                                                                             |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 20                                                                                                                                                                                                     | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 7                                                                                | 208ATMD033                                                                       | 208RND033                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
| PS-6400, PS-6400H, PS-6400HS, PS-6400W, PS-7300, PS-7300H, PS-7300HS, PS-7300W, PS-7310, PS-7310H, PS-7900H, PS-7900HS, PS-7900W, PS-7900, PS-7910, PS-7910H, PS-7910W, PS-9000, PS-9010, PS-9010FL... |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                                                                                                                     | 40                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 60                                                                               | 8                                                                                | 168ATMD009                                                                       | 168RND009                                                                        | 168SLHD009                                                                       |                                                                                  |                                                                                  | 109116*                                                                          |                                                                                  | OMK73LGX060G                                                                     |
| 18                                                                                                                                                                                                     | 45                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 68                                                                               | 8                                                                                | 188ATMD009                                                                       | 188RND009                                                                        | 188SLHD009                                                                       |                                                                                  |                                                                                  | 109117*                                                                          |                                                                                  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G                       |
| 20                                                                                                                                                                                                     | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 8                                                                                | 208ATMD009                                                                       | 208RND009                                                                        | 208SLHD009                                                                       |                                                                                  |                                                                                  | 109118*                                                                          |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
| 22                                                                                                                                                                                                     | 55                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 76                                                                               | 7                                                                                |                                                                                  | 228RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 24                                                                                                                                                                                                     | 60                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 84                                                                               | 7                                                                                | 248ATMD009                                                                       | 248RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73LGX084G                                                                     |
| 26                                                                                                                                                                                                     | 66                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 89                                                                               | 8                                                                                |                                                                                  | 268RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DPX089G                                                                     |
| 28                                                                                                                                                                                                     | 70                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 92                                                                               | 7                                                                                |                                                                                  | 288RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 30                                                                                                                                                                                                     | 75                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 102                                                                              | 8                                                                                |                                                                                  | 308RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73LGX102G                                                                     |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



# OREGON Bar & Chain Applications

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                     |                                                                                     |                                |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |                                |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |

| DOLMAR                                                                                                                                                                                              |    |     |      |       |       |       |     |   |  |            |  |  |  |  |  |              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|------|-------|-------|-------|-----|---|--|------------|--|--|--|--|--|--------------|
| ... PS-6400, PS-6400H, PS-6400HS, PS-6400W, PS-7300, PS-7300H, PS7300HS, PS-7300W, PS-7310, PS-7310H, PS-7900H, PS7900HS, PS-7900W, PS-7900, PS-7910, PS-7910H, PS-7910W, PS9000, PS-9010, PS9010FL |    |     |      |       |       |       |     |   |  |            |  |  |  |  |  |              |
| 20                                                                                                                                                                                                  | 50 | 3/8 | .063 | 75DPX | 75LGX | 75LPX | 72  | 7 |  | 203RNDD009 |  |  |  |  |  | OMK75DX072G  |
|                                                                                                                                                                                                     |    |     |      |       |       |       |     |   |  |            |  |  |  |  |  | OMK75DPX072G |
|                                                                                                                                                                                                     |    |     |      |       |       |       |     |   |  |            |  |  |  |  |  | OMK75LGX072G |
| 24                                                                                                                                                                                                  | 60 | 3/8 | .063 | 75DPX | 75LGX | 75LPX | 84  | 7 |  | 243RNDD009 |  |  |  |  |  | OMK75DX084G  |
|                                                                                                                                                                                                     |    |     |      |       |       |       |     |   |  |            |  |  |  |  |  | OMK75DPX084G |
|                                                                                                                                                                                                     |    |     |      |       |       |       |     |   |  |            |  |  |  |  |  | OMK75LGX084G |
| 28                                                                                                                                                                                                  | 70 | 3/8 | .063 | 75DPX | 75LGX | 75LPX | 93  | 7 |  | 283RNDD009 |  |  |  |  |  |              |
|                                                                                                                                                                                                     |    |     |      |       |       |       |     |   |  |            |  |  |  |  |  |              |
| 32                                                                                                                                                                                                  | 80 | 3/8 | .063 | 75DPX | 75LGX | 75LPX | 105 | 7 |  | 323RNDD009 |  |  |  |  |  |              |
|                                                                                                                                                                                                     |    |     |      |       |       |       |     |   |  |            |  |  |  |  |  |              |
| 36                                                                                                                                                                                                  | 90 | 3/8 | .063 | 75DPX | 75LGX | 75LPX | 115 | 7 |  | 363RNDD009 |  |  |  |  |  |              |
|                                                                                                                                                                                                     |    |     |      |       |       |       |     |   |  |            |  |  |  |  |  |              |

| ECHO                                                                                                                                                                                                                                                                                                                                                                                                                   |    |        |      |            |       |    |   |                              |                              |                              |                              |                              |            |              |              |              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|--------|------|------------|-------|----|---|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------|--------------|--------------|--------------|
| 400, 440, 4000, 4500, CS-400, CS-400EVL, CS-440, CS-440EVL, CS-510, CS-520, CS-3600, CS-3700ES, CS-3900, CS-4000, CS-4100, CS-4200ES, CS-4400, CS-4500, CS-4600, CS-5000, CS-5100                                                                                                                                                                                                                                      |    |        |      |            |       |    |   |                              |                              |                              |                              |                              |            |              |              |              |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                     | 40 | .325   | .050 | 20BPX      | 20LPX | 66 | 7 |                              | 160FNBK041                   | 160SLGK041                   |                              |                              | 105711*    | OMK20BPX066G |              |              |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                     | 45 | .325   | .050 | 20BPX      | 20LPX | 72 | 7 |                              | 180FNBK041                   | 180SLGK041                   |                              |                              | 105715*    | OMK20BPX072G |              |              |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                     | 50 | .325   | .050 | 20BPX      | 20LPX | 78 | 7 |                              |                              | 200GLGK041                   |                              |                              |            |              |              |              |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                     | 40 | .325   | .058 | 21BPX      | 21LPX | 66 | 7 |                              |                              | 168SLGK041                   |                              |                              |            | OMK21BPX066G |              |              |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                     | 45 | .325   | .058 | 21BPX      | 21LPX | 72 | 7 |                              |                              | 188SLGK041                   |                              |                              |            | OMK21BPX072G |              |              |
| MICRO-LITE™                                                                                                                                                                                                                                                                                                                                                                                                            |    |        |      |            |       |    |   |                              |                              |                              |                              |                              |            |              |              |              |
| 15                                                                                                                                                                                                                                                                                                                                                                                                                     | 38 | .325   | .050 | 95VPX      | 95VPX | 64 | 7 |                              |                              | 150MLBK041                   |                              |                              |            | OMK95VPX064G |              |              |
| CS-501, CS-5500                                                                                                                                                                                                                                                                                                                                                                                                        |    |        |      |            |       |    |   |                              |                              |                              |                              |                              |            |              |              |              |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                     | 40 | .325   | .050 | 20BPX      | 20LPX | 68 | 7 | 160ATMD176                   |                              |                              |                              |                              |            |              |              |              |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                     | 50 | .325   | .050 | 20BPX      | 20LPX | 79 | 7 | 200ATMD176                   |                              |                              |                              |                              |            |              |              |              |
| PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.                                                                                                                                                                                                                                                                                  |    |        |      |            |       |    |   |                              |                              |                              |                              |                              |            |              |              |              |
| 300, 328, 350, CS-280, CS-290, CS-300, CS-300EVL, CS-301, CS-302 (After #0015304), CS-302S, CS303T, CS-305, CS-306, CS-310, CS-315, CS-320TES, CS-330EVL, CS-330, CS-330T, CS-340, CS-341, CS-345, CS-346, CS-350TES, CS-350WES, CS-351 (After #0112195), CS-330MX4, CS-352, CS-355T, CS-360, CS-360T, CS-370, CS-370T, CS-400, CS-3000, CS-3400, CS-3450, CS-3500, CS-2600, CS2600WS, CS2700ES, ECS-2000, ECS-3000... |    |        |      |            |       |    |   |                              |                              |                              |                              |                              |            |              |              |              |
| 10                                                                                                                                                                                                                                                                                                                                                                                                                     | 25 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 40 | 6 |                              |                              |                              |                              |                              | 100SDEA041 |              |              |              |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                     | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 45 | 6 |                              |                              | 120SPEA041                   |                              | 120SDEA041                   | 105698*    |              | OMK91VXL045G |              |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                     | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 52 | 6 |                              |                              | 140SPEA041                   |                              | 140SDEA041                   | 105699*    | OMK91PX052G  | OMK91VXL052G |              |
|                                                                                                                                                                                                                                                                                                                                                                                                                        |    |        |      |            |       |    |   |                              |                              | 140GPEA041                   |                              | 140DGPEA041                  |            |              |              |              |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                     | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 56 | 6 |                              |                              | 160SPEA041                   |                              | 160SDEA041                   | 105700*    | OMK91PX056G  | OMK91VXL056G |              |
|                                                                                                                                                                                                                                                                                                                                                                                                                        |    |        |      |            |       |    |   |                              |                              | 160GPEA041                   |                              | 160DGPEA041                  |            |              |              |              |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                     | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 57 | 6 | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar |            |              |              | OMK91VXL057G |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

| Tools to Maintain Your Bar & Chain |       |        |       |       |
|------------------------------------|-------|--------|-------|-------|
| Tool Name                          | 5/32" | 4.5 mm | 3/16" | 7/32" |
| File Part Number, 12-pack          | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number         | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part           | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                     |                                                                                     |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Astor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain |

## ECHO

|                                                                                  |                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. | ... 300, 328, 350, CS-280, CS-290, CS-300, CS-300EVL, CS-301, CS-302 (After #0015304), CS-302S, CS-303T, CS-305, CS-306, CS-310, CS-315, CS-320TES, CS-330EVL, CS-330, CS-330T, CS-340, CS-341, CS-345, CS-346, CS-350TES, CS-350WES, CS-351 (After #0112195), CS-330MX4, CS-352, CS-355T, CS-360, CS-360T, CS-370, CS-370T, CS-400, CS-3000, CS-3400, CS-3450, CS-3500, CS-2600, CS-2600WS, CS-2700ES, ECS-2000, ECS-3000 |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## INTENZ®

|    |    |        |      |            |       |    |   |                              |                              |                              |                              |                                                  |  |             |              |
|----|----|--------|------|------------|-------|----|---|------------------------------|------------------------------|------------------------------|------------------------------|--------------------------------------------------|--|-------------|--------------|
| 12 | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 45 | 6 |                              |                              |                              |                              | 120DGET041<br>C-INTENZ                           |  |             | OMK91VXL045G |
| 14 | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 52 | 6 |                              |                              | 140SPET041<br>C-INTENZ       |                              | 140SDET041<br>C-INTENZ<br>140DGET041<br>C-INTENZ |  | OMK91PX052G | OMK91VXL052G |
| 16 | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 56 | 6 |                              |                              |                              |                              | 160SDET041<br>C-INTENZ<br>160DGET041<br>C-INTENZ |  | OMK91PX056G | OMK91VXL056G |
| 16 | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 57 | 6 | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar                     |  |             | OMK91VXL057G |

## MICRO-LITE® and MICRO-LITE® INTENZ®

|    |    |        |      |            |            |    |   |  |  |  |  |                                      |  |             |  |
|----|----|--------|------|------------|------------|----|---|--|--|--|--|--------------------------------------|--|-------------|--|
| 12 | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 45 | 6 |  |  |  |  | 124MLEA041                           |  | OMK90PX045G |  |
| 14 | 35 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 52 | 6 |  |  |  |  | 144MLEA041<br>144MLET041<br>C-INTENZ |  | OMK90SG-52E |  |
| 16 | 40 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 56 | 6 |  |  |  |  | 164MLEA041                           |  |             |  |

## CS-271T

|    |    |        |      |            |       |    |   |  |  |            |  |            |         |  |              |
|----|----|--------|------|------------|-------|----|---|--|--|------------|--|------------|---------|--|--------------|
| 10 | 25 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 40 | 6 |  |  |            |  | 100SDEA041 |         |  |              |
| 12 | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 45 | 6 |  |  | 120SPEA041 |  |            | 105698* |  | OMK91VXL045G |

## MICRO-LITE®

|    |    |        |      |            |            |    |   |  |  |  |  |            |  |             |  |
|----|----|--------|------|------------|------------|----|---|--|--|--|--|------------|--|-------------|--|
| 12 | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 45 | 6 |  |  |  |  | 124MLEA041 |  | OMK90PX045G |  |
|----|----|--------|------|------------|------------|----|---|--|--|--|--|------------|--|-------------|--|

|                                                                                    |                                                                                                                                       |                                                                                                                    |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|  | PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. | Power Pruner / Pole Saw's † PPF-225, PPF-280, PPT-280, PPT-265, PPT-265H, PPT-265S, PPT-266, PPT-266H, PPT-266S... |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|

|    |    |        |      |            |       |    |   |                              |                              |                              |                              |                              |         |             |              |
|----|----|--------|------|------------|-------|----|---|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|---------|-------------|--------------|
| 10 | 25 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 39 | 6 | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar |         |             | OMK91VXL039G |
| 10 | 25 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 40 | 6 |                              |                              |                              |                              | 100SDEA041                   |         |             |              |
| 12 | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 44 | 6 | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar |         | OMK91PX044G | OMK91VXL044G |
| 12 | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 45 | 6 |                              |                              | 120SPEA041                   |                              |                              | 105698* |             | OMK91VXL045G |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



OREGON

Bar & Chain Applications

| SAW CHAIN                                                                                                                                                                                                         |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                                                                    |  |  |  |                                                      |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                                                                                                    | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                                                                    |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                 | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |
|                                                                                                                                                                                                                   |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                                                                            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| ECHO                                                                                                                                                                                                              |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| POWER SHARP                                                                                                                                                                                                       |                                                                                  |                                                                                   |                                                                                   | PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|                                                                                                                                                                                                                   |                                                                                  |                                                                                   |                                                                                   | ...Power Pruner / Pole Saws † PPF-225, PPF-280, PPT-280, PPT-265, PPT-265H, PPT-265S, PPT-266, PPT-266H, PPT-266S                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                            | 91VXL                                                                             | 49                                                                                | 6                                                                                 | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      |                                                                                   |                                                                                     | OMK91VXL049G                                                                        |
| 14                                                                                                                                                                                                                | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                            | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140GPEA041                                                                        |                                                                                   | 140DGEA041                                                                        | 105699*                                                                           | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |
| INTENZ®                                                                                                                                                                                                           |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                            | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120DGET041<br>INTENZ                                                              |                                                                                   |                                                                                     | OMK91VXL045G                                                                        |
| 14                                                                                                                                                                                                                | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                            | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 140DGET041<br>INTENZ                                                              |                                                                                   | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |
| MICRO-LITE™                                                                                                                                                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                            | 90PX, 90SG                                                                        | 44                                                                                | 6                                                                                 | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | OMK90PX044G                                                                         |                                                                                     |
| 12                                                                                                                                                                                                                | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                            | 90PX, 90SG                                                                        | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 124MLEA041                                                                        |                                                                                   | OMK90PX045G                                                                         |                                                                                     |
| 14                                                                                                                                                                                                                | 35                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                            | 90PX, 90SG                                                                        | 49                                                                                | 6                                                                                 | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                | 35                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                            | 90PX, 90SG                                                                        | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 144MLEA041                                                                        |                                                                                   | OMK90SG-52E                                                                         |                                                                                     |
| Pole Saws† PPF-210, PPF-211, PPT-230, PPT-231, PPT-260, PPT-261; Power Pruner: PP300, PP400, PP600, PP800, PP1200, PP1250, PP1260, PP1400, PP1400-D, PPF-2100, PPT-2100, PPF-2400, PPT-2400, PPSR-2122, PPSR-2433 |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| 10                                                                                                                                                                                                                | 25                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                            | 91VXL                                                                             | 39                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 100SDEA218                                                                        |                                                                                   |                                                                                     | OMK91VXL039G                                                                        |
| 12                                                                                                                                                                                                                | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                            | 91VXL                                                                             | 44                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SDEA218                                                                        |                                                                                   | OMK91PX044G                                                                         | OMK91VXL044G                                                                        |
| MICRO-LITE™                                                                                                                                                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| 10                                                                                                                                                                                                                | 25                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                            | 90PX, 90SG                                                                        | 39                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 104MLEA218                                                                        |                                                                                   | OMK90SG039G<br>OMK90SG-39E                                                          |                                                                                     |
| 12                                                                                                                                                                                                                | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                            | 90PX, 90SG                                                                        | 44                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 124MLEA218                                                                        |                                                                                   | OMK90PX044G                                                                         |                                                                                     |
| CS-60, CS-60S, CS-451, CS-452, CS-500, CS-501EVL, CS-510EVL, CS-550, CS-590, CS-600P, CS-601, CS-602, CST-610, CS-610T, CS-706...                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                                                                                   | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD176                                                                        | 160RNDD176                                                                        | 160GLHD176<br>160SLHD176                                                          |                                                                                   |                                                                                   | 105707*                                                                           |                                                                                     | OMK72LGX060G                                                                        |
| 18                                                                                                                                                                                                                | 45                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                                                                                   | 72DPX<br>72LGX<br>72LPX                                                           | 64                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 180SLHD176                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
| 18                                                                                                                                                                                                                | 45                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                                                                                   | 72DPX<br>72LGX<br>72LPX                                                           | 66                                                                                | 7                                                                                 |                                                                                   | 180RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     | OMK72LGX066G                                                                        |
| 20                                                                                                                                                                                                                | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                                                                                   | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 | 200ATMD176                                                                        | 200RNDD176                                                                        | 200SLHD176                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     | OMK72LGX070G                                                                        |

\*For detailed contents of Bar and Chain Combos refer to page featured after this A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041  
INTENZ

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                          |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                        |                                                                                     |                                           |                                            |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------|
|                                                     |  |  |  |  |  |  |  |  |  |  |  |  |  |                                           |                                            |
| Bar Length (")                                                                                                                     | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
|                                                                                                                                    |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| ▲ ECHO                                                                                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| ...CS-60, CS-60S, CS-451, CS-452, CS-500, CS-501EVL, CS-510EVL, CS-550, CS-590, CS-600P, CS-601, CS-602, CST-610, CS-610T, CS-706, |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 24                                                                                                                                 | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           | OMK72LGX081G                               |
| ▲ ECHO                                                                                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| CS-650, CS-660, CS-670, CS-680, CS-701, CS-702, CS-750, CS-6700, CS-6702, CS-8000, CS-8001                                         |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 16                                                                                                                                 | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD176                                                                        |                                                                                   | 160GLHD176                                                                        |                                                                                   |                                                                                     | 105707*                                                                             |                                           | OMK72LGX060G                               |
| 18                                                                                                                                 | 45                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 66                                                                                | 7                                                                                 |                                                                                   | 180RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           | OMK72LGX066G                               |
| 20                                                                                                                                 | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 | 200ATMD176                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     | 105709*                                                                             |                                           | OMK72LGX070G                               |
| 24                                                                                                                                 | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           | OMK72LGX081G                               |
| CS-900, CS-900EVL, CS-1001                                                                                                         |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 16                                                                                                                                 | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD196                                                                        | 160RNDD196                                                                        | 160GLHD196                                                                        |                                                                                   |                                                                                     | 105708*                                                                             |                                           | OMK72LGX060G                               |
| 20                                                                                                                                 | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 |                                                                                   | 200RNDD196                                                                        | 200GLHD196                                                                        |                                                                                   |                                                                                     |                                                                                     |                                           | OMK72LGX070G                               |
| 24                                                                                                                                 | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD196                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           | OMK72LGX081G                               |
| 21                                                                                                                                 | 53                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 79                                                                                | 7                                                                                 | 213ATMD196                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 21                                                                                                                                 | 53                                                                               | .404                                                                              | .063                                                                              |                                                                                   | 27X                                                                               | 71                                                                                | 7                                                                                 | 213ATMD196                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| CS-1200VL                                                                                                                          |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 25                                                                                                                                 | 63                                                                               | .404                                                                              | .063                                                                              |                                                                                   | 27X                                                                               | 84                                                                                | 7                                                                                 | 253ATLE099                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 30                                                                                                                                 | 75                                                                               | .404                                                                              | .063                                                                              |                                                                                   | 27X                                                                               | 92                                                                                | 7                                                                                 | 303ATLE099                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 36                                                                                                                                 | 90                                                                               | .404                                                                              | .063                                                                              |                                                                                   | 27X                                                                               | 104                                                                               | 7                                                                                 | 363ATLE099                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.




Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in *red italic* are to be discontinued by OREGON® when stocks



Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004




















| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | GUIDE BARS                                                                          |                                                                                     |                                                                                     |                                                                                     |                                                                                     | RETAIL PACKS                                                                        |                                                                                     |                                                                                     |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                             | Power Match®<br>(RN, RW, GN, PM)                                                    | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |                                                                                     |
| 132, 132S, MT 2600, MT 3600, MT 3700, MT 3750, MT 4000, MT 4100...              |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 10                                                                              | 25                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 40                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 100SDEA041                                                                          |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                              | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                    | 120SPEA041                                                                          |                                                                                     |                                                                                     | 120SDEA041                                                                          | 105698*                                                                             |                                                                                     | OMK91VXL045G                                                                        |                                                                                     |
| 14                                                                              | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                    | 140SPEA041                                                                          |                                                                                     |                                                                                     | 140SDEA041                                                                          | 105699*                                                                             | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |                                                                                     |
| 16                                                                              | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                    | 160SPEA041                                                                          |                                                                                     |                                                                                     | 160SDEA041                                                                          | 105700*                                                                             | OMK91PX056G                                                                         | OMK91VXL056G                                                                        |                                                                                     |
| 137, MT350, MT3500                                                              |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 14                                                                              | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 53                                                                                | 6                                                                                 |                                                                                   |                                                                                    | 140SPEA041                                                                          |                                                                                     |                                                                                     | 140SDEA041                                                                          |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                              | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 57                                                                                | 6                                                                                 |                                                                                   |                                                                                    | 160SPEA041                                                                          |                                                                                     |                                                                                     | 160SDEA041                                                                          |                                                                                     |                                                                                     | OMK91VXL057G                                                                        |                                                                                     |
| Pole Pruner† PT2500, PTX2500, PT2700, PTX2700, Multi Mate Pruner                |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 10                                                                              | 25                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90VXL                                                                             | 39                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 104MLEA318                                                                          |                                                                                     | OMK90SG039G<br>OMK90SG-39E                                                          |                                                                                     |                                                                                     |
| 141SP, 147, 152                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                              | 40                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   | 160RNBK095                                                                         | 160SLGK095                                                                          |                                                                                     |                                                                                     |                                                                                     |                                                                                     | OMK20BPX066G                                                                        |                                                                                     |                                                                                     |
| 18                                                                              | 45                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   |                                                                                    | 180SLGK095                                                                          |                                                                                     |                                                                                     |                                                                                     |                                                                                     | OMK20BPX072G                                                                        |                                                                                     |                                                                                     |
| 16                                                                              | 40                                                                               | .325                                                                              | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   | 168RNBK095                                                                         | 168SLGK095<br>168SLBK095                                                            |                                                                                     |                                                                                     |                                                                                     | 105712*                                                                             | OMK21BPX066G                                                                        |                                                                                     |                                                                                     |
| 18                                                                              | 45                                                                               | .325                                                                              | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   | 188RNBK095                                                                         | 188SLGK095<br>188SLBK095                                                            |                                                                                     |                                                                                     |                                                                                     | 105713*                                                                             | OMK21BPX072G                                                                        |                                                                                     |                                                                                     |
| 20                                                                              | 50                                                                               | .325                                                                              | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 78                                                                                | 7                                                                                 |                                                                                   | 208RNBK095                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     | 105714*                                                                             | OMK21BPX078G                                                                        |                                                                                     |                                                                                     |
| POWERsharp OEM EQUIPPED: MT 3500 SS                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | BAR & SHARPENER                                                                     |                                                                                     | STARTER KIT                                                                         |                                                                                     |                                                                                     |
| 14                                                                              | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | PS53                                                                              | PS53                                                                              | 53                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 539453                                                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                              | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | PS57                                                                              | PS57                                                                              | 57                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 539455                                                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| POWERsharp OEM EQUIPPED: MT 3750 SS, MT4100 SP SS                               |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | BAR & SHARPENER                                                                     |                                                                                     | STARTER KIT                                                                         |                                                                                     |                                                                                     |
| 14                                                                              | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | PS52                                                                              | PS52                                                                              | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 539453                                                                              |                                                                                     |                                                                                     | 541652                                                                              |                                                                                     |
| 16                                                                              | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | PS57                                                                              | PS57                                                                              | 57                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 539455                                                                              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 162                                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 18                                                                              | 45                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 68                                                                                | 7                                                                                 |                                                                                   | 188RNDK095                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | OMK73DPX068G<br>OMK73DPX068G<br>OMK73LGX068G<br>OMK73LGX068G                        |                                                                                     |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 72                                                                                | 7                                                                                 |                                                                                   | 208RNDK095                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | OMK73DPX072G<br>OMK73LGX072G                                                        |                                                                                     |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                            |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | GUIDE BARS                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | RETAIL PACKS                                                                     |                                                                                  |                                                                                  |                                                                                  |
|------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|                      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                       | Bar Length (cm)                                                                  | Pitch                                                                            | Gauge                                                                            | CHAIN PART NUMBERS                                                               |                                                                                  | Chain Type                                                                       | Drive Links                                                                      | Sprocket Teeth                                                                   | Armor Tip®<br>(AT, LA)                                                           | Power Match®<br>(RN, RW, GN, PM)                                                 | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                            | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                 | Double Guard®<br>(SD, DG, MLE)                                                   | Combo Part Number                                                                | Green Label Chain Loop Low Kickback Chain                                        | Yellow Label Chain Loop Professional Chain                                       |
|  EFCO                 |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 156, 165                                                                                             |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                   | 40                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 66                                                                               | 7                                                                                |                                                                                  | 168RNBK095                                                                       | 168SLBK095<br>168SLGK095                                                         |                                                                                  |                                                                                  |                                                                                  | 105712*                                                                          | OMK21BPX066G                                                                     |                                                                                  |
| 18                                                                                                   | 45                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 72                                                                               | 7                                                                                |                                                                                  | 188RNBK095                                                                       | 188SLGK095<br>188SLBK095                                                         |                                                                                  |                                                                                  |                                                                                  | 105713*                                                                          | OMK21BPX072G                                                                     |                                                                                  |
| 20                                                                                                   | 50                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 78                                                                               | 7                                                                                |                                                                                  | 208RNBK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 105714*                                                                          | OMK21BPX078G                                                                     |                                                                                  |
| 16                                                                                                   | 40                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 60                                                                               | 7                                                                                | 160ATMK095                                                                       | 160RNDK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK72LGX060G                                                                     |
| 18                                                                                                   | 45                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 68                                                                               | 7                                                                                |                                                                                  | 180RNDK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                   | 40                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 60                                                                               | 7                                                                                | 168ATMK095                                                                       | 168RNDK095                                                                       | 168SLHK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73LGX060G                                                                     |
| 18                                                                                                   | 45                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 68                                                                               | 7                                                                                | 188ATMK095                                                                       | 188RNDK095                                                                       | 188SLHK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DPX068G<br>OMK73DPX068G<br>OMK73LGX068G<br>OMK73LGX068G                     |
| 20                                                                                                   | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 7                                                                                | 208ATMK095                                                                       | 208RNDK095                                                                       | 208SLHK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
| 24                                                                                                   | 60                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 84                                                                               | 7                                                                                |                                                                                  | 248RNDK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73LGX084G                                                                     |
| 181, MT 7200, MT 8200                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 20                                                                                                   | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 8                                                                                | 208ATMD024                                                                       | 208RND024                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
| 24                                                                                                   | 60                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 82                                                                               | 8                                                                                |                                                                                  | 248RND024                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73LGX082G                                                                     |
| 199                                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 25                                                                                                   | 63                                                                               | .404                                                                             | .063                                                                             |                                                                                  | 27X                                                                              | 80                                                                               | 7                                                                                | 253ATME031                                                                       | 253RNFE031                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 25                                                                                                   | 63                                                                               | .404                                                                             | .063                                                                             |                                                                                  | 27X                                                                              | 84                                                                               | 7                                                                                | 253ATLE099                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 36                                                                                                   | 90                                                                               | .404                                                                             | .063                                                                             |                                                                                  | 27X                                                                              | 104                                                                              | 7                                                                                | 363ATLE099                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
|  FAIRMONT HYDRAULIC |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 38568, 43177, 43178, HCS513, HCS516, HCS520, HPS513, LIMBLOPPER...                                   |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 13                                                                                                   | 33                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 56                                                                               | 7                                                                                |                                                                                  |                                                                                  | 138SLBK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 15                                                                                                   | 38                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 64                                                                               | 8                                                                                |                                                                                  | 158RNBK095                                                                       | 158SLBK095<br>158SLGK095                                                         |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK21BPX064G                                                                     |                                                                                  |
| 16                                                                                                   | 40                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 66                                                                               | 7                                                                                |                                                                                  | 168RNBK095                                                                       | 168SLGK095<br>168SLBK095                                                         |                                                                                  |                                                                                  |                                                                                  | 105712*                                                                          | OMK21BPX066G                                                                     |                                                                                  |


\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   |                                                                                   |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                    | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                           |                                            |

 FAIRMONT HYDRAULIC

... 38568, 43177, 43178, HCS513, HCS516, HCS520, HPS513, LIMBLOPPER

|    |    |      |      |       |       |    |   |  |  |  |            |                          |  |  |         |              |  |
|----|----|------|------|-------|-------|----|---|--|--|--|------------|--------------------------|--|--|---------|--------------|--|
| 18 | 45 | .325 | .058 | 21BPX | 21LPX | 72 | 8 |  |  |  | 188RNBK095 | 188SLGK095<br>188SLBK095 |  |  | 105713* | OMK21BPX072G |  |
| 20 | 50 | .325 | .058 | 21BPX | 21LPX | 78 | 7 |  |  |  | 208RNBK095 | 208SLGK095               |  |  | 105714* | OMK21BPX078G |  |

 MICRO-LITE™

|    |    |      |      |       |       |    |   |  |  |  |            |            |  |  |         |              |  |
|----|----|------|------|-------|-------|----|---|--|--|--|------------|------------|--|--|---------|--------------|--|
| 13 | 33 | .325 | .050 | 95VPX | 95VPX | 56 | 7 |  |  |  |            | 130MLBK095 |  |  |         |              |  |
| 15 | 38 | .325 | .050 | 95VPX | 95VPX | 64 | 7 |  |  |  | 150MPBK095 | 150MLBK095 |  |  |         | OMK95VPX064G |  |
| 16 | 40 | .325 | .050 | 95VPX | 95VPX | 66 | 7 |  |  |  | 160MPBK095 |            |  |  | 108579* | OMK95VPX066G |  |
| 18 | 45 | .325 | .050 | 95VPX | 95VPX | 72 | 7 |  |  |  | 180MPBK095 | 180MLBK095 |  |  | 108580* | OMK95VPX072G |  |

HCS816, HCS820, HCS824

|    |    |     |      |     |                         |    |   |            |            |            |  |  |  |  |  |  |                                                            |
|----|----|-----|------|-----|-------------------------|----|---|------------|------------|------------|--|--|--|--|--|--|------------------------------------------------------------|
| 16 | 40 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMK095 | 160RNDK095 |            |  |  |  |  |  |  | OMK72LGX060G                                               |
| 18 | 45 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 68 | 7 |            | 180RNDK095 |            |  |  |  |  |  |  |                                                            |
| 16 | 40 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 60 | 7 | 168ATMK095 | 168RNDK095 | 168SLHK095 |  |  |  |  |  |  | OMK73LGX060G                                               |
| 18 | 45 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 68 | 7 | 188ATMK095 | 188RNDK095 | 188SLHK095 |  |  |  |  |  |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20 | 50 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 72 | 7 | 208ATMK095 | 208RNDK095 | 208SLHK095 |  |  |  |  |  |  | OMK73DPX072G<br>OMK73LGX072G                               |
| 24 | 60 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 84 | 7 |            | 248RNDK095 |            |  |  |  |  |  |  | OMK73LGX084G                                               |

H6200B

|    |    |     |      |     |                         |    |   |            |           |            |  |  |  |  |  |  |              |
|----|----|-----|------|-----|-------------------------|----|---|------------|-----------|------------|--|--|--|--|--|--|--------------|
| 16 | 40 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMD176 | 160RND176 | 160GLHD176 |  |  |  |  |  |  | OMK72LGX060G |
|----|----|-----|------|-----|-------------------------|----|---|------------|-----------|------------|--|--|--|--|--|--|--------------|

 HOMELITE

25, 27, 4100, 4150, 4500, 4550, D4550B, I3850B, I4150b, I4550B, SUPER 240, TIMBERMAN, UT10518, UT10519, UT10520, ZR10520, UT10522, ZR10522, UT10526, UT10550, UT10552, UT10896, UT10910, UT10927A, UT10942A, UT10946A, SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS.

|    |    |      |      |       |       |    |   |  |  |  |            |  |  |  |         |              |  |
|----|----|------|------|-------|-------|----|---|--|--|--|------------|--|--|--|---------|--------------|--|
| 16 | 40 | .325 | .050 | 20BPX | 20LPX | 66 | 7 |  |  |  | 160SLGK041 |  |  |  | 105711* | OMK20BPX066G |  |
| 18 | 45 | .325 | .050 | 20BPX | 20LPX | 72 | 7 |  |  |  | 180SLGK041 |  |  |  | 105715* | OMK20BPX072G |  |
| 20 | 50 | .325 | .050 | 20BPX | 20LPX | 78 | 7 |  |  |  | 200GLGK041 |  |  |  |         |              |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041

C-entenz

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                                                                                                                              |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                    |                                                                                     |                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                                                                                                                         |  |                                                      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                                                                                                                                                         | Bar Length (cm)                                                                  | Pitch                                                                                                                                 | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                  | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |
| HOMELITE                                                                                                                                                                                                                                                               |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
|                                                                                                                                                                                        |                                                                                  | PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SPEA041                                                                        | 120SDEA041                                                                         | 105698*                                                                             | OMK91VXL045G                                                                        |
| 14                                                                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 140GPEA041<br>140SPEA041                                                          | 140DGEA041<br>140SDEA041                                                           | 105699*                                                                             | OMK91PX052G<br>OMK91VXL052G                                                         |
| 16                                                                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 160GPEA041<br>160SPEA041                                                          | 160DGEA041<br>160SDEA041                                                           | 105700*                                                                             | OMK91PX056G<br>OMK91VXL056G                                                         |
| 18                                                                                                                                                                                                                                                                     | 45                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 62                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 180SDEA041                                                                         |                                                                                     |                                                                                     |
| INTENZ®                                                                                                                                                                                                                                                                |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 140SPET041<br>C-INTENZ                                                            |                                                                                   | 140SDET041<br>C-INTENZ                                                            |                                                                                    | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |
| 16                                                                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 160SDET041<br>C-INTENZ                                                            |                                                                                    | OMK91PX056G                                                                         | OMK91VXL056G                                                                        |
| MICRO-LITE® and MICRO-LITE® INTENZ®                                                                                                                                                                                                                                    |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                                                                                | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 124MLEA041                                                                         | OMK90PX045G                                                                         |                                                                                     |
| 14                                                                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                                                                                | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 144MLEA041<br>144MLET041<br>C-INTENZ                                              |                                                                                    | OMK90SG-52E                                                                         |                                                                                     |
| 16                                                                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                                                                                | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 164MLEA041                                                                         |                                                                                     |                                                                                     |
| 180 SERIES, 190, 192, BANDIT, CLASSIC 192, ELECTRIC 200, 240, 240SL, 245 (BEFORE #XE339), LITTLE RED, LX-30, SUPER 2, SUPER 2CC, VI SUPER 2, XEL-14, XEL ELECTRIC, XL, XL2 (AFTER #504-2001), XL-2CC, XL-10, XL-14, XL-16; SOME SAWS MAY ALSO TAKE A .325 PITCH CHAIN. |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 48                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120GPEA061                                                                        | 120DGEA061                                                                         |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 140GPEA061                                                                        |                                                                                    | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |
| 14                                                                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 53                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 140DGEA061                                                                         |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 59                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 160GPEA061                                                                        | 160DGEA061                                                                         |                                                                                     |                                                                                     |
| 35SL, 330, 350, 350HG, 350SL, 360, SUPER XL, SUPER XL-A0, XL-12, XL-15                                                                                                                                                                                                 |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                                                                     | 40                                                                               | 3/8                                                                                                                                   | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD196                                                                        | 160RNDD196                                                                        | 160GLHD196                                                                        |                                                                                   |                                                                                   |                                                                                   | 105708*                                                                            |                                                                                     | OMK72LGX060G                                                                        |
| 20                                                                                                                                                                                                                                                                     | 50                                                                               | 3/8                                                                                                                                   | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 |                                                                                   | 200RNDD196                                                                        | 200GLHD196                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     | OMK72LGX070G                                                                        |
| 24                                                                                                                                                                                                                                                                     | 60                                                                               | 3/8                                                                                                                                   | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD196                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     | OMK72LGX081G                                                                        |
| Electric Saws, CWE1814, CWE2016                                                                                                                                                                                                                                        |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 48                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120DGEA061                                                                        |                                                                                    |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 140GPEA061                                                                        |                                                                                   |                                                                                   |                                                                                    | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |
| 14                                                                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 53                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 140DGEA061                                                                        |                                                                                    |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 59                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 160GPEA061                                                                        |                                                                                   | 160DGEA061                                                                        |                                                                                    |                                                                                     |                                                                                     |


\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                                                                                                    |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                    |                                                                                     |                                                                                     |                                           | RETAIL PACKS                               |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------|--|--|
|                                                                               |  |  |  |  |  |  |  |  |  |  |  |  |  |                                           |                                            |  |  |
| Bar Length (")                                                                                                                                               | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                   | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |  |  |
|                                                                                                                                                              |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| HOMELITE                                                                                                                                                     |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| CSP3314, CSP3316                                                                                                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| 12                                                                                                                                                           | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VL                                                                              | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 120SPEA041                                                                        |                                                                                    | 120SDEA041                                                                          | 105698*                                                                             |                                           | OMK91VXL045G                               |  |  |
| 14                                                                                                                                                           | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VL                                                                              | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140SPEA041                                                                        |                                                                                    | 140SDEA041                                                                          | 105699*                                                                             | OMK91PX052G                               | OMK91VXL052G                               |  |  |
| 16                                                                                                                                                           | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VL                                                                              | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 160SPEA041                                                                        |                                                                                    | 160SDEA041                                                                          | 105700*                                                                             | OMK91PX056G                               | OMK91VXL056G                               |  |  |
| INTENZ®                                                                                                                                                      |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| 14                                                                                                                                                           | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VL                                                                              | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140SPET041<br>INTENZ                                                              |                                                                                    | 140SDET041<br>INTENZ                                                                |                                                                                     | OMK91PX052G                               | OMK91VXL052G                               |  |  |
| 16                                                                                                                                                           | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VL                                                                              | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    | 160SDET041<br>INTENZ                                                                |                                                                                     | OMK91PX056G                               | OMK91VXL056G                               |  |  |
| MICRO-LITE® and MICRO-LITE® INTENZ®                                                                                                                          |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| 12                                                                                                                                                           | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    | 124MLEA041                                                                          |                                                                                     | OMK90PX045G                               |                                            |  |  |
| 14                                                                                                                                                           | 35                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    | 144MLEA041<br>144MLET041<br>INTENZ                                                  |                                                                                     | OMK90SG-52E                               |                                            |  |  |
| 16                                                                                                                                                           | 40                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    | 164MLEA041                                                                          |                                                                                     |                                           |                                            |  |  |
| CSP4016, PCN4040, PCN4040KB                                                                                                                                  |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| 16                                                                                                                                                           | 40                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     | 105711*                                                                             | OMK20BPX066G                              |                                            |  |  |
| 18                                                                                                                                                           | 45                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     | 105715*                                                                             | OMK20BPX072G                              |                                            |  |  |
| CSP4513, PCN4533                                                                                                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| 15                                                                                                                                                           | 38                                                                               | .325                                                                              | .050                                                                              | 95VPX                                                                             | 95VPX                                                                             | 64                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   | 150MLBK041                                                                         |                                                                                     |                                                                                     | OMK95VPX064G                              |                                            |  |  |
| CSP4518, CSP4520                                                                                                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| 16                                                                                                                                                           | 40                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 160SLGK041                                                                        |                                                                                    |                                                                                     | 105711*                                                                             | OMK20BPX066G                              |                                            |  |  |
| 18                                                                                                                                                           | 45                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 180SLGK041                                                                        |                                                                                    |                                                                                     | 105715*                                                                             | OMK20BPX072G                              |                                            |  |  |
| Pole Saws                                                                                                                                                    |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| MICRO-LITE®                                                                                                                                                  |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| 12                                                                                                                                                           | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    | 124MLEA041                                                                          |                                                                                     | OMK90PX045G                               |                                            |  |  |
| HOMELITE                                                                                                                                                     |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| 400, 410, 450, 460, 540, 550, 650, 700, 750, 800, 825, 850, 900, 922, 923, 8800, SUPER XL 925, V-965, XL 400, XL 700 SERIES, XL 800 SERIES, XL 900 SERIES... |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           |                                            |  |  |
| 16                                                                                                                                                           | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD196                                                                        | 160RNDD196                                                                        | 160GLHD196                                                                        |                                                                                    |                                                                                     | 105708*                                                                             |                                           | OMK72LGX060G                               |  |  |
| 20                                                                                                                                                           | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 |                                                                                   | 200RNDD196                                                                        | 200GLHD196                                                                        |                                                                                    |                                                                                     |                                                                                     |                                           | OMK72LGX070G                               |  |  |
| 24                                                                                                                                                           | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD196                                                                        |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                           | OMK72LGX081G                               |  |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041  


Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                 |       |       |                    |                         |             | GUIDE BARS     |                        |                                  |                                       |                                  | RETAIL PACKS                   |                   |                                           |                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|-------|--------------------|-------------------------|-------------|----------------|------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------|-------------------|-------------------------------------------|------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |       |       |                    |                         |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| Bar Length (")                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Bar Length (cm) | Pitch | Gauge | CHAIN PART NUMBERS |                         | Drive Links | Sprocket Teeth | Armor Tip®<br>(AT, LA) | Power Match®<br>(RN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLB) | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain                 |
| ▲ HOMELITE                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                 |       |       |                    |                         |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| ... 400, 410, 450, 460, 540, 550, 650, 700, 750, 800, 825, 850, 900, 922, 923, 8800, SUPER XL 925, V-955, XL 400, XL 700 SERIES, XL 800 SERIES, XL 900 SERIES                                                                                                                                                                                                                                                                                                            |                 |       |       |                    |                         |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 21                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 53              | 3/8   | .063  |                    | 75DPX<br>75LGX<br>75LPX | 79          | 7              | 213ATMD196             |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| ▲ HUSQVARNA                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |       |       |                    |                         |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 33, 40, 41, 42, 44, 45, 49, 50, 51, 55, 55 RANCHER, 57, 133, 140, 154, 234, 238, 240, 242, 246, 254, 257, 261, 262, 336, 340, 340E, 345, 345E, 346, 350, 351, 353, 242XP, 254XP, 262XP, 339XP, 346XP, 346XP E-TECH, 346XPG, 350, 350E, 353, 353 E-TECH, 353G E-TECH, 357XP, 357XPG, 359, 359 E-TECH, 360, 435, 435E, 440E, 444, 445, 445E, 450, 450 50TH ANNIVERSARY, 450E, 455, 455E RANCHER, 455 RANCHER, 460, 460 RANCHER, 466, 545, 550XP, 550XPG, 1200EL, 1500EL... |                 |       |       |                    |                         |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 40              | 3/8   | .050  | 72V                | 72DPX<br>72LGX<br>72LPX | 60          | 7              | 160ATMK095             | 160RNDK095                       |                                       |                                  |                                |                   |                                           | OMK72LGX060G                                               |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 45              | 3/8   | .050  | 72V                | 72DPX<br>72LGX<br>72LPX | 68          | 7              |                        | 180RNDK095                       |                                       |                                  |                                |                   |                                           |                                                            |
| 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 33              | 3/8   | .058  |                    | 73DPX<br>73LGX<br>73LPX | 50          | 7              |                        | 138RNDK095                       |                                       |                                  |                                |                   |                                           |                                                            |
| 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 38              | 3/8   | .058  |                    | 73DPX<br>73LGX<br>73LPX | 56          | 7              |                        | 158RNDK095                       |                                       |                                  |                                |                   |                                           |                                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 40              | 3/8   | .058  |                    | 73DPX<br>73LGX<br>73LPX | 60          | 7              | 168ATMK095             | 168RNDK095                       | 168SLHK095                            |                                  |                                |                   |                                           | OMK73LGX060G                                               |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 45              | 3/8   | .058  |                    | 73DPX<br>73LGX<br>73LPX | 68          | 7              | 188ATMK095             | 188RNDK095                       | 188SLHK095                            |                                  |                                |                   |                                           | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 50              | 3/8   | .058  |                    | 73DPX<br>73LGX<br>73LPX | 72          | 7              | 208ATMK095             | 208RNDK095                       | 208SLHK095                            |                                  |                                |                   |                                           | OMK73DPX072G<br>OMK73LGX072G                               |
| 24                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 60              | 3/8   | .058  |                    | 73DPX<br>73LGX<br>73LPX | 84          | 7              |                        | 248RNDK095                       |                                       |                                  |                                |                   |                                           | OMK73LGX084G                                               |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 40              | .325  | .050  | 20BPX              | 20LPX                   | 66          | 7              |                        | 160RNBK095                       | 160SLGK095                            |                                  |                                |                   | OMK20BPX066G                              |                                                            |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 45              | .325  | .050  | 20BPX              | 20LPX                   | 72          | 7              |                        |                                  | 180SLGK095                            |                                  |                                |                   | OMK20BPX072G                              |                                                            |
| 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 33              | .325  | .058  | 21BPX              | 21LPX                   | 56          | 7              |                        | 138RNBK095                       | 138SLBK095                            |                                  |                                |                   |                                           |                                                            |
| 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 38              | .325  | .058  | 21BPX              | 21LPX                   | 64          | 8              |                        | 158RNBK095                       | 158SLBK095<br>158SLGK095              |                                  |                                |                   | OMK21BPX064G                              |                                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 40              | .325  | .058  | 21BPX              | 21LPX                   | 66          | 7              | 168ATMK095             | 168RNBK095                       | 168SLGK095<br>168SLBK095              |                                  |                                | 105712*           | OMK21BPX066G                              |                                                            |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 45              | .325  | .058  | 21BPX              | 21LPX                   | 72          | 8              | 188ATMK095             | 188RNBK095                       | 188SLGK095<br>188SLBK095              |                                  |                                | 105713*           | OMK21BPX072G                              |                                                            |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 50              | .325  | .058  | 21BPX              | 21LPX                   | 78          | 7              | 208ATMK095             | 208RNBK095                       | 208SLGK095                            |                                  |                                | 105714*           | OMK21BPX078G                              |                                                            |


\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

**▲** Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

**▲** New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See




| SAW CHAIN                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     | GUIDE BARS                                                                          |                                                                                     |                                                                                     |                                                                                     |                                                                                     | RETAIL PACKS                                                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |                                                                                      |  |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041  
INTENZ  
Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     | RETAIL PACKS                                                                        |                                                                                     |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
|                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                                                                                                           | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                     | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |  |
|                                                                                                                                                                                                                          |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| HUSQVARNA                                                                                                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 36, 41, 136, 141, 142; SOME SAWS MAY TAKE 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS.                                                                                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 20                                                                                                                                                                                                                       | 50                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 78                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   | 200GLGK041                                                                        |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 61, 160, 162, 260                                                                                                                                                                                                        |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 13                                                                                                                                                                                                                       | 33                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 52                                                                                | 8                                                                                 |                                                                                   |                                                                                   | 138RNDD009                                                                        | 138SLHD009                                                                        |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 15                                                                                                                                                                                                                       | 38                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 56                                                                                | 8                                                                                 |                                                                                   |                                                                                   |                                                                                   | 158SLHD009                                                                        |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 16                                                                                                                                                                                                                       | 40                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 60                                                                                | 7                                                                                 | 168ATMD009                                                                        | 168RNDD009                                                                        | 168SLHD009                                                                        |                                                                                   |                                                                                    | 109116*                                                                             |                                                                                     | OMK73LGX060G                                                                        |  |
| 18                                                                                                                                                                                                                       | 45                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 68                                                                                | 8                                                                                 | 188ATMD009                                                                        | 188RNDD009                                                                        | 188SLHD009                                                                        |                                                                                   |                                                                                    | 109117*                                                                             |                                                                                     | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G                          |  |
| 20                                                                                                                                                                                                                       | 50                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 72                                                                                | 8                                                                                 | 208ATMD009                                                                        | 208RNDD009                                                                        | 208SLHD009                                                                        |                                                                                   |                                                                                    | 109118*                                                                             |                                                                                     | OMK73DPX072G<br>OMK73LGX072G                                                        |  |
| 22                                                                                                                                                                                                                       | 55                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 76                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 228RNDD009                                                                        |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 24                                                                                                                                                                                                                       | 60                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 84                                                                                | 7                                                                                 | 248ATMD009                                                                        | 248RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK73LGX084G                                                                        |  |
| 28                                                                                                                                                                                                                       | 70                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 92                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 288RNDD009                                                                        |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 20                                                                                                                                                                                                                       | 50                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 72                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 203RNDD009                                                                        |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                                         |  |
| 24                                                                                                                                                                                                                       | 60                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 84                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 243RNDD009                                                                        |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK75DX084G<br>OMK75DPX084G<br>OMK75LGX084G                                         |  |
|  PowerSharp® A095 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 334T, 335, 335XPT, 338XPT, 1400, 1600, 316 ELECTRIC, T435...                      |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 12                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 120SPEA095                                                                        |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK91VXL045G                                                                        |  |
| 14                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140SPEA095                                                                        |                                                                                   |                                                                                    |                                                                                     | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |  |
| 16                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 160SPEA095                                                                        |                                                                                   |                                                                                    |                                                                                     | OMK91PX056G                                                                         | OMK91VXL056G                                                                        |  |
| INTENZ®                                                                                                                                                                                                                  |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |  |
| 12                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SDET095                                                                         |                                                                                     |                                                                                     | OMK91VXL045G                                                                        |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



OREGON

Bar & Chain Applications

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                     |                                                                                     |                                |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |                                |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                |                   |                                           |                                            |

HUSQVARNA

PowerSharp® A095 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.

... 334T, 335, 335XPT, 338XPT, 1400, 1600, 316 ELECTRIC, T435

INTENZ®

|    |    |        |      |            |       |    |   |  |  |                        |  |                        |  |             |              |
|----|----|--------|------|------------|-------|----|---|--|--|------------------------|--|------------------------|--|-------------|--------------|
| 14 | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 52 | 6 |  |  |                        |  | 140SDET095<br>C-INTENZ |  | OMK91PX052G | OMK91VXL052G |
| 16 | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 56 | 6 |  |  | 160SPET095<br>C-INTENZ |  | 160SDET095<br>C-INTENZ |  | OMK91PX056G | OMK91VXL056G |

MICRO-LITE™

|                                                                           |    |        |      |            |            |    |   |  |  |            |  |            |  |             |              |
|---------------------------------------------------------------------------|----|--------|------|------------|------------|----|---|--|--|------------|--|------------|--|-------------|--------------|
| 14                                                                        | 35 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 52 | 6 |  |  |            |  | 144MLEA095 |  | OMK90SG-52E |              |
| Pole Pruner†: 128LDX, 325P4, 325P5X, 326P4, 326P5X, 327P4, 327P4X, 327P5X |    |        |      |            |            |    |   |  |  |            |  |            |  |             |              |
| 12                                                                        | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL      | 45 | 6 |  |  | 120SPEA095 |  |            |  |             | OMK91VXL045G |
| 14                                                                        | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL      | 52 | 6 |  |  | 140SPEA095 |  |            |  | OMK91PX052G | OMK91VXL052G |

MICRO-LITE™

|    |    |        |      |            |            |    |   |  |  |  |  |            |  |             |  |
|----|----|--------|------|------------|------------|----|---|--|--|--|--|------------|--|-------------|--|
| 14 | 35 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 52 | 6 |  |  |  |  | 144MLEA095 |  | OMK90SG-52E |  |
|----|----|--------|------|------------|------------|----|---|--|--|--|--|------------|--|-------------|--|

HUSQVARNA

362, 362XP...

|    |    |      |      |       |       |    |   |  |            |                          |  |  |         |              |  |
|----|----|------|------|-------|-------|----|---|--|------------|--------------------------|--|--|---------|--------------|--|
| 16 | 40 | .325 | .050 | 20BPX | 20LPX | 66 | 7 |  | 160RNBK095 | 160SLGK095               |  |  |         | OMK20BPX066G |  |
| 18 | 45 | .325 | .050 | 20BPX | 20LPX | 72 | 7 |  |            | 180SLGK095               |  |  |         | OMK20BPX072G |  |
| 13 | 33 | .325 | .058 | 21BPX | 21LPX | 56 | 7 |  |            | 138SLBK095               |  |  |         |              |  |
| 15 | 38 | .325 | .058 | 21BPX | 21LPX | 64 | 8 |  | 158RNBK095 | 158SLBK095<br>158SLGK095 |  |  |         | OMK21BPX064G |  |
| 16 | 40 | .325 | .058 | 21BPX | 21LPX | 66 | 7 |  | 168RNBK095 | 168SLGK095<br>168SLBK095 |  |  | 105712* | OMK21BPX066G |  |
| 18 | 45 | .325 | .058 | 21BPX | 21LPX | 72 | 8 |  | 188RNBK095 | 188SLGK095<br>188SLBK095 |  |  | 105713* | OMK21BPX072G |  |
| 20 | 50 | .325 | .058 | 21BPX | 21LPX | 78 | 7 |  | 208RNBK095 | 208SLGK095               |  |  | 105714* | OMK21BPX078G |  |

MICRO-LITE™

|    |    |      |      |       |                         |    |   |            |            |            |            |  |         |              |              |
|----|----|------|------|-------|-------------------------|----|---|------------|------------|------------|------------|--|---------|--------------|--------------|
| 13 | 33 | .325 | .050 | 95VPX | 95VPX                   | 56 | 7 |            |            | 130MLBK095 |            |  |         |              |              |
| 15 | 38 | .325 | .050 | 95VPX | 95VPX                   | 64 | 7 |            |            | 150MPBK095 | 150MLBK095 |  |         | OMK95VPX064G |              |
| 16 | 40 | .325 | .050 | 95VPX | 95VPX                   | 66 | 7 |            |            | 160MPBK095 |            |  | 108579* | OMK95VPX066G |              |
| 18 | 45 | .325 | .050 | 95VPX | 95VPX                   | 72 | 7 |            |            | 180MPBK095 | 180MLBK095 |  | 108580* | OMK95VPX072G |              |
| 16 | 40 | 3/8  | .050 | 72V   | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMK095 | 160RNDK095 |            |            |  |         |              | OMK72LGX060G |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041  
C-INTENZ  
Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                    |                                                                                     |                                                                                     | RETAIL PACKS                   |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |                                |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                   | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |

|                                                                                                                                                                                                                                                                                                                                                                             |    |     |      |     |                         |    |   |            |            |            |            |  |  |  |         |  |                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|------|-----|-------------------------|----|---|------------|------------|------------|------------|--|--|--|---------|--|------------------------------------------------------------|
| <b>HUSQVARNA</b>                                                                                                                                                                                                                                                                                                                                                            |    |     |      |     |                         |    |   |            |            |            |            |  |  |  |         |  |                                                            |
| ...362, 362XP                                                                                                                                                                                                                                                                                                                                                               |    |     |      |     |                         |    |   |            |            |            |            |  |  |  |         |  |                                                            |
| <b>MICRO-LITE™</b>                                                                                                                                                                                                                                                                                                                                                          |    |     |      |     |                         |    |   |            |            |            |            |  |  |  |         |  |                                                            |
| 18                                                                                                                                                                                                                                                                                                                                                                          | 45 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 68 | 7 |            |            | 180RNDK095 |            |  |  |  |         |  |                                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                          | 40 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 60 | 7 | 168ATMK095 | 168RNDK095 | 168SLHK095 |            |  |  |  |         |  | OMK73LGX060G                                               |
| 18                                                                                                                                                                                                                                                                                                                                                                          | 45 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 68 | 7 | 188ATMK095 | 188RNDK095 | 188SLHK095 |            |  |  |  |         |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                                                                                                                                                                                                                                                                                                                          | 50 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 72 | 7 | 208ATMK095 | 208RNDK095 | 208SLHK095 |            |  |  |  |         |  | OMK73DPX072G<br>OMK73LGX072G                               |
| 24                                                                                                                                                                                                                                                                                                                                                                          | 60 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 84 | 7 |            | 248RNDK095 |            |            |  |  |  |         |  | OMK73LGX084G                                               |
| L Series: 65, 66, 70, 77, 180, 181, 185, 266, 268, 272, 281, 285, 288, 288XP LITE, 290, 365, 371, 371XP, 372, 372XP, 372XPG, 372XPW, 380, 385, 385XP, 385XPG, 385XPW, 390XP, 390XPG, 390XPW, 394, 394XP, 395, 395XP, 395XPG, 395XPW, 480, 562XP, 562XPG, 570, 575XP, 575XPG, 575XPW, 576XP, 576XP AUTO TUNE, 576XPG, 576XPW, 1100, 2100, 2101, 3120, 3120XP, JUNGLE 3120... |    |     |      |     |                         |    |   |            |            |            |            |  |  |  |         |  |                                                            |
| 13                                                                                                                                                                                                                                                                                                                                                                          | 33 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 52 | 8 |            |            | 138RNDD009 | 138SLHD009 |  |  |  |         |  |                                                            |
| 15                                                                                                                                                                                                                                                                                                                                                                          | 38 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 56 | 8 |            |            | 158RNDD009 | 158SLHD009 |  |  |  |         |  |                                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                          | 40 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 60 | 8 | 168ATMD009 | 168RNDD009 | 168SLHD009 |            |  |  |  | 109116* |  | OMK73LGX060G                                               |
| 18                                                                                                                                                                                                                                                                                                                                                                          | 45 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 68 | 8 | 188ATMD009 | 188RNDD009 | 188SLHD009 |            |  |  |  | 109117* |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                                                                                                                                                                                                                                                                                                                          | 50 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 72 | 8 | 208ATMD009 | 208RNDD009 | 208SLHD009 |            |  |  |  | 109118* |  | OMK73DPX072G<br>OMK73LGX072G                               |
| 22                                                                                                                                                                                                                                                                                                                                                                          | 55 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 76 | 7 |            | 228RNDD009 |            |            |  |  |  |         |  |                                                            |
| 24                                                                                                                                                                                                                                                                                                                                                                          | 60 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 84 | 7 | 248ATMD009 | 248RNDD009 |            |            |  |  |  |         |  | OMK73LGX084G                                               |
| 26                                                                                                                                                                                                                                                                                                                                                                          | 65 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 89 | 8 |            | 268RNDD009 |            |            |  |  |  |         |  | OMK73DPX089G                                               |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



OREGON

Bar & Chain Applications

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                     |                                                                                     |                                |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |                                |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Ambor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |

|                                                                                                                                                                                                                                                                                                                                                                              |     |      |      |                         |      |     |            |            |            |  |  |  |  |  |  |                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|------|-------------------------|------|-----|------------|------------|------------|--|--|--|--|--|--|---------------------------------------------|
| HUSQVARNA                                                                                                                                                                                                                                                                                                                                                                    |     |      |      |                         |      |     |            |            |            |  |  |  |  |  |  |                                             |
| ... L Series: 65, 66, 70, 77, 180, 181, 185, 266, 268, 272, 281, 285, 288, 288XP LITE, 298, 365, 371, 371XP, 372, 372XP, 372XPG, 372XPW, 380, 385, 385XP, 385XPG, 385XPW, 390XP, 390XPG, 390XPW, 394, 394XP, 395, 395XP, 395XPG, 395XPW, 480, 562XP, 562XPG, 570, 575XP, 575XPG, 575XPW, 576XP, 576XP AUTO TUNE, 576XPG, 576XPW, 1100, 2100, 2101, 3120, 3120XP, JUNGLE 3120 |     |      |      |                         |      |     |            |            |            |  |  |  |  |  |  |                                             |
| 28                                                                                                                                                                                                                                                                                                                                                                           | 70  | 3/8  | .058 | 73DPX<br>73LGX<br>73LPX | 92   | 7   |            |            | 288RNDD009 |  |  |  |  |  |  |                                             |
| ±28                                                                                                                                                                                                                                                                                                                                                                          | 70  | 3/8  | .058 | 73DPX<br>73LGX<br>73LPX | 93   | 7   |            |            | 288RNDD009 |  |  |  |  |  |  |                                             |
| 30                                                                                                                                                                                                                                                                                                                                                                           | 75  | 3/8  | .058 | 73DPX<br>73LGX<br>73LPX | 102  | 8   |            |            | 308RNDD009 |  |  |  |  |  |  | OMK73LGX102G                                |
| 20                                                                                                                                                                                                                                                                                                                                                                           | 50  | 3/8  | .063 | 75DPX<br>75LGX<br>75LPX | 72   | 7   |            |            | 203RNDD009 |  |  |  |  |  |  | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G |
| 24                                                                                                                                                                                                                                                                                                                                                                           | 60  | 3/8  | .063 | 75DPX<br>75LGX<br>75LPX | 84   | 7   |            |            | 243RNDD009 |  |  |  |  |  |  | OMK75DX084G<br>OMK75DPX084G<br>OMK75LGX084G |
| ±28                                                                                                                                                                                                                                                                                                                                                                          | 70  | 3/8  | .063 | 75DPX<br>75LGX<br>75LPX | 92   | 7   | 283ATMD009 | 283RNDD009 |            |  |  |  |  |  |  |                                             |
| 28                                                                                                                                                                                                                                                                                                                                                                           | 70  | 3/8  | .063 | 75DPX<br>75LGX<br>75LPX | 93   | 7   |            |            | 283RNDD009 |  |  |  |  |  |  |                                             |
| 32                                                                                                                                                                                                                                                                                                                                                                           | 81  | 3/8  | .063 | 75DPX<br>75LGX<br>75LPX | 105  | 7   |            |            | 323RNDD009 |  |  |  |  |  |  |                                             |
| 34                                                                                                                                                                                                                                                                                                                                                                           | 86  | 3/8  | .063 | 75DPX<br>75LGX<br>75LPX | 110  | 7   | 343ATLD009 |            |            |  |  |  |  |  |  |                                             |
| 36                                                                                                                                                                                                                                                                                                                                                                           | 90  | 3/8  | .063 | 75DPX<br>75LGX<br>75LPX | 115  | 7   |            |            | 363RNDD009 |  |  |  |  |  |  |                                             |
| 42                                                                                                                                                                                                                                                                                                                                                                           | 107 | 3/8  | .063 | 75DPX<br>75LGX<br>75LPX | 135  | 7   |            |            | 423RNDD009 |  |  |  |  |  |  |                                             |
| 33                                                                                                                                                                                                                                                                                                                                                                           | 84  | .404 | .058 | 58L                     | 58L  | 100 | 7          |            | 338RNFD009 |  |  |  |  |  |  |                                             |
| 20                                                                                                                                                                                                                                                                                                                                                                           | 50  | .404 | .063 | 68LX                    | 68LX | 65  | 7          |            | 203RNFD009 |  |  |  |  |  |  |                                             |
| 24                                                                                                                                                                                                                                                                                                                                                                           | 60  | .404 | .063 | 68LX                    | 68LX | 76  | 7          |            | 243RNFD009 |  |  |  |  |  |  |                                             |
| 28                                                                                                                                                                                                                                                                                                                                                                           | 70  | .404 | .063 | 68LX                    | 68LX | 84  | 7          | 283ATMD009 | 283RNFD009 |  |  |  |  |  |  |                                             |
| 34                                                                                                                                                                                                                                                                                                                                                                           | 86  | .404 | .063 | 68LX                    | 68LX | 100 | 7          | 343ATLD009 |            |  |  |  |  |  |  |                                             |
| 36                                                                                                                                                                                                                                                                                                                                                                           | 90  | .404 | .063 | 68LX                    | 68LX | 104 | 7          |            | 363RNFD009 |  |  |  |  |  |  |                                             |
| ±FOR MODEL 3120 ONLY                                                                                                                                                                                                                                                                                                                                                         |     |      |      |                         |      |     |            |            |            |  |  |  |  |  |  |                                             |

| SAW CHAIN                                                                                                                                                                                                              |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                    |                                                                                     | RETAIL PACKS                                                                        |                                                                                     |                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                                                                         |  |  |  |                                                                                                |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                                                                                                         | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                                                                                                              |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                     | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |                                                                                     |
| JOHN DEERE                                                                                                                                                                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 45EV, 46EV, 300CS, 450V                                                                                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                     | 40                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                                                                                                                           | 20LPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   | 160RNBK041                                                                        | 160SLGK041                                                                        |                                                                                   |                                                                                   |                                                                                    | 105711*                                                                             | OMK20BPX066G                                                                        |                                                                                     |                                                                                     |
| 18                                                                                                                                                                                                                     | 45                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                                                                                                                           | 20LPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   | 180RNBK041                                                                        | 180SLGK041                                                                        |                                                                                   |                                                                                   |                                                                                    | 105715*                                                                             | OMK20BPX072G                                                                        |                                                                                     |                                                                                     |
| 20                                                                                                                                                                                                                     | 50                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                                                                                                                           | 20LPX                                                                             | 78                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 200GLGK041                                                                        |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|  PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |                                                                                  |                                                                                   |                                                                                   |  25EV, 28, 28V, 30, 30V, 35, 35EV, 40V, 200CS, 230CS, CS36, CS36LE, CS40, CS40LE, CS40V, J3816 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                      | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 120SPEA041                                                                        |                                                                                   |                                                                                   | 120SDEA041                                                                         | 105698*                                                                             |                                                                                     | OMK91VXL045G                                                                        |                                                                                     |
| 14                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                      | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140GPEA041<br>140SPEA041                                                          |                                                                                   |                                                                                   | 140DGEA041<br>140SDEA041                                                           | 105699*                                                                             | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |                                                                                     |
| 16                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                      | 91VXL                                                                             | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 160GPEA041<br>160SPEA041                                                          |                                                                                   |                                                                                   | 160DGEA041<br>160SDEA041                                                           | 105700*                                                                             | OMK91PX056G                                                                         | OMK91VXL056G                                                                        |                                                                                     |
| 18                                                                                                                                                                                                                     | 45                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                      | 91VXL                                                                             | 62                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 180SDEA041                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| INTENZ®                                                                                                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                      | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120DGET041<br>INTENZ                                                               |                                                                                     |                                                                                     | OMK91VXL045G                                                                        |                                                                                     |
| 14                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                      | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140SPET041<br>INTENZ                                                              |                                                                                   |                                                                                   | 140DGET041<br>INTENZ<br>140SDET041<br>INTENZ                                       |                                                                                     | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |                                                                                     |
| 16                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                      | 91VXL                                                                             | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 160DGET041<br>INTENZ<br>160SDET041<br>INTENZ                                       |                                                                                     | OMK91PX056G                                                                         | OMK91VXL056G                                                                        |                                                                                     |
| MICRO-LITE® and MICRO-LITE® INTENZ®                                                                                                                                                                                    |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                                                                      | 90PX, 90SG                                                                        | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 124MLEA041                                                                         |                                                                                     | OMK90PX045G                                                                         |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                                                                      | 90PX, 90SG                                                                        | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 144MLEA041<br>144MLET041<br>INTENZ                                                 |                                                                                     | OMK90SG-52E                                                                         |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                                                                      | 90PX, 90SG                                                                        | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 164MLEA041                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 50AV, 50V, 51SV, 55EV, 55V, 55SV, 60V                                                                                                                                                                                  |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                     | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                                                                                                                             | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD176                                                                        | 160RNDD176                                                                        | 160GLHD176                                                                        |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK72LGX060G                                                                        |                                                                                     |
| 18                                                                                                                                                                                                                     | 45                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                                                                                                                             | 72DPX<br>72LGX<br>72LPX                                                           | 66                                                                                | 7                                                                                 |                                                                                   | 180RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK72LGX066G                                                                        |                                                                                     |
| 20                                                                                                                                                                                                                     | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                                                                                                                             | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 | 200ATMD176                                                                        | 200RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK72LGX070G                                                                        |                                                                                     |
| 24                                                                                                                                                                                                                     | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                                                                                                                             | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK72LGX081G                                                                        |                                                                                     |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



|                                                                                 |                                                                                  | SAW CHAIN                                                                         |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                        |                                                                                     |                                |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |                                |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |

|                                                                         |    |        |      |            |                         |    |   |  |            |            |            |  |            |         |              |              |
|-------------------------------------------------------------------------|----|--------|------|------------|-------------------------|----|---|--|------------|------------|------------|--|------------|---------|--------------|--------------|
| JOHN DEERE                                                              |    |        |      |            |                         |    |   |  |            |            |            |  |            |         |              |              |
| POLESAW                                                                 |    |        |      |            |                         |    |   |  |            |            |            |  |            |         |              |              |
| MICRO-LITE™                                                             |    |        |      |            |                         |    |   |  |            |            |            |  |            |         |              |              |
| 12                                                                      | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 45 | 6 |  |            |            |            |  | 124MLEA041 |         | OMK90PX045G  |              |
| CS46, CS52                                                              |    |        |      |            |                         |    |   |  |            |            |            |  |            |         |              |              |
| 16                                                                      | 40 | .325   | .050 | 20BPX      | 20LPX                   | 66 | 7 |  | 160RNBK095 | 160SLGK095 |            |  |            |         | OMK20BPX066G |              |
| 18                                                                      | 45 | .325   | .050 | 20BPX      | 20LPX                   | 72 | 8 |  |            | 180SLGK095 |            |  |            |         | OMK20BPX072G |              |
| MICRO-LITE™                                                             |    |        |      |            |                         |    |   |  |            |            |            |  |            |         |              |              |
| 16                                                                      | 40 | .325   | .050 | 95VPX      | 95VPX                   | 66 | 7 |  |            | 160MPEK095 |            |  |            | 108579* | OMK95VPX066G |              |
| 18                                                                      | 45 | .325   | .050 | 95VPX      | 95VPX                   | 72 | 7 |  |            | 180MPEK095 | 180MLBK095 |  |            | 108580* | OMK95VPX072G |              |
| CS56, CS62, SOME SAWS MAY TAKE 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS. |    |        |      |            |                         |    |   |  |            |            |            |  |            |         |              |              |
| 16                                                                      | 40 | .325   | .050 | 20BPX      | 20LPX                   | 66 | 7 |  | 160RNBK095 | 160SLGK095 |            |  |            |         | OMK20BPX066G |              |
| 18                                                                      | 45 | .325   | .050 | 20BPX      | 20LPX                   | 72 | 8 |  |            | 180SLGK095 |            |  |            |         | OMK20BPX072G |              |
| MICRO-LITE™                                                             |    |        |      |            |                         |    |   |  |            |            |            |  |            |         |              |              |
| 16                                                                      | 40 | .325   | .050 | 95VPX      | 95VPX                   | 66 | 7 |  |            | 160MPEK095 |            |  |            | 108579* | OMK95VPX066G |              |
| 18                                                                      | 45 | .325   | .050 | 95VPX      | 95VPX                   | 72 | 7 |  |            | 180MPEK095 | 180MLBK095 |  |            | 108580* | OMK95VPX072G |              |
| CS62, SOME SAWS MAY TAKE .325 PITCH CHAIN, SEE OTHER APPLICATIONS.      |    |        |      |            |                         |    |   |  |            |            |            |  |            |         |              |              |
| 16                                                                      | 40 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 60 | 7 |  | 160RNDK095 |            |            |  |            |         |              | OMK72LGX060G |

|                                                                             |    |     |      |     |                         |    |   |            |            |            |  |  |  |         |  |              |
|-----------------------------------------------------------------------------|----|-----|------|-----|-------------------------|----|---|------------|------------|------------|--|--|--|---------|--|--------------|
| JOHN DEERE                                                                  |    |     |      |     |                         |    |   |            |            |            |  |  |  |         |  |              |
| 65, 65EV, 65SV, 66SV, 70V, 80EV, 800V                                       |    |     |      |     |                         |    |   |            |            |            |  |  |  |         |  |              |
| 16                                                                          | 40 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMD176 | 160RNDD176 | 160GLHD176 |  |  |  | 105707* |  | OMK72LGX060G |
| 18                                                                          | 45 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 66 | 7 |            | 180RNDD176 |            |  |  |  |         |  | OMK72LGX066G |
| 20                                                                          | 50 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 70 | 7 | 200ATMD176 | 200RNDD176 |            |  |  |  | 105709* |  | OMK72LGX070G |
| 24                                                                          | 60 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 81 | 7 |            | 240RNDD176 |            |  |  |  |         |  | OMK72LGX081G |
| CS71, CS81 Note: D196 BARTAIL SLOT MUST BE FILED .020 FOR PROPER FIT-UP.... |    |     |      |     |                         |    |   |            |            |            |  |  |  |         |  |              |
| 16                                                                          | 40 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMD196 | 160RNDD196 | 160GLHD196 |  |  |  | 105708* |  | OMK72LGX060G |
| 20                                                                          | 50 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 70 | 7 |            | 200RNDD196 | 200GLHD196 |  |  |  |         |  | OMK72LGX070G |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041

Cutting

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN      |                 |       |       |                    | GUIDE BARS     |  |  |  |                        | RETAIL PACKS                     |                                       |                                  |                                |                   |                                           |                                            |  |
|----------------|-----------------|-------|-------|--------------------|----------------|--|--|--|------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|--|
|                |                 |       |       |                    |                |  |  |  |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| Bar Length (") | Bar Length (cm) | Pitch | Gauge | CHAIN PART NUMBERS |                |  |  |  | Armor Tip®<br>(AT, LA) | Power Match®<br>(RN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLB) | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |  |
| Chain Type     |                 |       |       | Drive Links        | Sprocket Teeth |  |  |  |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |  |

## JOHN DEERE

|                                                                              |    |     |      |     |                         |    |   |            |  |            |  |  |  |  |  |                                                            |
|------------------------------------------------------------------------------|----|-----|------|-----|-------------------------|----|---|------------|--|------------|--|--|--|--|--|------------------------------------------------------------|
| ...CS71, CS81 Note: D196 BAR TAIL SLOT MUST BE FILED .020 FOR PROPER FIT-UP. |    |     |      |     |                         |    |   |            |  |            |  |  |  |  |  |                                                            |
| 24                                                                           | 60 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 81 | 7 |            |  | 240RND196  |  |  |  |  |  | OMK72LGX081G                                               |
| 18                                                                           | 45 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 68 | 7 |            |  | 188SLHD024 |  |  |  |  |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                           | 50 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 72 | 7 |            |  | 208RND024  |  |  |  |  |  | OMK73DPX072G<br>OMK73LGX072G                               |
| 21                                                                           | 53 | 3/8 | .063 |     | 75DPX<br>75LGX<br>75LPX | 72 | 7 | 213ATMD196 |  |            |  |  |  |  |  | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                |

## JOHNSERED

2050, 2050 Turbo, 2051, 2054, 2055, 2149, 2149 TURBO, 370, 410, 420, 425, 435, 45, 450, 451, 455, 49, 50, 51, 510, 52, 521, 525, 535, CS2141, CS2141S, CS2145, CS2145S, CS2149 TURBO, CS2150, CS2152 W, CS2153, CS2156, CS2159, CS2159C, CS2159WH, CS2163, CS2240, CS2245, CS2250, CS2250S, CS2255, SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS.

|    |    |      |      |       |       |    |   |            |            |                          |  |  |         |              |              |  |
|----|----|------|------|-------|-------|----|---|------------|------------|--------------------------|--|--|---------|--------------|--------------|--|
| 16 | 40 | .325 | .050 | 20BPX | 20LPX | 66 | 7 |            | 160RNBK095 | 160SLGK095               |  |  |         |              | OMK20BPX066G |  |
| 18 | 45 | .325 | .050 | 20BPX | 20LPX | 72 | 7 |            |            | 180SLGK095               |  |  |         |              | OMK20BPX072G |  |
| 13 | 33 | .325 | .058 | 21BPX | 21LPX | 56 | 7 |            | 138RNBK095 | 138SLBK095               |  |  |         |              |              |  |
| 15 | 38 | .325 | .058 | 21BPX | 21LPX | 64 | 8 |            | 158RNBK095 | 158SLBK095<br>158SLGK095 |  |  |         |              | OMK21BPX064G |  |
| 16 | 40 | .325 | .058 | 21BPX | 21LPX | 66 | 7 | 168ATMK095 | 168RNBK095 | 168SLGK095<br>168SLBK095 |  |  | 105712* | OMK21BPX066G |              |  |
| 18 | 45 | .325 | .058 | 21BPX | 21LPX | 72 | 8 | 188ATMK095 | 188RNBK095 | 188SLGK095<br>188SLBK095 |  |  | 105713* | OMK21BPX072G |              |  |
| 20 | 50 | .325 | .058 | 21BPX | 21LPX | 78 | 7 | 208ATMK095 | 208RNBK095 | 208SLGK095               |  |  | 105714* | OMK21BPX078G |              |  |

|             |    |      |      |       |       |    |   |  |  |            |            |  |         |              |              |  |
|-------------|----|------|------|-------|-------|----|---|--|--|------------|------------|--|---------|--------------|--------------|--|
| MICRO-LITE™ |    |      |      |       |       |    |   |  |  |            |            |  |         |              |              |  |
| 13          | 33 | .325 | .050 | 95VPX | 95VPX | 56 | 7 |  |  | 130MLBK095 |            |  |         |              |              |  |
| 15          | 38 | .325 | .050 | 95VPX | 95VPX | 64 | 7 |  |  | 150MPBK095 | 150MLBK095 |  |         |              | OMK95VPX064G |  |
| 16          | 40 | .325 | .050 | 95VPX | 95VPX | 66 | 7 |  |  | 160MPBK095 |            |  | 108579* | OMK95VPX066G |              |  |
| 18          | 45 | .325 | .050 | 95VPX | 95VPX | 72 | 7 |  |  | 180MPBK095 | 180MLBK095 |  | 108580* | OMK95VPX072G |              |  |

|                                                                                                                                         |    |      |      |       |       |    |   |  |            |            |  |  |  |  |              |  |
|-----------------------------------------------------------------------------------------------------------------------------------------|----|------|------|-------|-------|----|---|--|------------|------------|--|--|--|--|--------------|--|
| 2014, 2016, 2036, 2036 Turbo, 2040, 2040 Turbo, 2041, 2141, CS 2141; SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS. |    |      |      |       |       |    |   |  |            |            |  |  |  |  |              |  |
| 16                                                                                                                                      | 40 | .325 | .050 | 20BPX | 20LPX | 66 | 7 |  | 160RNBK041 |            |  |  |  |  | OMK20BPX066G |  |
| 18                                                                                                                                      | 45 | .325 | .050 | 20BPX | 20LPX | 72 | 7 |  | 180RNBK041 | 180SLGK041 |  |  |  |  | OMK20BPX072G |  |
| 16                                                                                                                                      | 40 | .325 | .058 | 21BPX | 21LPX | 66 | 7 |  |            | 168SLGK041 |  |  |  |  | OMK21BPX066G |  |
| 18                                                                                                                                      | 45 | .325 | .058 | 21BPX | 21LPX | 72 | 7 |  |            | 188SLGK041 |  |  |  |  | OMK21BPX072G |  |

|             |    |      |      |       |       |    |   |  |  |            |  |  |  |  |              |  |
|-------------|----|------|------|-------|-------|----|---|--|--|------------|--|--|--|--|--------------|--|
| MICRO-LITE™ |    |      |      |       |       |    |   |  |  |            |  |  |  |  |              |  |
| 15          | 38 | .325 | .050 | 95VPX | 95VPX | 64 | 7 |  |  | 150MLBK041 |  |  |  |  | OMK95VPX064G |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                                                                                                                                                                                      |                 |        |       |                                                                                                                                                                                                                     |                         |             |                |                        |                                  | GUIDE BARS                            |                                  |                                      |                   |                                           | RETAIL PACKS                               |                                                            |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------|----------------|------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------------|-------------------|-------------------------------------------|--------------------------------------------|------------------------------------------------------------|--|
|                                                                                                                                                                                                                                                |                 |        |       |                                                                                                                                                                                                                     |                         |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |                                                            |  |
| Bar Length (")                                                                                                                                                                                                                                 | Bar Length (cm) | Pitch  | Gauge | CHAIN PART NUMBERS                                                                                                                                                                                                  |                         | Drive Links | Sprocket Teeth | Armor Tip®<br>(AT, LA) | Power Match®<br>(RN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLB) | Double Guard®<br>(SD, DG, MLE)       | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |                                                            |  |
| JONSERED                                                                                                                                                                                                                                       |                 |        |       |                                                                                                                                                                                                                     |                         |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |                                                            |  |
| 36, 361, 365                                                                                                                                                                                                                                   |                 |        |       |                                                                                                                                                                                                                     |                         |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |                                                            |  |
| 12                                                                                                                                                                                                                                             | 30              | 3/8 LP | .050  | 91PX, 91VG                                                                                                                                                                                                          | 91VXL                   | 45          | 6              |                        |                                  |                                       |                                  | 120SDEA064                           |                   |                                           | OMK91VXL045G                               |                                                            |  |
| 16                                                                                                                                                                                                                                             | 40              | 3/8 LP | .050  | 91PX, 91VG                                                                                                                                                                                                          | 91VXL                   | 56          | 6              |                        |                                  | 160SPEA064                            |                                  |                                      |                   | OMK91PX056G                               | OMK91VXL056G                               |                                                            |  |
| 490, 520SP, 525, 535, 590, 2050, 2051, 2055, 2063, CS2149, CS2050, CS2050 TURBO, CS2054, CS2156, CS2159, CS2159 C, CS2159 CWH, CS2159 WH, 2163, CS2163, CS2163 WH, CS2255; SOME SAWS MAY ALSO TAKE A .325 PITCH CHAIN, SEE OTHER APPLICATIONS. |                 |        |       |                                                                                                                                                                                                                     |                         |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |                                                            |  |
| 16                                                                                                                                                                                                                                             | 40              | 3/8    | .050  | 72V                                                                                                                                                                                                                 | 72DPX<br>72LGX<br>72LPX | 60          | 7              | 160ATMK095             | 160RNDK095                       |                                       |                                  |                                      |                   |                                           |                                            | OMK72LGX060G                                               |  |
| 16                                                                                                                                                                                                                                             | 40              | 3/8    | .058  |                                                                                                                                                                                                                     | 73DPX<br>73LGX<br>73LPX | 60          | 7              | 168ATMK095             | 168RNDK095                       | 168SLHK095                            |                                  |                                      |                   |                                           |                                            | OMK73LGX060G                                               |  |
| 18                                                                                                                                                                                                                                             | 45              | 3/8    | .058  |                                                                                                                                                                                                                     | 73DPX<br>73LGX<br>73LPX | 68          | 7              | 188ATMK095             | 188RNDK095                       | 188SLHK095                            |                                  |                                      |                   |                                           |                                            | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |  |
| 20                                                                                                                                                                                                                                             | 50              | 3/8    | .058  |                                                                                                                                                                                                                     | 73DPX<br>73LGX<br>73LPX | 72          | 7              | 208ATMK095             | 208RNDK095                       | 208SLHK095                            |                                  |                                      |                   |                                           |                                            | OMK73DPX072G<br>OMK73LGX072G                               |  |
| 24                                                                                                                                                                                                                                             | 60              | 3/8    | .058  |                                                                                                                                                                                                                     | 73DPX<br>73LGX<br>73LPX | 84          | 7              |                        | 248RNDK095                       |                                       |                                  |                                      |                   |                                           |                                            |                                                            |  |
| POWER SHARP                                                                                                                                                                                                                                    |                 |        |       | PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.                                                                               |                         |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |                                                            |  |
|                                                                                                                                                                                                                                                |                 |        |       | 2014, 2016, 2033T, 2035, 2036, 2036 TURBO, 2040, 2040 TURBO, 2041, 2045, 2137, 2138, 2150, CS2135, CS2137, CS2138, CS2138S, CS2152W, CS2238S, SOME SAWS MAY ALSO TAKE A .325 PITCH CHAIN, SEE OTHER APPLICATIONS... |                         |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |                                                            |  |
| 12                                                                                                                                                                                                                                             | 30              | 3/8 LP | .050  | 91PX, 91VG                                                                                                                                                                                                          | 91VXL                   | 45          | 6              |                        |                                  | 120SPEA041                            |                                  | 120SDEA041                           | 105698*           |                                           |                                            | OMK91VXL045G                                               |  |
| 14                                                                                                                                                                                                                                             | 35              | 3/8 LP | .050  | 91PX, 91VG                                                                                                                                                                                                          | 91VXL                   | 52          | 6              |                        |                                  | 140GPEA041<br>140SPEA041              |                                  | 140SDEA041                           | 105699*           | OMK91PX052G                               |                                            | OMK91VXL052G                                               |  |
| 16                                                                                                                                                                                                                                             | 40              | 3/8 LP | .050  | 91PX, 91VG                                                                                                                                                                                                          | 91VXL                   | 56          | 6              |                        |                                  | 160GPEA041<br>160SPEA041              |                                  | 160SDEA041                           | 105700*           | OMK91PX056G                               |                                            | OMK91VXL056G                                               |  |
| INTENZ®                                                                                                                                                                                                                                        |                 |        |       |                                                                                                                                                                                                                     |                         |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |                                                            |  |
| 14                                                                                                                                                                                                                                             | 35              | 3/8 LP | .050  | 91PX, 91VG                                                                                                                                                                                                          | 91VXL                   | 52          | 6              |                        |                                  | 140SPET041<br>C-INTENZ                |                                  | 140SDET041<br>C-INTENZ               |                   | OMK91PX052G                               |                                            | OMK91VXL052G                                               |  |
| 16                                                                                                                                                                                                                                             | 40              | 3/8 LP | .050  | 91PX, 91VG                                                                                                                                                                                                          | 91VXL                   | 56          | 6              |                        |                                  |                                       |                                  | 160SDET041<br>C-INTENZ               |                   | OMK91PX056G                               |                                            | OMK91VXL056G                                               |  |
| MICRO-LITE™ and MICRO-LITE™ INTENZ®                                                                                                                                                                                                            |                 |        |       |                                                                                                                                                                                                                     |                         |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |                                                            |  |
| 12                                                                                                                                                                                                                                             | 30              | 3/8 LP | .043  | 90PX, 90SG                                                                                                                                                                                                          | 90PX, 90SG              | 45          | 6              |                        |                                  |                                       |                                  | 124MLEA041                           |                   | OMK90PX045G                               |                                            |                                                            |  |
| 14                                                                                                                                                                                                                                             | 35              | 3/8 LP | .043  | 90PX, 90SG                                                                                                                                                                                                          | 90PX, 90SG              | 52          | 6              |                        |                                  |                                       |                                  | 144MLEA041<br>144MLET041<br>C-INTENZ |                   | OMK90SG-52E                               |                                            |                                                            |  |
| 16                                                                                                                                                                                                                                             | 40              | 3/8 LP | .043  | 90PX, 90SG                                                                                                                                                                                                          | 90PX, 90SG              | 56          | 6              |                        |                                  |                                       |                                  | 164MLEA041                           |                   |                                           |                                            |                                                            |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 C-INTENZ Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                        |                                                                                     |                                                                                     |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
|                                                                                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |  |
|                                                                                                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |  |
| ▶ JOINERED                                                                                                                                                      |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |  |
| 625, 630, 630 Super, 630 West Coast, 635, 670, 2065, 2071, 2077, 2083, 2094, 2095, 2163, 2165, 2171, CS 2165, CS 2171, CS 2171 WH, CS 2186, CS 2186 WH, CS 2188 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |  |
| 13                                                                                                                                                              | 33                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 52                                                                                | 8                                                                                 |                                                                                   | 138RNDD009                                                                        | 138SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |  |
| 15                                                                                                                                                              | 38                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 56                                                                                | 8                                                                                 |                                                                                   | 158RNDD009                                                                        | 158SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |  |
| 16                                                                                                                                                              | 40                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 60                                                                                | 8                                                                                 | 168ATMD009                                                                        | 168RNDD009                                                                        | 168SLHD009                                                                        |                                                                                   |                                                                                   | 109116*                                                                             |                                                                                     | OMK73LGX060G                                                                        |  |
| 18                                                                                                                                                              | 45                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 68                                                                                | 8                                                                                 | 188ATMD009                                                                        | 188RNDD009                                                                        | 188SLHD009                                                                        |                                                                                   |                                                                                   | 109117*                                                                             |                                                                                     | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G                          |  |
| 20                                                                                                                                                              | 50                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 72                                                                                | 8                                                                                 | 208ATMD009                                                                        | 208RNDD009                                                                        | 208SLHD009                                                                        |                                                                                   |                                                                                   | 109118*                                                                             |                                                                                     | OMK73DPX072G<br>OMK73LGX072G                                                        |  |
| 22                                                                                                                                                              | 55                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 76                                                                                | 7                                                                                 |                                                                                   | 228RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |  |
| 24                                                                                                                                                              | 60                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 84                                                                                | 7                                                                                 | 248ATMD009                                                                        | 248RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK73LGX084G                                                                        |  |
| 26                                                                                                                                                              | 65                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 89                                                                                | 8                                                                                 |                                                                                   | 268RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK73DPX089G                                                                        |  |
| 28                                                                                                                                                              | 70                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 92                                                                                | 7                                                                                 |                                                                                   | 288RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |  |
| 30                                                                                                                                                              | 75                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 102                                                                               | 8                                                                                 |                                                                                   | 308RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK73LGX102G                                                                        |  |
| 60, 61, 62, 621, 2350                                                                                                                                           |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |  |
| 16                                                                                                                                                              | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD196                                                                        | 160RNDD196                                                                        | 160GLHD196                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK72LGX060G                                                                        |  |
| 20                                                                                                                                                              | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 |                                                                                   | 200RNDD196                                                                        | 200GLHD196                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK72LGX070G                                                                        |  |
| 24                                                                                                                                                              | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD196                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK72LGX081G                                                                        |  |
| 20                                                                                                                                                              | 50                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 72                                                                                | 8                                                                                 |                                                                                   | 208RNDD024                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK73DPX072G<br>OMK73LGX072G                                                        |  |
| 21                                                                                                                                                              | 53                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 79                                                                                | 7                                                                                 | 213ATMD196                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



OREGON

Bar & Chain Applications

| SAW CHAIN                                                                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                       |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                            |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                            | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                     | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |
| ▶ JONSERED                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 66, 70, 75, 77, 80, 81, 90, 110, 111, 601, 751, 801, 820, 830, 910, 920, 930, 939, 941, 1020; SOME SAWS MAY ALSO TAKE A .404 PITCH CHAIN. |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                                                                                        | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD196                                                                        | 160RNDD196                                                                        | 160GLHD196                                                                        |                                                                                   |                                                                                   |                                                                                    | 105708*                                                                             |                                                                                     | OMK72LGX060G                                                                        |
| 20                                                                                                                                        | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 |                                                                                   | 200RNDD196                                                                        | 200GLHD196                                                                        |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK72LGX070G                                                                        |
| 24                                                                                                                                        | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD196                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK72LGX081G                                                                        |
| 20                                                                                                                                        | 50                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 72                                                                                | 8                                                                                 |                                                                                   | 208RNDD024                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK73DPX072G<br>OMK73LGX072G                                                        |
| 21                                                                                                                                        | 53                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 79                                                                                | 7                                                                                 | 213ATMD196                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 670, 670 West Coast, 2083, 2083II, 2094, 2095; SOME SAWS MAY ALSO TAKE .404 PITCH CHAIN, SEE OTHER APPLICATIONS...                        |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 13                                                                                                                                        | 33                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 52                                                                                | 8                                                                                 |                                                                                   | 138RNDD009                                                                        | 138SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 15                                                                                                                                        | 38                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 56                                                                                | 8                                                                                 |                                                                                   |                                                                                   | 158SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                                                                                        | 40                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 60                                                                                | 8                                                                                 | 168ATMD009                                                                        | 168RNDD009                                                                        | 168SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                    | 109116*                                                                             |                                                                                     | OMK73LGX060G                                                                        |
| 18                                                                                                                                        | 45                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 68                                                                                | 8                                                                                 | 188ATMD009                                                                        | 188RNDD009                                                                        | 188SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                    | 109117*                                                                             |                                                                                     | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G                          |
| 20                                                                                                                                        | 50                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 72                                                                                | 8                                                                                 | 208ATMD009                                                                        | 208RNDD009                                                                        | 208SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                    | 109118*                                                                             |                                                                                     | OMK73DPX072G<br>OMK73LGX072G                                                        |
| 22                                                                                                                                        | 55                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 76                                                                                | 7                                                                                 |                                                                                   | 228RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 24                                                                                                                                        | 60                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 84                                                                                | 7                                                                                 | 248ATMD009                                                                        | 248RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK73LGX084G                                                                        |
| 26                                                                                                                                        | 65                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 89                                                                                | 8                                                                                 |                                                                                   | 268RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK73DPX089G                                                                        |
| 28                                                                                                                                        | 70                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 92                                                                                | 7                                                                                 |                                                                                   | 288RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 30                                                                                                                                        | 75                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 102                                                                               | 8                                                                                 |                                                                                   | 308RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | OMK73LGX102G                                                                        |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain



















| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041

Crosscut

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                   |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | GUIDE BARS                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | RETAIL PACKS                                                                     |                                                                                  |                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|                                                             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                              | Bar Length (cm)                                                                  | Pitch                                                                            | Gauge                                                                            | CHAIN PART NUMBERS                                                               |                                                                                  |                                                                                  | Chain Type                                                                       | Drive Links                                                                      | Sprocket Teeth                                                                   | Armor Tip®<br>(AT, LA)                                                           | Power Match®<br>(RN, RW, GN, PM)                                                 | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                            | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                 | Double Guard®<br>(SD, DG, MLE)                                                   | Combo Part Number                                                                | Green Label Chain Loop Low Kickback Chain                                        | Yellow Label Chain Loop Professional Chain                                       |
| JOHNSON                                                                                                                                     |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| ... 670, 670 West Coast, 2083, 2083II, 2094, 2095; SOME SAWS MAY ALSO TAKE A .404 PITCH CHAIN, SEE OTHER APPLICATIONS                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 20                                                                                                                                          | 50                                                                               | 3/8                                                                              | .063                                                                             |                                                                                  | 75DPX<br>75LGX<br>75LPX                                                          | 72                                                                               | 7                                                                                |                                                                                  | 203RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                                      |
| 24                                                                                                                                          | 60                                                                               | 3/8                                                                              | .063                                                                             |                                                                                  | 75DPX<br>75LGX<br>75LPX                                                          | 84                                                                               | 7                                                                                |                                                                                  | 243RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK75DX084G<br>OMK75DPX084G<br>OMK75LGX084G                                      |
| 28                                                                                                                                          | 70                                                                               | 3/8                                                                              | .063                                                                             |                                                                                  | 75DPX<br>75LGX<br>75LPX                                                          | 92                                                                               | 7                                                                                |                                                                                  | 283RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 32                                                                                                                                          | 81                                                                               | 3/8                                                                              | .063                                                                             |                                                                                  | 75DPX<br>75LGX<br>75LPX                                                          | 105                                                                              | 7                                                                                |                                                                                  | 323RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 36                                                                                                                                          | 90                                                                               | 3/8                                                                              | .063                                                                             |                                                                                  | 75DPX<br>75LGX<br>75LPX                                                          | 115                                                                              | 7                                                                                |                                                                                  | 363RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 42                                                                                                                                          | 105                                                                              | 3/8                                                                              | .063                                                                             |                                                                                  | 75DPX<br>75LGX<br>75LPX                                                          | 135                                                                              | 7                                                                                |                                                                                  | 423RND009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 670, 670 WEST COAST, 2077, 2083, 2094, 2095; SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS                              |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 20                                                                                                                                          | 50                                                                               | .404                                                                             | .063                                                                             | 68LX                                                                             | 68LX                                                                             | 65                                                                               | 7                                                                                |                                                                                  | 203RNF009                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| MAKITA                                                                                                                                      |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| DCS 460, DCS 510, DCS 430, DCS 431 DCS5121, DCS 520I, DCS 540, DCS 5200I; SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                                                          | 40                                                                               | .325                                                                             | .050                                                                             | 20BPX                                                                            | 20LPX                                                                            | 66                                                                               | 7                                                                                |                                                                                  | 160RNBK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK20BPX066G                                                                     |                                                                                  |
| 18                                                                                                                                          | 45                                                                               | .325                                                                             | .050                                                                             | 20BPX                                                                            | 20LPX                                                                            | 72                                                                               | 7                                                                                |                                                                                  | 180SLGK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK20BPX072G                                                                     |                                                                                  |
| 13                                                                                                                                          | 33                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 56                                                                               | 7                                                                                |                                                                                  | 138SLBK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 15                                                                                                                                          | 38                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 64                                                                               | 8                                                                                |                                                                                  | 158RNBK095                                                                       | 158SLBK095<br>158SLGK095                                                         |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK21BPX064G                                                                     |                                                                                  |
| 16                                                                                                                                          | 40                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 66                                                                               | 7                                                                                |                                                                                  | 168RNBK095                                                                       | 168SLGK095<br>168SLBK095                                                         |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 105712*                                                                          | OMK21BPX066G                                                                     |                                                                                  |
| 18                                                                                                                                          | 45                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 72                                                                               | 8                                                                                |                                                                                  | 188RNBK095                                                                       | 188SLGK095<br>188SLBK095                                                         |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 105713*                                                                          | OMK21BPX072G                                                                     |                                                                                  |
| 20                                                                                                                                          | 50                                                                               | .325                                                                             | .058                                                                             | 21BPX                                                                            | 21LPX                                                                            | 78                                                                               | 7                                                                                |                                                                                  | 208RNBK095                                                                       | 208SLGK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 105714*                                                                          | OMK21BPX078G                                                                     |                                                                                  |
| MICRO-LITE™                                                                                                                                 |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 13                                                                                                                                          | 33                                                                               | .325                                                                             | .050                                                                             | 95VPX                                                                            | 95VPX                                                                            | 56                                                                               | 7                                                                                |                                                                                  |                                                                                  | 130MLBK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 15                                                                                                                                          | 38                                                                               | .325                                                                             | .050                                                                             | 95VPX                                                                            | 95VPX                                                                            | 64                                                                               | 7                                                                                |                                                                                  | 150MPBK095                                                                       | 150MLBK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK95VPX064G                                                                     |                                                                                  |
| 16                                                                                                                                          | 40                                                                               | .325                                                                             | .050                                                                             | 95VPX                                                                            | 95VPX                                                                            | 66                                                                               | 7                                                                                |                                                                                  | 160MPBK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 108579*                                                                          | OMK95VPX066G                                                                     |                                                                                  |
| 18                                                                                                                                          | 45                                                                               | .325                                                                             | .050                                                                             | 95VPX                                                                            | 95VPX                                                                            | 72                                                                               | 7                                                                                |                                                                                  | 180MPBK095                                                                       | 180MLBK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 108580*                                                                          | OMK95VPX072G                                                                     |                                                                                  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

**Chain saws with a green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

**Chain saws with a yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



OREGON

Bar & Chain Applications



| SAW CHAIN                                                                                                                                                                                                              |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        | GUIDE BARS                       |                                       |                                  |                                      |                    | RETAIL PACKS |                                           |                                            |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------|-------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-------------|----------------|------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------------|--------------------|--------------|-------------------------------------------|--------------------------------------------|--|
|                                                                                                                                        | Bar Length (") | Bar Length (cm) | Pitch | Gauge      | CHAIN PART NUMBERS                                                                                                                                                                                                               |    | Drive Links | Sprocket Teeth | Armor Tip®<br>(AT, LA) | Power Match®<br>(RN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLB) | Double Guard®<br>(SD, DG, MLE)       | BAR & CHAIN COMBOS | LOOP PACKS   | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |  |
| Chain Type                                                                                                                                                                                                             |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
|                                                                                                                                                                                                                        |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
|                                                                                                                                                                                                                        |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
| MAKITA                                                                                                                                                                                                                 |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
|  PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |                |                 |       |            | 5012B, 5014B, 5014NB, 5016B, 5016NB, DCS 330S, DCS 330TH, DCS 34, DCS 340, DCS 341, DCS 390, DCS 390S, DCS 400, DCS 401, DCS3416, DE3435, EA4300F40B, EA3201S35B, MDE3440, MDE3435, UC3030A, UC3500, UC3530A, UC4000, UC4030A... |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
| 12                                                                                                                                                                                                                     | 30             | 3/8 LP          | .050  | 91PX, 91VG | 91VXL                                                                                                                                                                                                                            | 45 | 6           |                |                        |                                  | 120SPEA041                            |                                  | 120SDEA041                           | 105698*            |              |                                           | OMK91VXL045G                               |  |
| 14                                                                                                                                                                                                                     | 35             | 3/8 LP          | .050  | 91PX, 91VG | 91VXL                                                                                                                                                                                                                            | 52 | 6           |                |                        |                                  | 140GPEA041<br>140SPEA041              |                                  | 140SDEA041                           | 105699*            | OMK91PX052G  |                                           | OMK91VXL052G                               |  |
| 16                                                                                                                                                                                                                     | 40             | 3/8 LP          | .050  | 91PX, 91VG | 91VXL                                                                                                                                                                                                                            | 56 | 6           |                |                        |                                  | 160GPEA041<br>160SPEA041              |                                  | 160SDEA041                           | 105700*            | OMK91PX056G  |                                           | OMK91VXL056G                               |  |
| 18                                                                                                                                                                                                                     | 45             | 3/8 LP          | .050  | 91PX, 91VG | 91VXL                                                                                                                                                                                                                            | 62 | 6           |                |                        |                                  |                                       |                                  | 180SDEA041                           |                    |              |                                           |                                            |  |
| INTENZ®                                                                                                                                                                                                                |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
| 14                                                                                                                                                                                                                     | 35             | 3/8 LP          | .050  | 91PX, 91VG | 91VXL                                                                                                                                                                                                                            | 52 | 6           |                |                        |                                  | 140SPET041<br>C INTENZ                |                                  | 140SDET041<br>C INTENZ               |                    |              | OMK91PX052G                               | OMK91VXL052G                               |  |
| 16                                                                                                                                                                                                                     | 40             | 3/8 LP          | .050  | 91PX, 91VG | 91VXL                                                                                                                                                                                                                            | 56 | 6           |                |                        |                                  |                                       |                                  | 160SDET041<br>C INTENZ               |                    |              | OMK91PX056G                               | OMK91VXL056G                               |  |
| MICRO-LITE® and MICRO-LITE® INTENZ®                                                                                                                                                                                    |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
| 12                                                                                                                                                                                                                     | 30             | 3/8 LP          | .043  | 90PX, 90SG | 90PX, 90SG                                                                                                                                                                                                                       | 45 | 6           |                |                        |                                  |                                       |                                  | 124MLEA041                           |                    |              | OMK90PX045G                               |                                            |  |
| 14                                                                                                                                                                                                                     | 35             | 3/8 LP          | .043  | 90PX, 90SG | 90PX, 90SG                                                                                                                                                                                                                       | 52 | 6           |                |                        |                                  |                                       |                                  | 144MLEA041<br>144MLET041<br>C INTENZ |                    |              | OMK90SG-52E                               |                                            |  |
| 16                                                                                                                                                                                                                     | 40             | 3/8 LP          | .043  | 90PX, 90SG | 90PX, 90SG                                                                                                                                                                                                                       | 56 | 6           |                |                        |                                  |                                       |                                  | 164MLEA041                           |                    |              |                                           |                                            |  |
| DCS410, DCS411, DCS430 NOTE: DCS410 FROM SERIAL # 34576 & DCS411 FROM SERIAL # 33661 USE MICRO-LITE ONLY                                                                                                               |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
| 15                                                                                                                                                                                                                     | 38             | .325            | .058  | 21BPX      | 21LPX                                                                                                                                                                                                                            | 64 | 8           |                |                        | 158RNBK095                       | 158SLBK095<br>158SLGK095              |                                  |                                      |                    |              | OMK21BPX064G                              |                                            |  |
| 16                                                                                                                                                                                                                     | 40             | .325            | .058  | 21BPX      | 21LPX                                                                                                                                                                                                                            | 66 | 7           |                |                        | 168RNBK095                       | 168SLGK095                            |                                  |                                      | 105712*            | OMK21BPX066G |                                           |                                            |  |
| 18                                                                                                                                                                                                                     | 45             | .325            | .058  | 21BPX      | 21LPX                                                                                                                                                                                                                            | 72 | 7           |                |                        | 188RNBK095                       | 188SLGK095<br>188SLBK095              |                                  |                                      | 105713*            | OMK21BPX072G |                                           |                                            |  |
| 20                                                                                                                                                                                                                     | 50             | .325            | .058  | 21BPX      | 21LPX                                                                                                                                                                                                                            | 78 | 7           |                |                        | 208RNBK095                       | 208SLGK095                            |                                  |                                      | 105714*            | OMK21BPX078G |                                           |                                            |  |
| MICRO-LITE®                                                                                                                                                                                                            |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
| 15                                                                                                                                                                                                                     | 38             | .325            | .050  | 95VPX      | 95VPX                                                                                                                                                                                                                            | 64 | 7           |                |                        |                                  | 150MPBK095                            | 150MLBK095                       |                                      |                    |              | OMK95VPX064G                              |                                            |  |
| 16                                                                                                                                                                                                                     | 40             | .325            | .050  | 95VPX      | 95VPX                                                                                                                                                                                                                            | 66 | 7           |                |                        |                                  | 160MPBK095                            |                                  |                                      | 108579*            | OMK95VPX066G |                                           |                                            |  |
| 18                                                                                                                                                                                                                     | 45             | .325            | .050  | 95VPX      | 95VPX                                                                                                                                                                                                                            | 72 | 7           |                |                        |                                  | 180MPBK095                            | 180MLBK095                       |                                      | 108580*            | OMK95VPX072G |                                           |                                            |  |
| DCS 460, DCS 510, DCS5121, DCS 520I, DCS 540, DCS 5200I, DCS 6000I, EA5000P53G; SOME SAWS MAY ALSO TAKE A .325 PITCH CHAIN, SEE OTHER APPLICATIONS...                                                                  |                |                 |       |            |                                                                                                                                                                                                                                  |    |             |                |                        |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |
| 16                                                                                                                                                                                                                     | 40             | 3/8             | .050  | 72V        | 72DPX<br>72LGX<br>72LPX                                                                                                                                                                                                          | 60 | 7           | 160ATMK095     | 160RNDK095             |                                  |                                       |                                  |                                      |                    |              |                                           | OMK72LGX060G                               |  |
| 15                                                                                                                                                                                                                     | 38             | 3/8             | .058  |            | 73DPX<br>73LGX<br>73LPX                                                                                                                                                                                                          | 56 | 7           |                | 158RNDK095             |                                  |                                       |                                  |                                      |                    |              |                                           |                                            |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                 | Green Label Chain Loop Low Kickback Chain                                         | Yellow Label Chain Loop Professional Chain |

|                                                                                                                                                        |    |     |      |  |                         |    |   |            |            |            |  |  |  |  |  |                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|------|--|-------------------------|----|---|------------|------------|------------|--|--|--|--|--|------------------------------------------------------------|
|  <b>MAKITA</b>                                                          |    |     |      |  |                         |    |   |            |            |            |  |  |  |  |  |                                                            |
| ...DCS 460, DCS 510, DCS5121, DCS 520I, DCS 540, DCS 5200I, DCS 6000I, EA5000P53G, SOME SAWS MAY ALSO TAKE A .325 PITCH CHAIN, SEE OTHER APPLICATIONS. |    |     |      |  |                         |    |   |            |            |            |  |  |  |  |  |                                                            |
| 16                                                                                                                                                     | 40 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 60 | 7 | 168ATMK095 | 168RNDK095 | 168SLHK095 |  |  |  |  |  | OMK73LGX060G                                               |
| 18                                                                                                                                                     | 45 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 68 | 7 |            | 188RNDK095 | 188SLHK095 |  |  |  |  |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                                                                                                     | 50 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 72 | 7 | 208ATMK095 | 208RNDK095 | 208SLHK095 |  |  |  |  |  | OMK73DPX072G<br>OMK73LGX072G                               |

|                                                                                                              |    |     |      |     |                         |    |   |            |            |            |  |  |         |  |  |                                                            |
|--------------------------------------------------------------------------------------------------------------|----|-----|------|-----|-------------------------|----|---|------------|------------|------------|--|--|---------|--|--|------------------------------------------------------------|
|  <b>MAKITA</b>               |    |     |      |     |                         |    |   |            |            |            |  |  |         |  |  |                                                            |
| DCS 6800I                                                                                                    |    |     |      |     |                         |    |   |            |            |            |  |  |         |  |  |                                                            |
| 16                                                                                                           | 40 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMK095 | 160RNDK095 |            |  |  |         |  |  | OMK72LGX060G                                               |
| 16                                                                                                           | 40 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 60 | 7 | 168ATMK095 | 168RNDK095 | 168SLHK095 |  |  |         |  |  | OMK73LGX060G                                               |
| 18                                                                                                           | 40 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 68 | 7 |            |            | 188SLHK095 |  |  |         |  |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| DCS 640I, DCS 642I, DCS 730I, DCS 790I, DCS 9000, DCS 9010 FL, SOME SAWS MAY ALSO TAKE A .404 PITCH CHAIN... |    |     |      |     |                         |    |   |            |            |            |  |  |         |  |  |                                                            |
| 13                                                                                                           | 33 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 52 | 8 |            | 138RND009  | 138SLHD009 |  |  |         |  |  |                                                            |
| 15                                                                                                           | 38 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 56 | 8 |            |            | 158SLHD009 |  |  |         |  |  |                                                            |
| 16                                                                                                           | 40 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 60 | 8 | 168ATMD009 | 168RND009  | 168SLHD009 |  |  | 109116* |  |  | OMK73LGX060G                                               |
| 18                                                                                                           | 45 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 68 | 8 | 188ATMD009 | 188RND009  | 188SLHD009 |  |  | 109117* |  |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                                                           | 50 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 72 | 8 | 208ATMD009 | 208RND009  | 208SLHD009 |  |  | 109118* |  |  | OMK73DPX072G<br>OMK73LGX072G                               |
| 22                                                                                                           | 55 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 76 | 7 |            | 228RND009  |            |  |  |         |  |  |                                                            |
| 24                                                                                                           | 60 | 3/8 | .058 |     | 73DPX<br>73LGX<br>73LPX | 84 | 7 | 248ATMD009 | 248RND009  |            |  |  |         |  |  | OMK73LGX084G                                               |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

 Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | RETAIL PACKS                                                                        |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                     | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        | Drive Links                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                           |                                            |

|                                                                                                              |     |     |      |  |                         |     |   |  |            |  |  |  |  |                                             |
|--------------------------------------------------------------------------------------------------------------|-----|-----|------|--|-------------------------|-----|---|--|------------|--|--|--|--|---------------------------------------------|
| MAKITA                                                                                                       |     |     |      |  |                         |     |   |  |            |  |  |  |  |                                             |
| ...DCS 6401, DCS 6421, DCS 7301, DCS 7901, DCS 9000, DCS 9010 FL; SOME SAWS MAY ALSO TAKE A .404 PITCH CHAIN |     |     |      |  |                         |     |   |  |            |  |  |  |  |                                             |
| 26                                                                                                           | 65  | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 89  | 8 |  | 268RNDD009 |  |  |  |  | OMK73DPX089G                                |
| 28                                                                                                           | 70  | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 92  | 7 |  | 288RNDD009 |  |  |  |  |                                             |
| 30                                                                                                           | 75  | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 102 | 8 |  | 308RNDD009 |  |  |  |  | OMK73LGX102G                                |
| 20                                                                                                           | 50  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 72  | 7 |  | 203RNDD009 |  |  |  |  | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G |
| 24                                                                                                           | 60  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 84  | 7 |  | 243RNDD009 |  |  |  |  | OMK75DX084G<br>OMK75DPX084G<br>OMK75LGX084G |
| 28                                                                                                           | 70  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 93  | 7 |  | 283RNDD009 |  |  |  |  |                                             |
| 32                                                                                                           | 81  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 105 | 7 |  | 323RNDD009 |  |  |  |  |                                             |
| 36                                                                                                           | 86  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 115 | 7 |  | 363RNDD009 |  |  |  |  |                                             |
| 42                                                                                                           | 107 | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 135 | 7 |  | 423RNDD009 |  |  |  |  |                                             |

|                      |    |        |      |            |      |    |   |  |  |  |            |  |  |  |
|----------------------|----|--------|------|------------|------|----|---|--|--|--|------------|--|--|--|
| MARUYAMA POLE SAWS † |    |        |      |            |      |    |   |  |  |  |            |  |  |  |
| MC-PL10, MC-PS10     |    |        |      |            |      |    |   |  |  |  |            |  |  |  |
| 10                   | 25 | 3/8 LP | .050 | 91PX, 91VG | 91VL | 40 | 7 |  |  |  | 100SDEA218 |  |  |  |

|                                                                                                                                                                                                                                                                                                        |    |      |      |       |       |    |   |            |            |                          |  |         |              |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|------|-------|-------|----|---|------------|------------|--------------------------|--|---------|--------------|--|
| MCCULLOCH                                                                                                                                                                                                                                                                                              |    |      |      |       |       |    |   |            |            |                          |  |         |              |  |
| 1849 AV, 2046 AV, 2049 AV, 4600, 4700, 4900, 5000, 5500, MAC 2818 AV, MS 1846 AV, MS 1849 AV, MS 1850, MS 2046 AV, MS 2046 AV/CC, MS 2049, MS 2049 AV, MS 2049 AV/CC, MS 2050, PM 1845 AV, Pro Mac: 40, 46; PM4300, PM4700, PM5000, PM5200, SILVER EAGLE: 2818, 3020; TIMBER BEAR 20 (LATER MODELS)... |    |      |      |       |       |    |   |            |            |                          |  |         |              |  |
| 16                                                                                                                                                                                                                                                                                                     | 40 | .325 | .050 | 20BPX | 20LPX | 66 | 8 |            | 160FNBK095 | 160SLGK095               |  |         | OMK20BPX066G |  |
| 18                                                                                                                                                                                                                                                                                                     | 45 | .325 | .050 | 20BPX | 20LPX | 72 | 8 |            |            | 180SLGK095               |  |         | OMK20BPX072G |  |
| 13                                                                                                                                                                                                                                                                                                     | 33 | .325 | .058 | 21BPX | 21LPX | 56 | 8 |            | 138FNBK095 |                          |  |         |              |  |
| 15                                                                                                                                                                                                                                                                                                     | 38 | .325 | .058 | 21BPX | 21LPX | 64 | 8 |            | 158FNBK095 |                          |  |         | OMK21BPX064G |  |
| 16                                                                                                                                                                                                                                                                                                     | 40 | .325 | .058 | 21BPX | 21LPX | 66 | 8 | 168ATMK095 | 168FNBK095 | 168SLGK095               |  | 105712* | OMK21BPX066G |  |
| 18                                                                                                                                                                                                                                                                                                     | 45 | .325 | .058 | 21BPX | 21LPX | 72 | 8 | 188ATMK095 | 188FNBK095 | 188SLBK095<br>188SLGK095 |  | 105713* | OMK21BPX072G |  |
| 20                                                                                                                                                                                                                                                                                                     | 50 | .325 | .058 | 21BPX | 21LPX | 78 | 8 | 208ATMK095 | 208FNBK095 | 208SLGK095               |  | 105714* | OMK21BPX078G |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | GUIDE BARS                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | RETAIL PACKS                                                                     |                                                                                  |                                                                                  |                                           |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------|----|----|--------|------|------------|------------|----|---|--|--|--|--|------------|------------|--|-------------|--------------|----|----|--------|------|------------|------------|----|---|--|--|--|------------|------------|------------|--|--------------|--------------|----|----|--------|------|------------|-------|----|---|--|--|--|------------|--|------------|---------|--------------|--------------|----|----|--------|------|------------|-------|----|---|--|--|--|------------|------------|------------|---------|--------------|--------------|----|----|--------|------|------------|-------|----|---|--|--|--|------------|--|------------|---------|-------------|--------------|----|----|--------|------|------------|-------|----|---|--|--|--|------------|--|------------|--|-------------|--------------|----|----|--------|------|------------|-------|----|---|--|--|--|------------|--|------------|--|-------------|--------------|----|----|--------|------|------------|-------|----|---|--|--|--|--|--|------------|--|--|--|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |                                           |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| Bar Length (")                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Bar Length (cm)                                                                  | Pitch                                                                            | Gauge                                                                            | CHAIN PART NUMBERS                                                               |                                                                                  | Chain Type                                                                       | Drive Links                                                                      | Sprocket Teeth                                                                   | Armor Tip®<br>(AT, LA)                                                           | Power Match®<br>(RN, RW, GN, PM)                                                 | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                            | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                 | Double Guard®<br>(SD, DG, MLE)                                                   | Combo Part Number                                                                | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| <div><div>MCCULLOCH</div><div>...1849 AV, 2046 AV, 2049 AV, 4600, 4700, 4900, 5000, 5500, MAC 2818 AV, MS 1846 AV, MS 1849 AV, MS 1850, MS 2046 AV, MS 2046 AVCC, MS 2049, MS 2049 AV, MS 2049 AVCC, MS 2050, PM 1845 AV, Pro Mac: 40, 46, PM4300, PM4700, PM5000, PM5200, SILVER EAGLE: 2818, 3020, TIMBER BEAR 20 (LATER MODELS)</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                           |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| <div><div>MICRO-LITE™</div><table><tr><td>13</td><td>33</td><td>.325</td><td>.050</td><td>95VPX</td><td>95VPX</td><td>56</td><td>7</td><td></td><td></td><td></td><td></td><td>130MLBK095</td><td></td><td></td><td></td><td></td></tr><tr><td>15</td><td>38</td><td>.325</td><td>.050</td><td>95VPX</td><td>95VPX</td><td>64</td><td>7</td><td></td><td></td><td></td><td>150MPBK095</td><td>150MLBK095</td><td></td><td></td><td>OMK95VPX064G</td><td></td></tr><tr><td>16</td><td>40</td><td>.325</td><td>.050</td><td>95VPX</td><td>95VPX</td><td>66</td><td>8</td><td></td><td></td><td></td><td>160MPBK095</td><td></td><td></td><td>108579*</td><td>OMK95VPX066G</td><td></td></tr><tr><td>18</td><td>45</td><td>.325</td><td>.050</td><td>95VPX</td><td>95VPX</td><td>72</td><td>8</td><td></td><td></td><td></td><td>180MPBK095</td><td>180MLBK095</td><td></td><td>108580*</td><td>OMK95VPX072G</td><td></td></tr></table><div>12A/S, EM 12</div><table><tr><td>12</td><td>30</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>44</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td>120SDEA318</td><td></td><td>OMK91PX044G</td><td>OMK91VXL044G</td></tr></table><div>14A/S, EM 16</div><table><tr><td>14</td><td>35</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>49</td><td>6</td><td></td><td></td><td></td><td>140SPEA318</td><td></td><td>140SDEA318</td><td></td><td></td><td>OMK91VXL049G</td></tr><tr><td>16</td><td>40</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>54</td><td>6</td><td></td><td></td><td></td><td>160SPEA318</td><td></td><td>160SDEA318</td><td></td><td>OMK91PX054G</td><td>OMK91VXL054G</td></tr><tr><td>18</td><td>45</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>60</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td>180SDEA318</td><td></td><td></td><td></td></tr></table></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                           |                                            | 13 | 33 | .325   | .050 | 95VPX      | 95VPX      | 56 | 7 |  |  |  |  | 130MLBK095 |            |  |             |              | 15 | 38 | .325   | .050 | 95VPX      | 95VPX      | 64 | 7 |  |  |  | 150MPBK095 | 150MLBK095 |            |  | OMK95VPX064G |              | 16 | 40 | .325   | .050 | 95VPX      | 95VPX | 66 | 8 |  |  |  | 160MPBK095 |  |            | 108579* | OMK95VPX066G |              | 18 | 45 | .325   | .050 | 95VPX      | 95VPX | 72 | 8 |  |  |  | 180MPBK095 | 180MLBK095 |            | 108580* | OMK95VPX072G |              | 12 | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 44 | 6 |  |  |  |            |  | 120SDEA318 |         | OMK91PX044G | OMK91VXL044G | 14 | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 49 | 6 |  |  |  | 140SPEA318 |  | 140SDEA318 |  |             | OMK91VXL049G | 16 | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 54 | 6 |  |  |  | 160SPEA318 |  | 160SDEA318 |  | OMK91PX054G | OMK91VXL054G | 18 | 45 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 60 | 6 |  |  |  |  |  | 180SDEA318 |  |  |  |
| 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 33                                                                               | .325                                                                             | .050                                                                             | 95VPX                                                                            | 95VPX                                                                            | 56                                                                               | 7                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 130MLBK095                                                                       |                                                                                  |                                                                                  |                                           |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 38                                                                               | .325                                                                             | .050                                                                             | 95VPX                                                                            | 95VPX                                                                            | 64                                                                               | 7                                                                                |                                                                                  |                                                                                  |                                                                                  | 150MPBK095                                                                       | 150MLBK095                                                                       |                                                                                  |                                                                                  | OMK95VPX064G                              |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 40                                                                               | .325                                                                             | .050                                                                             | 95VPX                                                                            | 95VPX                                                                            | 66                                                                               | 8                                                                                |                                                                                  |                                                                                  |                                                                                  | 160MPBK095                                                                       |                                                                                  |                                                                                  | 108579*                                                                          | OMK95VPX066G                              |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 45                                                                               | .325                                                                             | .050                                                                             | 95VPX                                                                            | 95VPX                                                                            | 72                                                                               | 8                                                                                |                                                                                  |                                                                                  |                                                                                  | 180MPBK095                                                                       | 180MLBK095                                                                       |                                                                                  | 108580*                                                                          | OMK95VPX072G                              |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 44                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 120SDEA318                                                                       |                                                                                  | OMK91PX044G                               | OMK91VXL044G                               |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 49                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  | 140SPEA318                                                                       |                                                                                  | 140SDEA318                                                                       |                                                                                  |                                           | OMK91VXL049G                               |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 54                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  | 160SPEA318                                                                       |                                                                                  | 160SDEA318                                                                       |                                                                                  | OMK91PX054G                               | OMK91VXL054G                               |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 45                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 60                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 180SDEA318                                                                       |                                                                                  |                                           |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| <div><div>INTENZ™</div><table><tr><td>14</td><td>35</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>49</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td>140SDET318</td><td></td><td></td><td>OMK91VXL049G</td></tr></table><div>MS1015, MS1015P, MCP1510 Pole Saw†</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                           |                                            | 14 | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL      | 49 | 6 |  |  |  |  |            | 140SDET318 |  |             | OMK91VXL049G |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 49                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 140SDET318                                                                       |                                                                                  |                                           | OMK91VXL049G                               |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| <div><div>MICRO-LITE™</div><table><tr><td>10</td><td>25</td><td>3/8 LP</td><td>.043</td><td>90PX, 90SG</td><td>90PX, 90SG</td><td>39</td><td>5</td><td></td><td></td><td></td><td></td><td></td><td>104MLEA318</td><td></td><td>OMK90SG039G</td><td>OMK90SG-39E</td></tr></table><div>MS 1630NT, MS 1640NT</div><table><tr><td>16</td><td>40</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>56</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td>160SDEA318</td><td></td><td>OMK91PX056G</td><td>OMK91VXL056G</td></tr></table><div>2138, 3214, 3216, 3514, 3516, 3518, 3816, 3818, 3818AV, EAGER BEAVER: 2010, 2014, 2016, 2116, 2318, EB 2.3; EB 6A; MAC 340, MAC 416, MAC 2214AV, MAC 2316AVT, MAC 2416AVT, MAC2618 CAV, MAC 3214, MACCAT, MACCAT: 16, 18; MC SERIES: 110, 115, 120, 130, 140, 155, 160S, 165, 175, 310, 320, 330, 340, 355, 365, 375, 430, 435, 440, 445, 510, 515; MCC1514; MINI MAC (ALL MODELS); MS1415; MS1420; MS1430; MS1432; MS1435; MS1455; MS1635; MS1635AV, MS1635NAV, MS1635NAVCC; MS1645; MS1838; MS1838 AVCC, MS1838AV; MS1842 AVCC; MS1846 AVCC; PM380 (1 BOLT BAR); PM300, PM400 (1 BOLT BAR); POWER MAC SERIES: 6, 14S-14, 22S-16; PROMAC SERIES: 3200, 3205, 3205 AV, 3205-14, 3210, 3212, 3214, 3216, 3219, 3505, 3800, 3805, 3818, 3850, 510, 515; SILVER EAGLE SERIES: 2010, 2012, 2012S, 2014, 2014S, 2016, 2018S, 2316, SP-40; SUPER 16; SUPER 18; TITAN SERIES: 35, 36, 37, 38, 39, 40; WILDCAT...</div><table><tr><td>10</td><td>25</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>39</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td>100SDEA218</td><td></td><td></td><td>OMK91VXL039G</td></tr><tr><td>12</td><td>30</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>44</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td>120SDEA318</td><td></td><td>OMK91PX044G</td><td>OMK91VXL044G</td></tr><tr><td>14</td><td>35</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>49</td><td>6</td><td></td><td></td><td></td><td>140SPEA318</td><td></td><td>140SDEA318</td><td>108763*</td><td></td><td>OMK91VXL049G</td></tr><tr><td>16</td><td>40</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>54</td><td>6</td><td></td><td></td><td></td><td>160SPEA318</td><td></td><td>160SDEA318</td><td></td><td>OMK91PX054G</td><td>OMK91VXL054G</td></tr><tr><td>18</td><td>45</td><td>3/8 LP</td><td>.050</td><td>91PX, 91VG</td><td>91VXL</td><td>60</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td>180SDEA318</td><td></td><td></td><td></td></tr></table></div> |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                           |                                            | 10 | 25 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 39 | 5 |  |  |  |  |            | 104MLEA318 |  | OMK90SG039G | OMK90SG-39E  | 16 | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL      | 56 | 6 |  |  |  |            |            | 160SDEA318 |  | OMK91PX056G  | OMK91VXL056G | 10 | 25 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 39 | 6 |  |  |  |            |  | 100SDEA218 |         |              | OMK91VXL039G | 12 | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 44 | 6 |  |  |  |            |            | 120SDEA318 |         | OMK91PX044G  | OMK91VXL044G | 14 | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 49 | 6 |  |  |  | 140SPEA318 |  | 140SDEA318 | 108763* |             | OMK91VXL049G | 16 | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 54 | 6 |  |  |  | 160SPEA318 |  | 160SDEA318 |  | OMK91PX054G | OMK91VXL054G | 18 | 45 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 60 | 6 |  |  |  |            |  | 180SDEA318 |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 25                                                                               | 3/8 LP                                                                           | .043                                                                             | 90PX, 90SG                                                                       | 90PX, 90SG                                                                       | 39                                                                               | 5                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 104MLEA318                                                                       |                                                                                  | OMK90SG039G                               | OMK90SG-39E                                |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 56                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 160SDEA318                                                                       |                                                                                  | OMK91PX056G                               | OMK91VXL056G                               |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 25                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 39                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 100SDEA218                                                                       |                                                                                  |                                           | OMK91VXL039G                               |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 44                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 120SDEA318                                                                       |                                                                                  | OMK91PX044G                               | OMK91VXL044G                               |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 49                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  | 140SPEA318                                                                       |                                                                                  | 140SDEA318                                                                       | 108763*                                                                          |                                           | OMK91VXL049G                               |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 54                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  | 160SPEA318                                                                       |                                                                                  | 160SDEA318                                                                       |                                                                                  | OMK91PX054G                               | OMK91VXL054G                               |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 45                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 60                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 180SDEA318                                                                       |                                                                                  |                                           |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| <div><div>MICRO-LITE™</div><table><tr><td>10</td><td>25</td><td>3/8 LP</td><td>.043</td><td>90PX, 90SG</td><td>90PX, 90SG</td><td>39</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td>104MLEA218</td><td></td><td>OMK90SG039G</td><td>OMK90SG-39E</td></tr><tr><td>12</td><td>30</td><td>3/8 LP</td><td>.043</td><td>90PX, 90SG</td><td>90PX, 90SG</td><td>44</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td>124MLEA218</td><td></td><td>OMK90PX044G</td><td></td></tr></table></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                           |                                            | 10 | 25 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 39 | 6 |  |  |  |  |            | 104MLEA218 |  | OMK90SG039G | OMK90SG-39E  | 12 | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 44 | 6 |  |  |  |            |            | 124MLEA218 |  | OMK90PX044G  |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 25                                                                               | 3/8 LP                                                                           | .043                                                                             | 90PX, 90SG                                                                       | 90PX, 90SG                                                                       | 39                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 104MLEA218                                                                       |                                                                                  | OMK90SG039G                               | OMK90SG-39E                                |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                           | .043                                                                             | 90PX, 90SG                                                                       | 90PX, 90SG                                                                       | 44                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 124MLEA218                                                                       |                                                                                  | OMK90PX044G                               |                                            |    |    |        |      |            |            |    |   |  |  |  |  |            |            |  |             |              |    |    |        |      |            |            |    |   |  |  |  |            |            |            |  |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |            |            |         |              |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |         |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |            |  |            |  |             |              |    |    |        |      |            |       |    |   |  |  |  |  |  |            |  |  |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                        |                                                                                     |                                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |  |  |  |  |                                            |
| Bar Length (")                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        | Drive Links                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                            |
| MCCULLOCH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                            |
| ...2138, 3214; 3216; 3514; 3516; 3518; 3816; 3818; 3818AV, EAGER BEAVER: 2010, 2014, 2016, 2116, 2318; EB 2.3; EB 6A; MAC 340, MAC 416, MAC 2214AV, MAC 2316AVT, MAC 2416AVT, MAC2618 CAV, MAC 3214, MACCAT; MACCAT: 16, 18; MC SERIES: 110, 115, 120, 130, 140, 155, 160S, 165, 175, 310, 320, 330, 340, 355, 365, 375, 430, 435, 440, 445, 510, 515; MCC1514; MINI MAC (ALL MODELS); MS1415; MS1420; MS1430; MS1432; MS1435; MS1455; MS1635; MS1635AV; MS1635NAV; MS1635NAVCC; MS1645; MS1838; MS1838 AVCC; MS1838AV; MS1842 AVCC; MS1846 AVCC; PM380 (1 BOLT BAR); PM300, PM400 (1 BOLT BAR); POWER MAC SERIES: 6, 14S-14, 22S-16; PROMAC SERIES: 3200, 3205, 3205 AV, 3205-14, 3210, 3212, 3214, 3216, 3219, 3505, 3800, 3805, 3818, 3850, 510, 515, ; SILVER EAGLE SERIES: 2010, 2012, 2012S, 2014, 2014S, 2016, 2018S, 2316; SP-40; SUPER 16; SUPER 18; TITAN SERIES: 35, 36, 37, 38, 39, 40; WILDCAT |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                            |
| INTENZ®                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                            |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 44                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SDET318<br>C INTENZ®                                                             | OMK91PX044G                                                                         | OMK91VXL044G                               |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 49                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 140SDET318<br>C INTENZ®                                                             |                                                                                     | OMK91VXL049G                               |
| 10E, 12E, 14E, 16E, ELECTRIC MODELS, MCC3516, MCC3516F, MCC4516F, MCC4516FK, MS1630NT, MS1640NT, MS1425, MS1630, MS1640                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                            |
| 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 25                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 39                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 100SDEA218                                                                          |                                                                                     | OMK91VXL039G                               |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SDEA318                                                                          |                                                                                     | OMK91VXL045G                               |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 50                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140SPEA318                                                                        |                                                                                   | 140SDEA318                                                                          |                                                                                     | OMK91VXL050G                               |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 55                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 160SPEA318                                                                        |                                                                                   | 160SDEA318                                                                          | OMK91PX055G                                                                         | OMK91VXL055G                               |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 45                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 60                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 180SDEA318                                                                          |                                                                                     |                                            |
| INTENZ®                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                            |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SDET318<br>C INTENZ®                                                             |                                                                                     | OMK91VXL045G                               |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 50                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 140SDET318<br>C INTENZ®                                                             |                                                                                     | OMK91VXL050G                               |
| PM 380 (2 BOLT BAR), PM 400 (2 BOLT BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 55                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 160SPEA318                                                                        |                                                                                   | 160SDEA318                                                                          | OMK91PX055G                                                                         | OMK91VXL055G                               |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 45                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 60                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 180SDEA318                                                                          |                                                                                     |                                            |
| 1-10, 2-10, 3-10, 4-10, 5-10, 6-10, 10-10, 10-10A, 55, MAC 10 SERIES, MAC CAT 18AV, PRO MAC 55, 60, 555, 570, 605, CP-55, 60, 70, 80, 81, DOUBLE EAGLE 50, 80, EAGER BEAVER 3.7, PM 605, PM 700, PROMAC 5700, SILVER EAGLE 3420, SILVER EAGLE 3720, SP-60, TIMBER BEAR (EARLIER MODELS), TITAN 50, TITAN 57, TITAN 70                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD176                                                                        | 160RNDD176                                                                        | 160SLHD176                                                                        |                                                                                   |                                                                                     |                                                                                     | OMK72LGX060G                               |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 45                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 64                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 180SLHD176                                                                        |                                                                                   |                                                                                     |                                                                                     |                                            |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 45                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 66                                                                                | 7                                                                                 |                                                                                   | 180RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK72LGX066G                               |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 | 200ATMD176                                                                        | 200RNDD176                                                                        | 200SLHD176                                                                        |                                                                                   |                                                                                     |                                                                                     | OMK72LGX070G                               |
| 24                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK72LGX081G                               |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain


















| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.

† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041  
C INTENZ®

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | GUIDE BARS                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | RETAIL PACKS                                                                                    |                                                                                  |                                                                                  |                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  |  |  |  |  |  |  |  |  |  |                 |  |  |  |
| Bar Length (")                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Bar Length (cm)                                                                  | Pitch                                                                            | Gauge                                                                            | CHAIN PART NUMBERS                                                               |                                                                                  | Chain Type                                                                       | Drive Links                                                                      | Sprocket Teeth                                                                   | Armor Tip®<br>(AT, LA)                                                           | Power Match®<br>(RN, RW, GN, PM)                                                 | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                            | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                 | Double Guard®<br>(SD, DG, MLE)                                                                  | Combo Part Number                                                                | Green Label Chain Loop Low Kickback Chain                                        | Yellow Label Chain Loop Professional Chain                                       |
| <div> <b>MCCULLOCH</b></div> <div><div> <b>PowerSharp® A041 Applications</b> are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.</div><div> EB356A, EB358, MAC CAT 438, MC3516, MC4218AV, MCC1435A, MCC1635A, MCC1840B, MP406, MS354A, MXC1840D, MXC1840DK, MS 4018P, MS 4018P</div></div> |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 40                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 56                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  | 160GPEA041<br>160SPEA041                                                         |                                                                                  | 160SDEA041                                                                                      | 105700*                                                                          | OMK91PX056G                                                                      | OMK91VXL056G                                                                     |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 45                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 62                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 180SDEA041                                                                                      |                                                                                  |                                                                                  |                                                                                  |
| <div> <b>INTENZ®</b></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 40                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 56                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 160SDET041<br> |                                                                                  | OMK91PX056G                                                                      | OMK91VXL056G                                                                     |
| <div> <b>MCCULLOCH</b></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 7-10, 560, 610, 620, 650, 655, 700, 800, 805, 850, 1000, CP70, CP70L, DOUBLE EAGLE 80, 8200, SP70, SP80, SP81, TITAN 70                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 40                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 60                                                                               | 7                                                                                | 160ATMD176                                                                       | 160RNDD176                                                                       | 160SLHD176<br>160GLHD176                                                         |                                                                                  |                                                                                  |                                                                                                 | 105707*                                                                          |                                                                                  | OMK72LGX060G                                                                     |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 45                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 64                                                                               | 7                                                                                |                                                                                  |                                                                                  | 180SLHD176                                                                       |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 45                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 66                                                                               | 7                                                                                |                                                                                  | 180RNDD176                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | OMK72LGX066G                                                                     |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 50                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 70                                                                               | 7                                                                                | 200ATMD176                                                                       | 200RNDD176                                                                       | 200SLHD176                                                                       |                                                                                  |                                                                                  |                                                                                                 | 105709*                                                                          |                                                                                  | OMK72LGX070G                                                                     |
| 24                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 60                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 84                                                                               | 7                                                                                |                                                                                  | 240RNDD176                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| PRO MAC 61                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 45                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 68                                                                               | 7                                                                                |                                                                                  |                                                                                  | 188SLHD024                                                                       |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G                       |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 7                                                                                | 208ATMD024                                                                       | 208RNDD024                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
| PM5600, 6800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 17                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 43                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 64                                                                               | 7                                                                                |                                                                                  | 178RNDB083                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 7                                                                                |                                                                                  | 208RNDB083                                                                       | 208SLHK095                                                                       |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in *red italic* are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See




















| SAW CHAIN                                                                                                            |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             | GUIDE BARS                                                                                                            |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          | BAR & CHAIN COMBOS                                                                                                               |                                                                                                                                   | LOOP PACKS |  |
|----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------|-------------------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------|--|
| <br>Bar Length (")<br>Bar Length (cm) | <br>Pitch | <br>Gauge | CHAIN PART NUMBERS |                         | <br>Drive Links | <br>Sprocket Teeth | <br>Armor Tip®<br>(AT, LA) | <br>Power Match®<br>(RN, RW, GN, PM) | <br>Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | <br>Pro-Am®<br>(SF, SX, PX, GD, MLB) | <br>Double Guard®<br>(SD, DG, MLE) | <br>Combo Part Number | <br>Green Label Chain Loop Low Kickback Chain | <br>Yellow Label Chain Loop Professional Chain |            |  |
|                                                                                                                      |                                                                                           |                                                                                            | Chain Type         |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| ▲ MCCULLOCH                                                                                                          |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| SP118, SP85                                                                                                          |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| 20                                                                                                                   | 50                                                                                        | 3/8                                                                                        | .058               | 73DPX<br>73LGX<br>73LPX | 72                                                                                               | 7                                                                                                   | 208ATMD033                                                                                                  | 208RND033                                                                                                             |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                                                                      |            |  |
| ▲ MTD                                                                                                                |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| 125, 136, 140S                                                                                                       |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| 10                                                                                                                   | 25                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 40                                                                                                  | 6                                                                                                           |                                                                                                                       |                                                                                                                            |                                                                                                                       | 100SDEA041                                                                                                          |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| 12                                                                                                                   | 30                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 45                                                                                                  | 6                                                                                                           |                                                                                                                       | 120SPEA041                                                                                                                 |                                                                                                                       | 120SDEA041                                                                                                          |                                                                                                          |                                                                                                                                  | OMK91VXL045G                                                                                                                      |            |  |
| 14                                                                                                                   | 35                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 52                                                                                                  | 6                                                                                                           |                                                                                                                       | 140SPEA041                                                                                                                 |                                                                                                                       | 140SDEA041                                                                                                          |                                                                                                          | OMK91PX052G                                                                                                                      | OMK91VXL052G                                                                                                                      |            |  |
| 16                                                                                                                   | 40                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 56                                                                                                  | 6                                                                                                           |                                                                                                                       | 160SPEA041                                                                                                                 |                                                                                                                       | 160SDEA041                                                                                                          |                                                                                                          | OMK91PX056G                                                                                                                      | OMK91VXL056G                                                                                                                      |            |  |
| ▲ MICRO-LITE® and ▲ MICRO-LITE® C INTENZ®                                                                            |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| 12                                                                                                                   | 30                                                                                        | 3/8 LP                                                                                     | .043               | 90PX, 90SG              | 90PX, 90SG                                                                                       | 45                                                                                                  | 6                                                                                                           |                                                                                                                       |                                                                                                                            |                                                                                                                       | 124MLEA041                                                                                                          |                                                                                                          | OMK90PX045G                                                                                                                      |                                                                                                                                   |            |  |
| 14                                                                                                                   | 35                                                                                        | 3/8 LP                                                                                     | .043               | 90PX, 90SG              | 90PX, 90SG                                                                                       | 52                                                                                                  | 6                                                                                                           |                                                                                                                       |                                                                                                                            |                                                                                                                       | 144MLEA041<br>144MLET041<br>C INTENZ                                                                                |                                                                                                          | OMK90SG-52E                                                                                                                      |                                                                                                                                   |            |  |
| 16                                                                                                                   | 40                                                                                        | 3/8 LP                                                                                     | .043               | 90PX, 90SG              | 90PX, 90SG                                                                                       | 56                                                                                                  | 6                                                                                                           |                                                                                                                       |                                                                                                                            |                                                                                                                       | 164MLEA041                                                                                                          |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| C INTENZ®                                                                                                            |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| 14                                                                                                                   | 35                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 52                                                                                                  | 6                                                                                                           |                                                                                                                       | 140SPET041<br>C INTENZ                                                                                                     |                                                                                                                       | 140SDET041<br>C INTENZ                                                                                              |                                                                                                          | OMK91PX052G                                                                                                                      | OMK91VXL052G                                                                                                                      |            |  |
| 16                                                                                                                   | 40                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 56                                                                                                  | 6                                                                                                           |                                                                                                                       |                                                                                                                            |                                                                                                                       | 160SDET041<br>C INTENZ                                                                                              |                                                                                                          | OMK91PX056G                                                                                                                      | OMK91VXL056G                                                                                                                      |            |  |
| 152                                                                                                                  |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| 16                                                                                                                   | 40                                                                                        | .325                                                                                       | .058               | 21BPX                   | 21LPX                                                                                            | 68                                                                                                  | 8                                                                                                           |                                                                                                                       | 168PNBK095                                                                                                                 | 168SLBK095                                                                                                            |                                                                                                                     |                                                                                                          | OMK21BPX068G                                                                                                                     |                                                                                                                                   |            |  |
| 18                                                                                                                   | 45                                                                                        | .325                                                                                       | .058               | 21BPX                   | 21LPX                                                                                            | 72                                                                                                  | 7                                                                                                           |                                                                                                                       | 188PNBK095                                                                                                                 | 188SLBK095<br>188SLGK095                                                                                              |                                                                                                                     |                                                                                                          | OMK21BPX072G                                                                                                                     |                                                                                                                                   |            |  |
| 20                                                                                                                   | 50                                                                                        | .325                                                                                       | .058               | 21BPX                   | 21LPX                                                                                            | 78                                                                                                  | 7                                                                                                           |                                                                                                                       | 208PNBK095                                                                                                                 |                                                                                                                       |                                                                                                                     |                                                                                                          | OMK21BPX078G                                                                                                                     |                                                                                                                                   |            |  |
| ▲ MICRO-LITE®                                                                                                        |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| 16                                                                                                                   | 40                                                                                        | .325                                                                                       | .050               | 95VPX                   | 95VPX                                                                                            | 66                                                                                                  | 7                                                                                                           |                                                                                                                       |                                                                                                                            | 160MPBK095                                                                                                            |                                                                                                                     | 108579*                                                                                                  | OMK95VPX066G                                                                                                                     |                                                                                                                                   |            |  |
| 18                                                                                                                   | 45                                                                                        | .325                                                                                       | .050               | 95VPX                   | 95VPX                                                                                            | 72                                                                                                  | 7                                                                                                           |                                                                                                                       |                                                                                                                            | 180MPBK095                                                                                                            | 180MLBK095                                                                                                          | 108580*                                                                                                  | OMK95VPX072G                                                                                                                     |                                                                                                                                   |            |  |
| 3414, 3616, 3816...                                                                                                  |                                                                                           |                                                                                            |                    |                         |                                                                                                  |                                                                                                     |                                                                                                             |                                                                                                                       |                                                                                                                            |                                                                                                                       |                                                                                                                     |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |
| 12                                                                                                                   | 30                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 44                                                                                                  | 6                                                                                                           |                                                                                                                       |                                                                                                                            |                                                                                                                       | 120SDEA318                                                                                                          |                                                                                                          | OMK91PX044G                                                                                                                      | OMK91VXL044G                                                                                                                      |            |  |
| 14                                                                                                                   | 35                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 49                                                                                                  | 6                                                                                                           |                                                                                                                       |                                                                                                                            | 140SPEA318                                                                                                            | 140SDEA318                                                                                                          |                                                                                                          |                                                                                                                                  | OMK91VXL049G                                                                                                                      |            |  |
| 16                                                                                                                   | 40                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 54                                                                                                  | 6                                                                                                           |                                                                                                                       |                                                                                                                            | 160SPEA318                                                                                                            | 160SDEA318                                                                                                          |                                                                                                          | OMK91PX054G                                                                                                                      | OMK91VXL054G                                                                                                                      |            |  |
| 18                                                                                                                   | 45                                                                                        | 3/8 LP                                                                                     | .050               | 91PX, 91VG              | 91VXL                                                                                            | 60                                                                                                  | 6                                                                                                           |                                                                                                                       |                                                                                                                            |                                                                                                                       | 180SDEA318                                                                                                          |                                                                                                          |                                                                                                                                  |                                                                                                                                   |            |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                            |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | GUIDE BARS                                                                       |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | RETAIL PACKS                                                                                    |                                                                                  |                                                                                  |                                                                                  |
|------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|                      |  |  |  |  |  |  |  |  |  |                 |  |  |                 |  |  |  |
| Bar Length (")                                                                                       | Bar Length (cm)                                                                  | Pitch                                                                            | Gauge                                                                            | CHAIN PART NUMBERS                                                               |                                                                                  | Chain Type                                                                       | Drive Links                                                                      | Sprocket Teeth                                                                   | Armor Tip®<br>(AT, LA)                                                           | Power Match®<br>(RN, RW, GN, PM)                                                                | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                            | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                 | Double Guard®<br>(SD, DG, MLE)                                                                  | Combo Part Number                                                                | Green Label Chain Loop Low Kickback Chain                                        | Yellow Label Chain Loop Professional Chain                                       |
|  <b>MTD</b>           |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| ...3414, 3616, 3816                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
|  <b>MICRO-LITE™</b>   |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 12                                                                                                   | 30                                                                               | 3/8 LP                                                                           | .043                                                                             | 90PX, 90SG                                                                       | 90PX, 90SG                                                                       | 44                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | 124MLEA218                                                                                      |                                                                                  | OMK90PX044G                                                                      |                                                                                  |
|  <b>INTENZ™</b>       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 12                                                                                                   | 30                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 44                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | 120SDET318<br>   |                                                                                  | OMK91PX044G                                                                      | OMK91VXL044G                                                                     |
| 14                                                                                                   | 35                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 49                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | 140SDET318<br>   |                                                                                  |                                                                                  | OMK91VXL049G                                                                     |
|  <b>MTD</b>           |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 162                                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                   | 40                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 60                                                                               | 7                                                                                | 168ATMK095                                                                       | 168RNDK095                                                                       | 168SLHK095                                                                                      |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | OMK73LGX060G                                                                     |
| 18                                                                                                   | 45                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 68                                                                               | 7                                                                                | 188ATMK095                                                                       | 188RNDK095                                                                       | 188SLHK095                                                                                      |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | OMK73DPX068G<br>OMK73DPX068G<br>OMK73LGX068G<br>OMK73LGX068G                     |
| 20                                                                                                   | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 7                                                                                | 208ATMK095                                                                       | 208RNDK095                                                                       | 208SLHK095                                                                                      |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
|  <b>OLEO-MAC</b>    |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 1500                                                                                                 |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
|  <b>MICRO-LITE™</b> |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 13                                                                                                   | 30                                                                               | 3/8 LP                                                                           | .043                                                                             | 90PX, 90SG                                                                       | 90PX, 90SG                                                                       | 44                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | 124MLEA074                                                                                      |                                                                                  | OMK90PX044G                                                                      |                                                                                  |
| 14                                                                                                   | 35                                                                               | 3/8 LP                                                                           | .043                                                                             | 90PX, 90SG                                                                       | 90PX, 90SG                                                                       | 50                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | 144MLEA074                                                                                      |                                                                                  | OMK90PX050G                                                                      |                                                                                  |
| 932C, 936F, 937, GS260...                                                                            |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 10                                                                                                   | 25                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 40                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | 100SDEA041                                                                                      |                                                                                  |                                                                                  |                                                                                  |
| 12                                                                                                   | 30                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 45                                                                               | 6                                                                                |                                                                                  |                                                                                  | 120SPEA041                                                                                      |                                                                                  |                                                                                  | 120SDEA041                                                                                      |                                                                                  |                                                                                  | OMK91VXL045G                                                                     |
| 14                                                                                                   | 35                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 52                                                                               | 6                                                                                |                                                                                  |                                                                                  | 140SPEA041                                                                                      |                                                                                  |                                                                                  | 140SDEA041                                                                                      |                                                                                  | OMK91PX052G                                                                      | OMK91VXL052G                                                                     |
| 16                                                                                                   | 40                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 57                                                                               | 6                                                                                |                                                                                  |                                                                                  | 160SPEA041                                                                                      |                                                                                  |                                                                                  | 160SDEA041                                                                                      |                                                                                  |                                                                                  | OMK91VXL057G                                                                     |
|  <b>INTENZ™</b>     |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  |                                                                                  |
| 14                                                                                                   | 35                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 52                                                                               | 6                                                                                |                                                                                  |                                                                                  | 140SPET041<br> |                                                                                  |                                                                                  | 140SDET041<br> |                                                                                  | OMK91PX052G                                                                      | OMK91VXL052G                                                                     |
| 16                                                                                                   | 40                                                                               | 3/8 LP                                                                           | .050                                                                             | 91PX, 91VG                                                                       | 91VXL                                                                            | 57                                                                               | 6                                                                                |                                                                                  |                                                                                  |                                                                                                 |                                                                                  |                                                                                  | 160SDET041<br> |                                                                                  |                                                                                  | OMK91VXL057G                                                                     |



\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See





















| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   |                                                                                   |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                 | Green Label Chain Loop Low Kickback Chain                                         | Yellow Label Chain Loop Professional Chain                                        |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
 160SDET041 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                   |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | GUIDE BARS                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | RETAIL PACKS                                                                     |                                                                                  |                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|                                                                             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                                              | Bar Length (cm)                                                                  | Pitch                                                                            | Gauge                                                                            | CHAIN PART NUMBERS                                                               |                                                                                  |                                                                                  | Chain Type                                                                       | Drive Links                                                                      | Sprocket Teeth                                                                   | Ambor Tip®<br>(AT, LA)                                                           | Power Match®<br>(RN, RW, GN, PM)                                                 | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                            | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                 | Double Guard®<br>(SD, DG, MLE)                                                   | Combo Part Number                                                                | Green Label Chain Loop Low Kickback Chain                                        | Yellow Label Chain Loop Professional Chain                                       |
|  <b>OLEO-MAC</b>                                                             |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| POWER PRUNER† EP100, PP250, PPX250, PPX270                                                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
|  <b>MICRO-LITE™</b>                                                          |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 10                                                                                                                                                          | 25                                                                               | 3/8 LP                                                                           | .043                                                                             | 90PX, 90SG                                                                       | 90PX, 90SG                                                                       | 39                                                                               | 7                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 104MLEA318                                                                       |                                                                                  | OMK90SG039G<br>OMK90SG-39E                                                       |                                                                                  |
| 12                                                                                                                                                          | 30                                                                               | 3/8 LP                                                                           | .043                                                                             | 90PX, 90SG                                                                       | 90PX, 90SG                                                                       | 44                                                                               | 7                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 124MLEA318                                                                       |                                                                                  | OMK90PX044G                                                                      |                                                                                  |
| 250, 250A, 251, 252, 254, 260, 261, 264, 355, 460A SUPER                                                                                                    |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                                                                          | 40                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 60                                                                               | 7                                                                                | 160ATMD196                                                                       | 160RNDD196                                                                       | 160GLHD196                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK72LGX060G                                                                     |
| 20                                                                                                                                                          | 50                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 70                                                                               | 7                                                                                |                                                                                  | 200RNDD196                                                                       | 200GLHD196                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK72LGX070G                                                                     |
| 24                                                                                                                                                          | 60                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 81                                                                               | 7                                                                                |                                                                                  | 240RNDD196                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK72LGX081G                                                                     |
| 20                                                                                                                                                          | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 8                                                                                |                                                                                  | 208RNDD024                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
|  <b>OLEO-MAC</b>                                                           |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 264F, 272, 280, 284, 350, 355, 461, 480A SUPER, 48, 70, 970F, 980, 980F, AGRISTAR, SUPER 482 NOTE: D196 BAR TAIL SLOT MUST BE FILED .020" FOR PROPER FIT-UP |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                                                                          | 40                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 60                                                                               | 7                                                                                | 160ATMD196                                                                       |                                                                                  | 160GLHD196                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  | 105708*                                                                          |                                                                                  | OMK72LGX060G                                                                     |
| 20                                                                                                                                                          | 50                                                                               | 3/8                                                                              | .050                                                                             | 72V                                                                              | 72DPX<br>72LGX<br>72LPX                                                          | 70                                                                               | 7                                                                                |                                                                                  |                                                                                  | 200GLHD196                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK72LGX070G                                                                     |
| 20                                                                                                                                                          | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 8                                                                                |                                                                                  | 208RNDD024                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
| 21                                                                                                                                                          | 53                                                                               | 3/8                                                                              | .063                                                                             |                                                                                  | 75DPX<br>75LGX<br>75LPX                                                          | 72                                                                               | 7                                                                                | 213ATMD196                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                                      |
| GS720, GS820                                                                                                                                                |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 20                                                                                                                                                          | 50                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 72                                                                               | 7                                                                                |                                                                                  | 208RNDD024                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |
| 24                                                                                                                                                          | 60                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 82                                                                               | 7                                                                                |                                                                                  | 248RNDD024                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73LGX082G                                                                     |
| 962, 962F, 985HD, 971, 981...                                                                                                                               |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                                                                                                          | 40                                                                               | 3/8                                                                              | .058                                                                             |                                                                                  | 73DPX<br>73LGX<br>73LPX                                                          | 60                                                                               | 7                                                                                | 168ATMK095                                                                       | 168RNDK095                                                                       | 168SLHK095                                                                       |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  |                                                                                  | OMK73LGX060G                                                                     |


\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in *red italic* are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                        |                                                                                   |        |       |                    |                         |    |             |                |            | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                    |                                                            |  |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------|-------|--------------------|-------------------------|----|-------------|----------------|------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------|--|
|  |  |        |       |                    |                         |    |             |                |            |  |  |  |  |  |  |  |                                                            |  |
| Bar Length (")                                                                   | Bar Length (cm)                                                                   | Pitch  | Gauge | CHAIN PART NUMBERS |                         |    | Drive Links | Sprocket Teeth |            | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                 | Green Label Chain Loop Low Kickback Chain                                          | Yellow Label Chain Loop Professional Chain                 |  |
|                                                                                  |                                                                                   |        |       | Chain Type         |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| ▲ OLEO-MAC                                                                       |                                                                                   |        |       |                    |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| ... 962, 962F, 985HD, 971, 981                                                   |                                                                                   |        |       |                    |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| 18                                                                               | 45                                                                                | 3/8    | .058  |                    | 73DPX<br>73LGX<br>73LPX | 68 | 7           | 188ATMK095     | 188RNDK095 | 188SLHK095                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |  |
| 20                                                                               | 50                                                                                | 3/8    | .058  |                    | 73DPX<br>73LGX<br>73LPX | 72 | 7           |                | 208RNDK095 | 208SLHK095                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | OMK73DPX072G<br>OMK73LGX072G                               |  |
| 24                                                                               | 60                                                                                | 3/8    | .058  |                    | 73DPX<br>73LGX<br>73LPX | 84 | 7           |                | 248RNDK095 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | OMK73LGX084G                                               |  |
| 999, 999F                                                                        |                                                                                   |        |       |                    |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| 17                                                                               | 43                                                                                | .404   | .063  | 68LX               | 68LX                    | 60 | 7           |                | 173RNFE031 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| 21                                                                               | 53                                                                                | .404   | .063  | 68LX               | 68LX                    | 68 | 7           | 213ATME031     | 213RNFE031 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| 25                                                                               | 63                                                                                | .404   | .063  | 68LX               | 68LX                    | 80 | 7           | 253ATME031     | 253RNFE031 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| ▲ OREGON CORDLESS TOOL SYSTEM / POWERNOW                                         |                                                                                   |        |       |                    |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| POWERsharp OEM EQUIPPED: CS250-E6                                                |                                                                                   |        |       |                    |                         |    |             |                |            | POWERSHARP® BAR                                                                   |                                                                                   | POWERSHARP® CHAIN & REPLACEMENT STONE                                             |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| 14                                                                               | 35                                                                                | 3/8 LP | .050  | 91PS<br>(Special)  | 91PS<br>(Special)       | 52 | 6           |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 539453                                                                            |                                                                                   | OMKPS52CTS                                                                         |                                                            |  |
| ▲ OPEM                                                                           |                                                                                   |        |       |                    |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| K1, K2                                                                           |                                                                                   |        |       |                    |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| 16                                                                               | 40                                                                                | .325   | .058  | 21BPX              | 21LPX                   | 66 | 7           |                | 168RNBK095 | 168SLGK095<br>168SLBK095                                                          |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | OMK21BPX066G                                                                       |                                                            |  |
| 18                                                                               | 45                                                                                | .325   | .058  | 21BPX              | 21LPX                   | 72 | 7           |                | 188RNBK095 | 188SLGK095<br>188SLBK095                                                          |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | OMK21BPX072G                                                                       |                                                            |  |
| 20                                                                               | 50                                                                                | .325   | .058  | 21BPX              | 21LPX                   | 78 | 7           |                | 208RNBK095 | 208SLGK095                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | OMK21BPX078G                                                                       |                                                            |  |
| MICRO-LITE™                                                                      |                                                                                   |        |       |                    |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| 16                                                                               | 40                                                                                | .325   | .050  | 95VPX              | 95VPX                   | 66 | 7           |                |            | 160MPEK095                                                                        |                                                                                   |                                                                                   |                                                                                   | 108579*                                                                           | OMK95VPX066G                                                                      |                                                                                    |                                                            |  |
| 18                                                                               | 45                                                                                | .325   | .050  | 95VPX              | 95VPX                   | 72 | 7           |                |            | 180MPEK095                                                                        | 180MLBK095                                                                        |                                                                                   |                                                                                   | 105580*                                                                           | OMK95VPX072G                                                                      |                                                                                    |                                                            |  |
| ▲ OPEM                                                                           |                                                                                   |        |       |                    |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| K2 SUPER...                                                                      |                                                                                   |        |       |                    |                         |    |             |                |            |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                            |  |
| 16                                                                               | 40                                                                                | 3/8    | .058  |                    | 73DPX<br>73LGX<br>73LPX | 60 | 8           | 168ATMD009     | 168RND009  | 168SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | OMK73LGX060G                                               |  |
| 18                                                                               | 45                                                                                | 3/8    | .058  |                    | 73DPX<br>73LGX<br>73LPX | 68 | 8           | 188ATMD009     | 188RND009  | 188SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain








| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041

CutSmart

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                        |                 |        |       |                                                                                  |                         |            |             | GUIDE BARS                                                                       |                        |                                  |                                       |                                                                                  | RETAIL PACKS                         |                   |                                                                                  |                                                                                  |                                                                                  |
|----------------------------------------------------------------------------------|-----------------|--------|-------|----------------------------------------------------------------------------------|-------------------------|------------|-------------|----------------------------------------------------------------------------------|------------------------|----------------------------------|---------------------------------------|----------------------------------------------------------------------------------|--------------------------------------|-------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|  |                 |        |       |  |                         |            |             |  |                        |                                  |                                       |  |                                      |                   |  |  |  |
| Bar Length (")                                                                   | Bar Length (cm) | Pitch  | Gauge | CHAIN PART NUMBERS                                                               |                         | Chain Type | Drive Links | Sprocket Teeth                                                                   | Armor Tip®<br>(AT, LA) | Power Match®<br>(RN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                 | Double Guard®<br>(SD, DG, MLE)       | Combo Part Number | Green Label Chain Loop Low Kickback Chain                                        | Yellow Label Chain Loop Professional Chain                                       |                                                                                  |
| ▲ OPEN                                                                           |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| ...K2 SUPER                                                                      |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| 20                                                                               | 50              | 3/8    | .058  |                                                                                  | 73DPX<br>73LGX<br>73LPX |            | 72          | 8                                                                                | 208ATMD009             | 208RND009                        | 208SLHD009                            |                                                                                  |                                      |                   |                                                                                  | OMK73DPX072G<br>OMK73LGX072G                                                     |                                                                                  |
| ▲ PARKLANDER                                                                     |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| GL3800M-16                                                                       |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| 14                                                                               | 35              | 3/8 LP | .050  | 91PX, 91VG                                                                       | 91VXL                   |            | 52          | 7                                                                                |                        |                                  | 140SPEA041                            |                                                                                  | 140SDEA041                           |                   | OMK91PX052G                                                                      | OMK91VXL052G                                                                     |                                                                                  |
| 16                                                                               | 40              | 3/8 LP | .050  | 91PX, 91VG                                                                       | 91VXL                   |            | 56          | 7                                                                                |                        |                                  | 160SPEA041                            |                                                                                  | 160SDEA041                           |                   | OMK91PX056G                                                                      | OMK91VXL056G                                                                     |                                                                                  |
| 18                                                                               | 45              | 3/8 LP | .050  | 91PX, 91VG                                                                       | 91VXL                   |            | 62          | 7                                                                                |                        |                                  |                                       |                                                                                  | 180SDEA041                           |                   |                                                                                  |                                                                                  |                                                                                  |
| ▲ MICRO-LITE® and ▲ MICRO-LITE® C-INTENZ®                                        |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| 14                                                                               | 35              | 3/8 LP | .043  | 90PX, 90SG                                                                       | 90PX, 90SG              |            | 52          | 6                                                                                |                        |                                  |                                       |                                                                                  | 144MLEA041<br>144MLET041<br>C-INTENZ |                   | OMK90SG-52E                                                                      |                                                                                  |                                                                                  |
| 16                                                                               | 40              | 3/8 LP | .043  | 90PX, 90SG                                                                       | 90PX, 90SG              |            | 56          | 6                                                                                |                        |                                  |                                       |                                                                                  | 164MLEA041                           |                   |                                                                                  |                                                                                  |                                                                                  |
| C-INTENZ®                                                                        |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| 14                                                                               | 35              | 3/8 LP | .050  | 91PX, 91VG                                                                       | 91VXL                   |            | 52          | 6                                                                                |                        |                                  | 140SPET041<br>C-INTENZ                |                                                                                  | 140SDET041<br>C-INTENZ               |                   | OMK91PX052G                                                                      | OMK91VXL052G                                                                     |                                                                                  |
| 16                                                                               | 40              | 3/8 LP | .050  | 91PX, 91VG                                                                       | 91VXL                   |            | 56          | 6                                                                                |                        |                                  |                                       |                                                                                  | 160SDET041<br>C-INTENZ               |                   | OMK91PX056G                                                                      | OMK91VXL056G                                                                     |                                                                                  |
| GL4500M-18                                                                       |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                               | 40              | .325   | .058  | 21BPX                                                                            | 21LPX                   |            | 66          | 7                                                                                | 168ATMK095             | 168RNBK095                       | 168SLGK095                            |                                                                                  |                                      |                   | OMK21BPX066G                                                                     |                                                                                  |                                                                                  |
| 18                                                                               | 45              | .325   | .058  | 21BPX                                                                            | 21LPX                   |            | 72          | 7                                                                                | 188ATMK095             | 188RNBK095                       | 188SLGK095<br>188SLBK095              |                                                                                  |                                      |                   | OMK21BPX072G                                                                     |                                                                                  |                                                                                  |
| 20                                                                               | 50              | .325   | .058  | 21BPX                                                                            | 21LPX                   |            | 78          | 7                                                                                |                        | 208RNBK095                       | 208SLGK095                            |                                                                                  |                                      |                   | OMK21BPX078G                                                                     |                                                                                  |                                                                                  |
| ▲ MICRO-LITE®                                                                    |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                               | 40              | .325   | .050  | 95VPX                                                                            | 95VPX                   |            | 66          | 7                                                                                |                        |                                  | 160MPBK095                            |                                                                                  |                                      | 108579*           | OMK95VPX066G                                                                     |                                                                                  |                                                                                  |
| 18                                                                               | 45              | .325   | .050  | 95VPX                                                                            | 95VPX                   |            | 72          | 7                                                                                |                        |                                  | 180MPBK095                            | 180MLBK095                                                                       |                                      | 108580*           | OMK95VPX072G                                                                     |                                                                                  |                                                                                  |
| ▲ PARKLANDER                                                                     |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| GL5200M-20 (MAY BE FITTED WITH 3/8" X .063 CHAIN WHEN NEW)...                    |                 |        |       |                                                                                  |                         |            |             |                                                                                  |                        |                                  |                                       |                                                                                  |                                      |                   |                                                                                  |                                                                                  |                                                                                  |
| 16                                                                               | 40              | 3/8    | .058  |                                                                                  | 73DPX<br>73LGX<br>73LPX |            | 60          | 7                                                                                | 168ATMK095             | 168RNDK095                       | 168SLHK095                            |                                                                                  |                                      |                   |                                                                                  | OMK73LGX060G                                                                     |                                                                                  |
| 18                                                                               | 45              | 3/8    | .058  |                                                                                  | 73DPX<br>73LGX<br>73LPX |            | 68          | 7                                                                                | 188ATMK095             | 188RNDK095                       | 188SLHK095                            |                                                                                  |                                      |                   |                                                                                  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGP068G                       |                                                                                  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this A-Z Bar and Chain Application Guide.

**▲** Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

**▲** New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |  |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    | RETAIL PACKS                                                                        |                                                                                     |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                              | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                   |                                           |                                            |

| PARTNER                                                                              |    |     |      |  |                         |    |   |            |            |            |  |  |         |  |                                                            |
|--------------------------------------------------------------------------------------|----|-----|------|--|-------------------------|----|---|------------|------------|------------|--|--|---------|--|------------------------------------------------------------|
| ...550, 1655, 2055, P-55, R-11, R-12, R-14, R-16, R-17, R-18, R-19, S-50, S-55, S-65 |    |     |      |  |                         |    |   |            |            |            |  |  |         |  |                                                            |
| 16                                                                                   | 40 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 60 | 8 | 168ATMD009 | 168RNDD009 | 168SLHD009 |  |  | 109116* |  | OMK73LGX060G                                               |
| 18                                                                                   | 45 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 68 | 7 | 188ATMD009 | 188RNDD009 | 188SLHD009 |  |  | 109117* |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                                   | 50 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 72 | 8 | 208ATMD009 | 208RNDD009 | 208SLHD009 |  |  | 109118* |  | OMK73DPX072G<br>OMK73LGX072G                               |
| 22                                                                                   | 55 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 77 | 8 |            | 228RNDD009 |            |  |  |         |  | OMK73DPX077G                                               |
| 20                                                                                   | 50 | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 72 | 8 |            | 203RNDD009 |            |  |  |         |  | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                |

| PARTNER                                                                                                         |    |     |      |  |                         |    |   |            |            |            |  |  |         |  |                                                            |
|-----------------------------------------------------------------------------------------------------------------|----|-----|------|--|-------------------------|----|---|------------|------------|------------|--|--|---------|--|------------------------------------------------------------|
| 650, 7000, P-65, P-70, P-85, P-100, R-20, R-21, R-22, R-23, R-30, R-35, R-40, R-416, R-420, R-421, R-435, R-440 |    |     |      |  |                         |    |   |            |            |            |  |  |         |  |                                                            |
| 13                                                                                                              | 33 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 52 | 8 |            | 138RNDD009 | 138SLHD009 |  |  |         |  |                                                            |
| 15                                                                                                              | 38 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 56 | 8 |            |            | 158SLHD009 |  |  |         |  |                                                            |
| 16                                                                                                              | 40 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 60 | 8 | 168ATMD009 | 168RNDD009 | 168SLHD009 |  |  | 109116* |  | OMK73LGX060G                                               |
| 18                                                                                                              | 45 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 68 | 7 | 188ATMD009 | 188RNDD009 | 188SLHD009 |  |  | 109117* |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                                                              | 50 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 72 | 8 | 208ATMD009 | 208RNDD009 | 208SLHD009 |  |  | 109118* |  | OMK73DPX072G<br>OMK73LGX072G                               |
| 20                                                                                                              | 50 | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 72 | 8 |            | 203RNDD009 | 138SLHD009 |  |  |         |  | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                |

MODEL 1000; USE D009/D196 MOTOR MOUNT GUIDE BARS

| PIONEER                   |    |      |      |       |       |    |   |  |            |            |  |  |  |              |  |
|---------------------------|----|------|------|-------|-------|----|---|--|------------|------------|--|--|--|--------------|--|
| 1074, P-21, P-26, P-28... |    |      |      |       |       |    |   |  |            |            |  |  |  |              |  |
| 16                        | 40 | .325 | .050 | 20BPX | 20LPX | 66 | 7 |  | 160PNBK095 | 160SLGK095 |  |  |  | OMK20BPX066G |  |
| 18                        | 45 | .325 | .050 | 20BPX | 20LPX | 72 | 7 |  |            | 180SLGK095 |  |  |  | OMK20BPX072G |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                        |                                                                                     |                                |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |                                |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |

PIONEER

|                           |    |      |      |       |       |    |   |            |            |            |            |  |         |  |              |  |
|---------------------------|----|------|------|-------|-------|----|---|------------|------------|------------|------------|--|---------|--|--------------|--|
| ...1074, P-21, P-26, P-28 |    |      |      |       |       |    |   |            |            |            |            |  |         |  |              |  |
| 13                        | 33 | .325 | .058 | 21BPX | 21LPX | 56 | 7 |            |            |            | 138SLBK095 |  |         |  |              |  |
| 15                        | 38 | .325 | .058 | 21BPX | 21LPX | 64 | 8 |            | 158RNBK095 | 158SLBK095 | 158SLGK095 |  |         |  | OMK21BPX064G |  |
| 16                        | 40 | .325 | .058 | 21BPX | 21LPX | 66 | 7 | 168ATMK095 | 168RNBK095 | 168SLGK095 | 168SLBK095 |  | 105712* |  | OMK21BPX066G |  |
| 18                        | 45 | .325 | .058 | 21BPX | 21LPX | 72 | 8 | 188ATMK095 | 188RNBK095 | 188SLGK095 | 188SLBK095 |  | 105713* |  | OMK21BPX072G |  |
| 20                        | 50 | .325 | .058 | 21BPX | 21LPX | 78 | 7 | 208ATMK095 | 208RNBK095 | 208SLGK095 |            |  | 105714* |  | OMK21BPX078G |  |

MICRO-LITE™

|    |    |      |      |       |                         |    |   |            |            |            |            |  |         |  |              |                                                              |
|----|----|------|------|-------|-------------------------|----|---|------------|------------|------------|------------|--|---------|--|--------------|--------------------------------------------------------------|
| 13 | 33 | .325 | .050 | 95VPX | 95VPX                   | 56 | 7 |            |            |            | 130MLBK095 |  |         |  |              |                                                              |
| 15 | 38 | .325 | .050 | 95VPX | 95VPX                   | 64 | 7 |            |            | 150MPEK095 | 150MLBK095 |  |         |  | OMK95VPX064G |                                                              |
| 16 | 40 | .325 | .050 | 95VPX | 95VPX                   | 66 | 7 |            |            | 160MPEK095 |            |  | 108579* |  | OMK95VPX066G |                                                              |
| 18 | 45 | .325 | .050 | 95VPX | 95VPX                   | 72 | 7 |            |            | 180MPEK095 | 180MLBK095 |  | 108580* |  | OMK95VPX072G |                                                              |
| 16 | 40 | 3/8  | .058 |       | 73DPX<br>73LGX<br>73LPX | 60 | 7 | 168ATMK095 | 168RNDK095 | 168SLHK095 |            |  |         |  |              | OMK73LGX060G                                                 |
| 18 | 45 | 3/8  | .058 |       | 73DPX<br>73LGX<br>73LPX | 68 | 7 | 188ATMK095 | 188RNDK095 | 188SLHK095 |            |  |         |  |              | OMK73DPX068G<br>OMK73DPX068G<br>OMK73LGX068G<br>OMK73LGX068G |
| 20 | 50 | 3/8  | .058 |       | 73DPX<br>73LGX<br>73LPX | 72 | 7 | 208ATMK095 | 208RNDK095 | 208SLHK095 |            |  |         |  |              | OMK73DPX072G<br>OMK73LGX072G                                 |

P-10, P-12

|    |    |        |      |            |       |    |   |  |  |            |  |            |  |  |             |              |
|----|----|--------|------|------------|-------|----|---|--|--|------------|--|------------|--|--|-------------|--------------|
| 12 | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 45 | 6 |  |  |            |  | 120SDEA064 |  |  |             | OMK91VXL045G |
| 16 | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 56 | 6 |  |  | 160SPEA064 |  |            |  |  | OMK91PX056G | OMK91VXL056G |

POULAN/POULAN PRO

285, 295, 305, 306SA, 310, 315, 335 PREDATOR, 336, 2700, 2750, 2775, 2800, 2900, 2900 FARM HAND, 2900FH, 3000, 3050, 3100, 3300, 4600, 4620, 4620AV, 4620AVX;  
SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN.

|    |    |      |      |       |       |    |   |  |            |            |  |  |         |  |              |  |
|----|----|------|------|-------|-------|----|---|--|------------|------------|--|--|---------|--|--------------|--|
| 16 | 40 | .325 | .050 | 20BPX | 20LPX | 66 | 7 |  | 160RNBK041 | 160SLGK041 |  |  | 105711* |  | OMK20BPX066G |  |
| 18 | 45 | .325 | .050 | 20BPX | 20LPX | 72 | 7 |  | 180RNBK041 | 180SLGK041 |  |  | 105715* |  | OMK20BPX072G |  |
| 20 | 50 | .325 | .050 | 20BPX | 20LPX | 78 | 7 |  |            | 200GLGK041 |  |  |         |  |              |  |

MICRO-LITE™

|        |    |      |      |       |       |    |   |  |            |            |            |  |  |  |              |  |
|--------|----|------|------|-------|-------|----|---|--|------------|------------|------------|--|--|--|--------------|--|
| 15     | 38 | .325 | .050 | 95VPX | 95VPX | 64 | 7 |  |            |            | 150MLBK041 |  |  |  | OMK95VPX064G |  |
| 325... |    |      |      |       |       |    |   |  |            |            |            |  |  |  |              |  |
| 16     | 40 | .325 | .050 | 20BPX | 20LPX | 66 | 7 |  | 160RNBK095 | 160SLGK095 |            |  |  |  | OMK20BPX066G |  |
| 18     | 45 | .325 | .050 | 20BPX | 20LPX | 72 | 7 |  |            | 180SLGK095 |            |  |  |  | OMK20BPX072G |  |
| 13     | 33 | .325 | .058 | 21BPX | 21LPX | 56 | 7 |  |            | 138SLBK095 |            |  |  |  |              |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041

C-entenz

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |        |       |                    |            |             |                | GUIDE BARS             |                                  |                                       |                                  |                                | RETAIL PACKS      |                                           |                                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|-------|--------------------|------------|-------------|----------------|------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| Bar Length (")                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Bar Length (cm) | Pitch  | Gauge | CHAIN PART NUMBERS |            | Drive Links | Sprocket Teeth | Armor Tip®<br>(AT, LA) | Power Match®<br>(FN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLE) | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
| POULAN/POULAN PRO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| ...325                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 38              | .325   | .058  | 21BPX              | 21LPX      | 64          | 8              |                        | 158FNBK095                       | 158SLBK095<br>158SLGK095              |                                  |                                |                   | OMK21BPX064G                              |                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 40              | .325   | .058  | 21BPX              | 21LPX      | 66          | 7              |                        | 168FNBK095                       | 168SLGK095<br>168SLBK095              |                                  |                                | 105712*           | OMK21BPX066G                              |                                            |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 45              | .325   | .058  | 21BPX              | 21LPX      | 72          | 8              |                        | 188FNBK095                       | 188SLGK095<br>188SLBK095              |                                  |                                | 105713*           | OMK21BPX072G                              |                                            |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 50              | .325   | .058  | 21BPX              | 21LPX      | 78          | 7              |                        | 208FNBK095                       | 208SLGK095                            |                                  |                                | 105714*           | OMK21BPX078G                              |                                            |
| MICRO-LITE™                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 33              | .325   | .050  | 95VPX              | 95VPX      | 56          | 7              |                        |                                  |                                       | 130MLBK095                       |                                |                   |                                           |                                            |
| 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 38              | .325   | .050  | 95VPX              | 95VPX      | 64          | 7              |                        |                                  | 150MPBK095                            | 150MLBK095                       |                                |                   | OMK95VPX064G                              |                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 40              | .325   | .050  | 95VPX              | 95VPX      | 66          | 7              |                        |                                  | 160MPBK095                            |                                  |                                | 108579*           | OMK95VPX066G                              |                                            |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 45              | .325   | .050  | 95VPX              | 95VPX      | 72          | 7              |                        |                                  | 180MPBK095                            | 180MLBK095                       |                                | 108580*           | OMK95VPX072G                              |                                            |
| PP5118                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| MICRO-LITE™                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 33              | .325   | .050  | 95VPX              | 95VPX      | 56          | 7              |                        |                                  |                                       | 130MLBK095                       |                                |                   |                                           |                                            |
| 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 38              | .325   | .050  | 95VPX              | 95VPX      | 64          | 7              |                        |                                  | 150MPBK095                            | 150MLBK095                       |                                |                   | OMK95VPX064G                              |                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 40              | .325   | .050  | 95VPX              | 95VPX      | 66          | 7              |                        |                                  | 160MPBK095                            |                                  |                                | 108579*           | OMK95VPX066G                              |                                            |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 45              | .325   | .050  | 95VPX              | 95VPX      | 72          | 7              |                        |                                  | 180MPBK095                            | 180MLBK095                       |                                | 108580*           | OMK95VPX072G                              |                                            |
| ES 300 (ELECTRIC), ES 350                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 40              | 3/8 LP | .043  | 90PX, 90SG         | 90PX, 90SG | 56          | 6              |                        |                                  |                                       |                                  | 164MLEA041                     |                   |                                           |                                            |
| POWER SHARP® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| 25A, 180, 190, 200, 205, 210, 220, 221, 222, 225, 230, 235, 236, 240, 250, 255, 260, 262, 400E, 1220, 1630, 1634, 1800, 1838, 1900, 1900LE, 1950, 1950LE, 1975, 1975LE, 2000, 2025, 2050, 2050AWT, 2055, 2055LE, 2075, 2075C, 2150, 2150AV, 2155, 2160, 2175, 2250, 2250LE, 2300, 2350, 2375, 2375AWT, 2375LE, 2450, 2450C, 2550, 2550LE, 2555, 3314, 3314 WS, 3314 WSA, 3416, 3516, 3516 PR, 3516AVX, 3816, 3816AV, 3818, 4018, 4018WT, 4218, 4218AV, 4218AVX, E14E, E16E, ES350, ES400, Micro 25 (XX SERIES and XXV SERIES), S23, S25, S25AV, S25CVA, S25D, S25DA, S35 (AFTER CONVERSION FROM 1/4 TO 3/8 PITCH); ELECTRIC MODELS: 1420, 1425, 1625, 2100, 2400, 2500, 2600, ELECTRIC PRO 400E, Patriot 1900, PP3516AVX, PP3616, PP3816, PP4018, PP4618, WILDTHING, WOODSHARK; SOME SAWS MAY ALSO TAKE A .325 PITCH CHAIN... |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 25              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL      | 40          | 6              |                        |                                  |                                       |                                  | 100SDEA041                     |                   |                                           |                                            |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 30              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL      | 45          | 6              |                        |                                  | 120SPEA041                            |                                  | 120SDEA041                     | 105698*           |                                           | OMK91VXL045G                               |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 35              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL      | 52          | 6              |                        |                                  | 140GPEA041<br>140SPEA041              |                                  | 140SDEA041                     | 105699*           | OMK91PX052G                               | OMK91VXL052G                               |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 40              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL      | 56          | 6              |                        |                                  | 160GPEA041<br>160SPEA041              |                                  | 160SDEA041                     | 105700*           | OMK91PX056G                               | OMK91VXL056G                               |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 45              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL      | 62          | 6              |                        |                                  |                                       |                                  | 180SDEA041                     |                   |                                           |                                            |
| INTENZ™                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |        |       |                    |            |             |                |                        |                                  |                                       |                                  |                                |                   |                                           |                                            |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 35              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL      | 52          | 6              |                        |                                  | 140SPET041<br>C INTENZ                |                                  | 140SDET041<br>C INTENZ         |                   | OMK91PX052G                               | OMK91VXL052G                               |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 40              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL      | 56          | 6              |                        |                                  |                                       |                                  | 160SDET041<br>C INTENZ         |                   | OMK91PX056G                               | OMK91VXL056G                               |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                     |                                                                                     |                                |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |                                |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                |                   |                                           |                                            |

POULAN/POULAN PRO



PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.

...25A, 180, 190, 200, 205, 210, 220, 221, 222, 225, 230, 235, 236, 240, 250, 255, 260, 262, 400E, 1220, 1630, 1634, 1800, 1838, 1900, 1900LE, 1950, 1950LE, 1975, 1975LE, 2000, 2025, 2050, 2050AVWT, 2055, 2055LE, 2075, 2075C, 2150, 2150AV, 2155, 2160, 2175, 2250, 2250LE, 2300, 2350, 2375, 2375AVWT, 2375LE, 2450, 2450C, 2550, 2550LE, 2555, 3314, 3314 WS, 3314 WSA, 3416, 3516, 3516 PR, 3516AVX, 3816, 3816AV, 3818, 4018, 4018WT, 4218, 4218AV, 4218AVX, E14E, E16E, ES350, ES400, Micro 25 (XX SERIES and XXV SERIES), S23, S25, S25AV, S25CVA, S25D, S25DA, S35 (AFTER CONVERSION FROM 1/4 TO 3/8 PITCH); ELECTRIC MODELS: 1420, 1425, 1625, 2100, 2400, 2500, 2600, ELECTRIC PRO 400E, Patriot 1900, PP3516AVX, PP3616, PP3816, PP4018, PP4618, WILDTHING, WOODSHARK, SOME SAWS MAY ALSO TAKE A .325 PITCH CHAIN

MICRO-LITE® and MICRO-LITE® INTENZ®

|                                                                          |    |        |      |            |                         |    |   |                              |                              |                              |                              |                                      |         |             |              |
|--------------------------------------------------------------------------|----|--------|------|------------|-------------------------|----|---|------------------------------|------------------------------|------------------------------|------------------------------|--------------------------------------|---------|-------------|--------------|
| 12                                                                       | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 45 | 6 |                              |                              |                              |                              | 124MLEA041                           |         | OMK90PX045G |              |
| 14                                                                       | 35 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 52 | 6 |                              |                              |                              |                              | 144MLEA041<br>144MLET041<br>C-INTENZ |         | OMK90SG-52E |              |
| 16                                                                       | 40 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 56 | 6 |                              |                              |                              |                              | 164MLEA041                           |         |             |              |
| MICRO 25PS                                                               |    |        |      |            |                         |    |   |                              |                              |                              |                              |                                      |         |             |              |
| 14                                                                       | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL                   | 52 | 6 |                              |                              | 140GPEA041<br>140SPEA041     |                              | 140SDEA041                           | 105699* | OMK91PX052G | OMK91VXL052G |
| PLN1514                                                                  |    |        |      |            |                         |    |   |                              |                              |                              |                              |                                      |         |             |              |
| 14                                                                       | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL                   | 49 | 6 |                              |                              |                              |                              | 140SDEA318                           |         |             | OMK91VXL049G |
| INTENZ®                                                                  |    |        |      |            |                         |    |   |                              |                              |                              |                              |                                      |         |             |              |
| 14                                                                       | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL                   | 49 | 6 |                              |                              |                              |                              | 140SDET318<br>C-INTENZ               |         |             | OMK91VXL049G |
| PLN3516F                                                                 |    |        |      |            |                         |    |   |                              |                              |                              |                              |                                      |         |             |              |
| 16                                                                       | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL                   | 55 | 6 |                              |                              | 160SPEA318                   |                              | 160SDEA318                           |         | OMK91PX055G | OMK91VXL055G |
| 203, 245, 306, 306A, 360, 361, 375, 385, 400, 446, 450, 3400, 3700, 3800 |    |        |      |            |                         |    |   |                              |                              |                              |                              |                                      |         |             |              |
| 16                                                                       | 40 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMD176                   | 160RNDD176                   | 160SLHD176<br>160GLHD176     |                              |                                      | 105707* |             | OMK72LGX060G |
| 18                                                                       | 45 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 64 | 7 |                              |                              | 180SLHD176                   |                              |                                      |         |             |              |
| 18                                                                       | 45 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 66 | 7 |                              | 180RNDD176                   |                              |                              |                                      |         |             | OMK72LGX066G |
| 20                                                                       | 50 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 70 | 7 | 200ATMD176                   | 200RNDD176                   | 200SLHD176                   |                              |                                      | 105709* |             | OMK72LGX070G |
| 24                                                                       | 60 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 81 | 7 |                              | 240RNDD176                   |                              |                              |                                      |         |             | OMK72LGX081G |
| PP4818...                                                                |    |        |      |            |                         |    |   |                              |                              |                              |                              |                                      |         |             |              |
| 20                                                                       | 50 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 66 | 7 | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar         |         |             | OMK72LGX066G |

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                        |                                                                                     |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| ▲ POULAN/POULAN PRO                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| ...PP4818                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 68                                                                                | 7                                                                                 |                                                                                   | 180RNDK095                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| ▲ POULAN/POULAN PRO                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 395, 3900, 4000, 4200, 4400, 4900, 5000, 5200, 5400, 5500, 6000, 6700           |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 16                                                                              | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD176                                                                        | 160RNDD176                                                                        | 160SLHD176<br>160GLHD176                                                          |                                                                                   |                                                                                     | 105707*                                                                             |                                           | OMK72LGX060G                               |
| 18                                                                              | 45                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 64                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 180SLHD176                                                                        |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 18                                                                              | 45                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 66                                                                                | 7                                                                                 |                                                                                   | 180RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           | OMK72LGX066G                               |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 | 200ATMD176                                                                        | 200RNDD176                                                                        | 200SLHD176                                                                        |                                                                                   |                                                                                     | 105709*                                                                             |                                           | OMK72LGX070G                               |
| 24                                                                              | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD176                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           | OMK72LGX081G                               |
| 6900, 7700, 8500; SOME SAWS MAY ALSO TAKE A .404 PITCH CHAIN.                   |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 16                                                                              | 40                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 60                                                                                | 7                                                                                 | 160ATMD196                                                                        | 160RNDD196                                                                        | 160GLHD196                                                                        |                                                                                   |                                                                                     | 105708*                                                                             |                                           | OMK72LGX060G                               |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 70                                                                                | 7                                                                                 |                                                                                   | 200RNDD196                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           | OMK72LGX070G                               |
| 24                                                                              | 60                                                                               | 3/8                                                                               | .050                                                                              | 72V                                                                               | 72DPX<br>72LGX<br>72LPX                                                           | 81                                                                                | 7                                                                                 |                                                                                   | 240RNDD196                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           | OMK72LGX081G                               |
| 21                                                                              | 53                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 79                                                                                | 7                                                                                 | 213ATMD196                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 415, 425, 445, 475, 505; SOME SAWS MAY ALSO TAKE A .404 PITCH CHAIN...          |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 13                                                                              | 33                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 52                                                                                | 8                                                                                 |                                                                                   | 138RNDD009                                                                        | 138SLHD009                                                                        |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 15                                                                              | 38                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 56                                                                                | 8                                                                                 |                                                                                   |                                                                                   | 158SLHD009                                                                        |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
| 16                                                                              | 40                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 60                                                                                | 8                                                                                 | 168ATMD009                                                                        | 168RNDD009                                                                        | 168SLHD009                                                                        |                                                                                   |                                                                                     | 109116*                                                                             |                                           | OMK73LGX060G                               |




\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                 | Green Label Chain Loop Low Kickback Chain                                         | Yellow Label Chain Loop Professional Chain                                        |                                                                                    |                                                                                     |                                                                                     |
| POULAN/POULAN PRO                                                               |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| ...415, 425, 445, 475, 505; SOME SAWS MAY ALSO TAKE A .404 PITCH CHAIN          |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 18                                                                              | 45                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 68                                                                                | 8                                                                                 | 188ATMD009                                                                        | 188RNDD009                                                                        | 188SLHD009                                                                        |                                                                                   |                                                                                   | 109117*                                                                           |                                                                                   | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G                        |                                                                                    |                                                                                     |                                                                                     |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 72                                                                                | 8                                                                                 | 208ATMD009                                                                        | 208RNDD009                                                                        | 208SLHD009                                                                        |                                                                                   |                                                                                   | 109118*                                                                           |                                                                                   | OMK73DPX072G<br>OMK73LGX072G                                                      |                                                                                    |                                                                                     |                                                                                     |
| 22                                                                              | 55                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 76                                                                                | 7                                                                                 |                                                                                   | 228RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 24                                                                              | 60                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 84                                                                                | 7                                                                                 | 248ATMD009                                                                        | 248RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | OMK73LGX084G                                                                      |                                                                                    |                                                                                     |                                                                                     |
| 26                                                                              | 66                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 89                                                                                | 8                                                                                 |                                                                                   | 268RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | OMK73DPX089G                                                                      |                                                                                    |                                                                                     |                                                                                     |
| 28                                                                              | 70                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 92                                                                                | 7                                                                                 |                                                                                   | 288RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 30                                                                              | 75                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 102                                                                               | 8                                                                                 |                                                                                   | 308RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | OMK73LGX102G                                                                      |                                                                                    |                                                                                     |                                                                                     |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 72                                                                                | 7                                                                                 |                                                                                   | 203RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                                       |                                                                                    |                                                                                     |                                                                                     |
| 24                                                                              | 60                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 84                                                                                | 7                                                                                 |                                                                                   | 243RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | OMK75DX084G<br>OMK75DPX084G<br>OMK75LGX084G                                       |                                                                                    |                                                                                     |                                                                                     |
| 28                                                                              | 70                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 93                                                                                | 7                                                                                 |                                                                                   | 283RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 32                                                                              | 81                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 105                                                                               | 7                                                                                 |                                                                                   | 323RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 36                                                                              | 90                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 115                                                                               | 7                                                                                 |                                                                                   | 363RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 42                                                                              | 107                                                                              | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 135                                                                               | 7                                                                                 |                                                                                   | 423RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 36                                                                              | 90                                                                               | .404                                                                              | .063                                                                              | 68LX                                                                              | 68LX                                                                              | 104                                                                               | 7                                                                                 |                                                                                   | 363RNFD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| PP6120...                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
| 18                                                                              | 45                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 68                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 188SLHD024                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G                        |                                                                                    |                                                                                     |                                                                                     |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041

CutSmart

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                                                  |                 |        |       |                    |                         |            |             |                              |                              | GUIDE BARS                       |                                       |                                  |                                |                   | RETAIL PACKS                              |                                            |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|-------|--------------------|-------------------------|------------|-------------|------------------------------|------------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------|-------------------|-------------------------------------------|--------------------------------------------|--|
|                                                                                                                                                                                            |                 |        |       |                    |                         |            |             |                              |                              |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| Bar Length (")                                                                                                                                                                             | Bar Length (cm) | Pitch  | Gauge | CHAIN PART NUMBERS |                         | Chain Type | Drive Links | Sprocket Teeth               | Armor Tip®<br>(AT, LA)       | Power Match®<br>(RN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLB) | Double Guard®<br>(SD, DG, MLE) | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |  |
| POULAN/POULAN PRO                                                                                                                                                                          |                 |        |       |                    |                         |            |             |                              |                              |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| ...PP6120                                                                                                                                                                                  |                 |        |       |                    |                         |            |             |                              |                              |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| 20                                                                                                                                                                                         | 50              | 3/8    | .058  |                    | 73DPX<br>73LGX<br>73LPX | 72         | 7           | 208ATMD024                   | 208RND0024                   |                                  |                                       |                                  |                                |                   |                                           | OMK73DPX072G<br>OMK73LGX072G               |  |
| POWER PRUNER / ECHO POWER PRUNER†                                                                                                                                                          |                 |        |       |                    |                         |            |             |                              |                              |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| PP300, PP400, PP600, PP800, PP1200, PP1250, PP1260, PP1400, PP1400-D, PPF-210, PPF-211, PPF-225, PPF-2100, PPT-230, PPT-231, PPT-260, PPT-261, PPT-2100, PPF-2400, PPSR-2122, PPSR-2433... |                 |        |       |                    |                         |            |             |                              |                              |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| 10                                                                                                                                                                                         | 25              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 39         | 6           |                              |                              |                                  |                                       |                                  | 100SDEA218                     |                   |                                           | OMK91VXL039G                               |  |
| 12                                                                                                                                                                                         | 30              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 44         | 6           |                              |                              |                                  |                                       |                                  | 120SDEA218                     |                   | OMK91PX044G                               | OMK91VXL044G                               |  |
| MICRO-LITE™                                                                                                                                                                                |                 |        |       |                    |                         |            |             |                              |                              |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| 10                                                                                                                                                                                         | 25              | 3/8 LP | .043  | 90PX, 90SG         | 90PX, 90SG              | 39         | 6           |                              |                              |                                  |                                       |                                  | 104MLEA218                     |                   | OMK90SG039G<br>OMK90SG-39E                |                                            |  |
| 12                                                                                                                                                                                         | 30              | 3/8 LP | .043  | 90PX, 90SG         | 90PX, 90SG              | 44         | 6           |                              |                              |                                  |                                       |                                  | 124MLEA218                     |                   | OMK90PX044G                               |                                            |  |
| PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.  PPF-280, PPT-280, PPT-265, PPT-265H, PPT-265S...    |                 |        |       |                    |                         |            |             |                              |                              |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| 10                                                                                                                                                                                         | 25              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 39         | 6           | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar     | Original Equipment Guide Bar          | Original Equipment Guide Bar     |                                |                   |                                           | OMK91VXL039G                               |  |
| 10                                                                                                                                                                                         | 25              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 40         | 6           |                              |                              |                                  |                                       |                                  | 100SDEA041                     |                   |                                           |                                            |  |
| 12                                                                                                                                                                                         | 30              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 44         | 6           | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar     | Original Equipment Guide Bar          | Original Equipment Guide Bar     |                                |                   | OMK91PX044G                               | OMK91VXL044G                               |  |
| 12                                                                                                                                                                                         | 30              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 45         | 6           |                              |                              | 120SPEA041                       |                                       |                                  |                                | 105698*           |                                           | OMK91VXL045G                               |  |
| 14                                                                                                                                                                                         | 35              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 49         | 6           | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar     | Original Equipment Guide Bar          | Original Equipment Guide Bar     |                                |                   |                                           | OMK91VXL049G                               |  |
| 14                                                                                                                                                                                         | 35              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 52         | 6           |                              |                              | 140GPEA041                       |                                       |                                  | 140DGEA041                     | 105699*           | OMK91PX052G                               | OMK91VXL052G                               |  |
| INTENZ™                                                                                                                                                                                    |                 |        |       |                    |                         |            |             |                              |                              |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| 12                                                                                                                                                                                         | 30              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 45         | 6           |                              |                              |                                  |                                       |                                  | 120DGET041<br>                 |                   |                                           | OMK91VXL045G                               |  |
| 14                                                                                                                                                                                         | 35              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 52         | 6           |                              |                              |                                  |                                       |                                  | 140DGET041<br>                 |                   | OMK91PX052G                               | OMK91VXL052G                               |  |
| MICRO-LITE™                                                                                                                                                                                |                 |        |       |                    |                         |            |             |                              |                              |                                  |                                       |                                  |                                |                   |                                           |                                            |  |
| 12                                                                                                                                                                                         | 30              | 3/8 LP | .043  | 90PX, 90SG         | 90PX, 90SG              | 44         | 6           | Original Equipment Guide Bar | Original Equipment Guide Bar | Original Equipment Guide Bar     | Original Equipment Guide Bar          | Original Equipment Guide Bar     |                                |                   | OMK90PX044G                               |                                            |  |
| 12                                                                                                                                                                                         | 30              | 3/8 LP | .043  | 90PX, 90SG         | 90PX, 90SG              | 45         | 6           |                              |                              |                                  |                                       |                                  | 124MLEA041                     |                   | OMK90PX045G                               |                                            |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks





New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



OREGON

Bar & Chain Applications

| SAW CHAIN                                                                          |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                                        |                                                                                   |                                                                                   |                                                                                                   |                                                                                    | RETAIL PACKS                                                                        |                                                                                     |                                                                                     |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|     |  |                                                      |  |  |  |  |  |  |  |                  |  |  |                  |  |  |  |  |
| Bar Length (")                                                                     | Bar Length (cm)                                                                  | Pitch                                                                                                                                 | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                                    | Combo Part Number                                                                  | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |                                                                                     |
| POWER PRUNER / ECHO POWER PRUNER†                                                  |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|    |                                                                                  | PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|    |                                                                                  | ... PPF-280, PPT-280, PPT-265, PPT-265H, PPT-265S                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 14                                                                                 | 35                                                                               | 3/8 LP                                                                                                                                | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 49                                                                                | 6                                                                                 | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                                      | Original Equipment Guide Bar                                                      | Original Equipment Guide Bar                                                      |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 14                                                                                 | 35                                                                               | 3/8 LP                                                                                                                                | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   | 144MLEA041                                                                                        |                                                                                    | OMK90SG-52E                                                                         |                                                                                     |                                                                                     |
| REDMAX (KOMATSU ZENOAH AMERICA, INC.)                                              |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| G390, G450AVS, G455AVS, G5000, G5000AVS, G5300...                                  |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                                 | 40                                                                               | .325                                                                                                                                  | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   | 160RNBK095                                                                        | 160SLGK095                                                                                        |                                                                                   |                                                                                   |                                                                                                   |                                                                                    | OMK20BPX066G                                                                        |                                                                                     |                                                                                     |
| 18                                                                                 | 45                                                                               | .325                                                                                                                                  | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 180SLGK095                                                                                        |                                                                                   |                                                                                   |                                                                                                   |                                                                                    | OMK20BPX072G                                                                        |                                                                                     |                                                                                     |
| 13                                                                                 | 33                                                                               | .325                                                                                                                                  | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 56                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 138SLBK095                                                                                        |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 15                                                                                 | 38                                                                               | .325                                                                                                                                  | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 64                                                                                | 8                                                                                 |                                                                                   | 158RNBK095                                                                        | 158SLBK095<br>158SLGK095                                                                          |                                                                                   |                                                                                   |                                                                                                   |                                                                                    | OMK21BPX064G                                                                        |                                                                                     |                                                                                     |
| 16                                                                                 | 40                                                                               | .325                                                                                                                                  | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 66                                                                                | 7                                                                                 | 168ATMK095                                                                        | 168RNBK095                                                                        | 168SLGK095<br>168SLBK095                                                                          |                                                                                   |                                                                                   | 105712*                                                                                           | OMK21BPX066G                                                                       |                                                                                     |                                                                                     |                                                                                     |
| 18                                                                                 | 45                                                                               | .325                                                                                                                                  | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 72                                                                                | 8                                                                                 | 188ATMK095                                                                        | 188RNBK095                                                                        | 188SLGK095<br>188SLBK095                                                                          |                                                                                   |                                                                                   | 105713*                                                                                           | OMK21BPX072G                                                                       |                                                                                     |                                                                                     |                                                                                     |
| 20                                                                                 | 50                                                                               | .325                                                                                                                                  | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 78                                                                                | 7                                                                                 | 208ATMK095                                                                        | 208RNBK095                                                                        | 208SLGK095                                                                                        |                                                                                   |                                                                                   | 105714*                                                                                           | OMK21BPX078G                                                                       |                                                                                     |                                                                                     |                                                                                     |
|  |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 13                                                                                 | 33                                                                               | .325                                                                                                                                  | .050                                                                              | 95VPX                                                                             | 95VPX                                                                             | 56                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 130MLBK095                                                                                        |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 15                                                                                 | 38                                                                               | .325                                                                                                                                  | .050                                                                              | 95VPX                                                                             | 95VPX                                                                             | 64                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 150MPBK095                                                                                        | 150MLBK095                                                                        |                                                                                   |                                                                                                   |                                                                                    | OMK95VPX064G                                                                        |                                                                                     |                                                                                     |
| 16                                                                                 | 40                                                                               | .325                                                                                                                                  | .050                                                                              | 95VPX                                                                             | 95VPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 160MPBK095                                                                                        |                                                                                   |                                                                                   | 108579*                                                                                           | OMK95VPX066G                                                                       |                                                                                     |                                                                                     |                                                                                     |
| 18                                                                                 | 45                                                                               | .325                                                                                                                                  | .050                                                                              | 95VPX                                                                             | 95VPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 180MPBK095                                                                                        | 180MLBK095                                                                        |                                                                                   | 108580*                                                                                           | OMK95VPX072G                                                                       |                                                                                     |                                                                                     |                                                                                     |
|  |                                                                                  | PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|  |                                                                                  | G250, G300AVS, G300TS, G310TS, G2500, G2500TS, G3100TS, G3200EZ, G3300EZ, GZ3500T, GZ380, G3800, G3800AVS, GZ400, GZ4000...           |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                 | 30                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 120SPEA041                                                                                        |                                                                                   |                                                                                   | 120SDEA041                                                                                        | 105698*                                                                            |                                                                                     | OMK91VXL045G                                                                        |                                                                                     |
| 14                                                                                 | 35                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140GPEA041<br>140SPEA041                                                                          |                                                                                   |                                                                                   | 140SDEA041                                                                                        | 105699*                                                                            | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |                                                                                     |
| 16                                                                                 | 40                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 160GPEA041<br>160SPEA041                                                                          |                                                                                   |                                                                                   | 160SDEA041                                                                                        | 105700*                                                                            | OMK91PX056G                                                                         | OMK91VXL056G                                                                        |                                                                                     |
| 18                                                                                 | 45                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 62                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   | 180SDEA041                                                                                        |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|  |                                                                                  |                                                                                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                   |                                                                                   |                                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 14                                                                                 | 35                                                                               | 3/8 LP                                                                                                                                | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140SPET041<br> |                                                                                   |                                                                                   | 140SDET041<br> |                                                                                    | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |                                                                                     |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041  
 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | RETAIL PACKS                                                                        |                                                                                     |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                     | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                            |

|                                                                                                                       |  |  |  |                                                                                                                                       |  |  |  |  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------|--|--|--|---------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|
|  REDMAX (KOMATSU ZENOAH AMERICA, INC.) |  |  |  |                                                                                                                                       |  |  |  |  |  |  |  |  |  |  |  |
|                                       |  |  |  | PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |  |  |  |  |  |  |  |  |  |  |  |
|                                                                                                                       |  |  |  | ... G250, G300AVS, G300TS, G310TS, G2500, G2500TS, G3100TS, G3200EZ, G3300EZ, GZ3500T, GZ380, G3800, G3800AVS, GZ400, GZ4000          |  |  |  |  |  |  |  |  |  |  |  |

|                                                                                                                                                                                                                                                                                 |    |        |      |            |                         |    |   |            |            |            |  |  |                                                                                                                 |             |              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|--------|------|------------|-------------------------|----|---|------------|------------|------------|--|--|-----------------------------------------------------------------------------------------------------------------|-------------|--------------|
|                                                                                                                                                                                                 |    |        |      |            |                         |    |   |            |            |            |  |  |                                                                                                                 |             |              |
| 16                                                                                                                                                                                                                                                                              | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL                   | 56 | 6 |            |            |            |  |  | 160SDET041<br>                 | OMK91PX056G | OMK91VXL056G |
|  MICRO-LITE® and  MICRO-LITE®  |    |        |      |            |                         |    |   |            |            |            |  |  |                                                                                                                 |             |              |
| 12                                                                                                                                                                                                                                                                              | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 45 | 6 |            |            |            |  |  | 124MLEA041                                                                                                      | OMK90PX045G |              |
| 14                                                                                                                                                                                                                                                                              | 35 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 52 | 6 |            |            |            |  |  | 144MLEA041<br>144MLET041<br> | OMK90SG-52E |              |
| 16                                                                                                                                                                                                                                                                              | 40 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG              | 56 | 6 |            |            |            |  |  | 164MLEA041                                                                                                      |             |              |
| G621AVS                                                                                                                                                                                                                                                                         |    |        |      |            |                         |    |   |            |            |            |  |  |                                                                                                                 |             |              |
| 16                                                                                                                                                                                                                                                                              | 40 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMD176 | 160RNDD176 | 160GLHD176 |  |  |                                                                                                                 | 105707*     | OMK72LGX060G |
| 18                                                                                                                                                                                                                                                                              | 45 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 66 | 7 |            | 180RNDD176 |            |  |  |                                                                                                                 |             | OMK72LGX066G |
| 20                                                                                                                                                                                                                                                                              | 50 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 70 | 7 | 200ATMD176 | 200RNDD176 | 200SLHD176 |  |  |                                                                                                                 |             | OMK72LGX070G |
| 24                                                                                                                                                                                                                                                                              | 60 | 3/8    | .050 | 72V        | 72DPX<br>72LGX<br>72LPX | 81 | 7 |            | 240RNDD176 |            |  |  |                                                                                                                 |             | OMK72LGX081G |

|                                                                                               |    |        |      |            |            |    |   |  |  |  |  |  |            |             |  |
|-----------------------------------------------------------------------------------------------|----|--------|------|------------|------------|----|---|--|--|--|--|--|------------|-------------|--|
| POLE SAW† MODELS: PRO GZ25N, PSZ 2500S                                                        |    |        |      |            |            |    |   |  |  |  |  |  |            |             |  |
|  MICRO-LITE® |    |        |      |            |            |    |   |  |  |  |  |  |            |             |  |
| 12                                                                                            | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 44 | 6 |  |  |  |  |  | 124MLEA218 | OMK90PX044G |  |

|                                                                                         |    |        |      |            |       |    |   |  |  |                                                                                                   |  |  |                                                                                                   |             |              |
|-----------------------------------------------------------------------------------------|----|--------|------|------------|-------|----|---|--|--|---------------------------------------------------------------------------------------------------|--|--|---------------------------------------------------------------------------------------------------|-------------|--------------|
|  RYOBI |    |        |      |            |       |    |   |  |  |                                                                                                   |  |  |                                                                                                   |             |              |
| PCN3335, ELECTRIC MODELS ECR1835, ECR1935, ECR2040, RGS3214, RYS3816...                 |    |        |      |            |       |    |   |  |  |                                                                                                   |  |  |                                                                                                   |             |              |
| 10                                                                                      | 25 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 40 | 6 |  |  |                                                                                                   |  |  | 100SDEA041                                                                                        |             |              |
| 12                                                                                      | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 45 | 6 |  |  | 120SPEA041                                                                                        |  |  | 120SDEA041                                                                                        |             | OMK91VXL045G |
| 14                                                                                      | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 52 | 6 |  |  | 140SPEA041                                                                                        |  |  | 140SDEA041                                                                                        | OMK91PX052G | OMK91VXL052G |
| 16                                                                                      | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 56 | 6 |  |  | 160SPEA041                                                                                        |  |  | 160SDEA041                                                                                        | OMK91PX056G | OMK91VXL056G |
|       |    |        |      |            |       |    |   |  |  |                                                                                                   |  |  |                                                                                                   |             |              |
| 14                                                                                      | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 52 | 6 |  |  | 140SPET041<br> |  |  | 140SDET041<br> | OMK91PX052G | OMK91VXL052G |



\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

 Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                                                                                                                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                                               |                                                                                     |                                                       | RETAIL PACKS                                        |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|--|--|
|                                                                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |                            |  |                                                       |                                                     |  |  |
| Bar Length (")                                                                                                                                                                                                                                                                           | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                                                | Bar & Chain<br>Combos                                                               | LOOP PACKS                                            |                                                     |  |  |
|                                                                                                                                                                                                                                                                                          |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        | Combo Part<br>Number                                                              |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     | Green Label<br>Chain Loop<br>Low<br>Kickback<br>Chain | Yellow Label<br>Chain Loop<br>Professional<br>Chain |  |  |
|  RYOBI                                                                                                                                                                                                   |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
| ... PCN3335, ELECTRIC MODELS ECR1835, ECR1935, ECR2040, RGS3214, RYS3816                                                                                                                                                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
|  INTENZ®                                                                                                                                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
| 16                                                                                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 160SDET041<br>               |                                                                                     | OMK91PX056G                                           | OMK91VXL056G                                        |  |  |
|  MICRO-LITE® and  MICRO-LITE®  INTENZ® |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
| 12                                                                                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 124MLEA041                                                                                                    |                                                                                     | OMK90PX045G                                           |                                                     |  |  |
| 14                                                                                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 144MLEA041<br>144MLET041<br> |                                                                                     | OMK90SG-52E                                           |                                                     |  |  |
| 16                                                                                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 164MLEA041                                                                                                    |                                                                                     | OMK91PX056G                                           |                                                     |  |  |
| PCN4040, PCN4040KB, PCN4545, PCN4545KB, PCN4550                                                                                                                                                                                                                                          |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
| 16                                                                                                                                                                                                                                                                                       | 40                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   | 160RNBK041                                                                        | 160SLGK041                                                                        |                                                                                   |                                                                                                               | 105711*                                                                             | OMK20BPX066G                                          |                                                     |  |  |
| 18                                                                                                                                                                                                                                                                                       | 45                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                             | 20LPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   | 180RNBK041                                                                        | 180SLGK041                                                                        |                                                                                   |                                                                                                               | 105715*                                                                             | OMK20BPX072G                                          |                                                     |  |  |
|  MICRO-LITE®                                                                                                                                                                                           |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
| 15                                                                                                                                                                                                                                                                                       | 38                                                                               | .325                                                                              | .050                                                                              | 95VPX                                                                             | 95VPX                                                                             | 64                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   | 150MLBK041                                                                        |                                                                                                               |                                                                                     | OMK95VPX064G                                          |                                                     |  |  |
| EARLY MODELS CS184 (ELECTRIC), CS214 (ELECTRIC), CS3516, CS3816AC, CS3818AC, HC410, HC41A...                                                                                                                                                                                             |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
| 10                                                                                                                                                                                                                                                                                       | 25                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 39                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 100SDEA218                                                                                                    |                                                                                     |                                                       | OMK91VXL039G                                        |  |  |
| 12                                                                                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 44                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SDEA318                                                                                                    |                                                                                     | OMK91PX044G                                           | OMK91VXL044G                                        |  |  |
| 14                                                                                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 49                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 140SPEA318                                                                        |                                                                                   | 140SDEA318                                                                                                    |                                                                                     |                                                       | OMK91VXL049G                                        |  |  |
| 16                                                                                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 54                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 160SPEA318                                                                        |                                                                                   | 160SDEA318                                                                                                    |                                                                                     | OMK91PX054G                                           | OMK91VXL054G                                        |  |  |
| 18                                                                                                                                                                                                                                                                                       | 45                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 60                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 180SDEA318                                                                                                    |                                                                                     |                                                       |                                                     |  |  |
|  INTENZ®                                                                                                                                                                                               |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
| 12                                                                                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 44                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SDET318<br>             |                                                                                     | OMK91PX044G                                           | OMK91VXL044G                                        |  |  |
| 14                                                                                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 49                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 140SDET318<br>             |                                                                                     |                                                       | OMK91VXL049G                                        |  |  |
|  MICRO-LITE®                                                                                                                                                                                           |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
| 12                                                                                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 44                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 124MLEA218                                                                                                    |                                                                                     | OMK90PX044G                                           |                                                     |  |  |
| RFS4518, RFS5418                                                                                                                                                                                                                                                                         |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                                               |                                                                                     |                                                       |                                                     |  |  |
| 16                                                                                                                                                                                                                                                                                       | 40                                                                               | .325                                                                              | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 66                                                                                | 7                                                                                 | 168ATMK095                                                                        | 168RNBK095                                                                        | 168SLGK095                                                                        |                                                                                   |                                                                                                               | 105712*                                                                             | OMK21BPX066G                                          |                                                     |  |  |
| 18                                                                                                                                                                                                                                                                                       | 45                                                                               | .325                                                                              | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 72                                                                                | 7                                                                                 | 188ATMK095                                                                        | 188RNBK095                                                                        | 188SLGK095                                                                        |                                                                                   |                                                                                                               | 105713*                                                                             | OMK21BPX072G                                          |                                                     |  |  |
| 20                                                                                                                                                                                                                                                                                       | 50                                                                               | .325                                                                              | .058                                                                              | 21BPX                                                                             | 21LPX                                                                             | 78                                                                                | 7                                                                                 | 208ATMK095                                                                        | 208RNBK095                                                                        | 208SLGK095                                                                        |                                                                                   |                                                                                                               | 105714*                                                                             | OMK21BPX078G                                          |                                                     |  |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.



Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041  


Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                                     |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                       |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                                                                           |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                                                                                                           | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                                  |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                     | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |                                                                                     |
| SHINDAIWA                                                                                                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 366, 377, 400, 415, 416, 446, 446S, 450, 451, 488, 488PI, 488S, 490, 500, SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN.                                                                                                     |                                                                                  |                                                                                   |                                                                                   |                                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                       | 40                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                                               | 20LPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 160RNBK041                                                                        | 160SLGK041                                                                        |                                                                                   |                                                                                    | 105711*                                                                             | OMK20BPX066G                                                                        |                                                                                     |                                                                                     |
| 18                                                                                                                                                                                                                       | 45                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                                               | 20LPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 180RNBK041                                                                        | 180SLGK041                                                                        |                                                                                   |                                                                                    | 105715*                                                                             | OMK20BPX072G                                                                        |                                                                                     |                                                                                     |
| 20                                                                                                                                                                                                                       | 50                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                                               | 20LPX                                                                             | 78                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   | 200GLGK041                                                                        |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| MICRO-LITE®                                                                                                                                                                                                              |                                                                                  |                                                                                   |                                                                                   |                                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 15                                                                                                                                                                                                                       | 38                                                                               | .325                                                                              | .050                                                                              | 95VPX                                                                                               | 95VPX                                                                             | 64                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 150MLBK041                                                                        |                                                                                    |                                                                                     | OMK95VPX064G                                                                        |                                                                                     |                                                                                     |
|  PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.   |                                                                                  |                                                                                   |                                                                                   | 90, 100, 110, 120, 140, 150 ELECTRIC, 160 ELECTRIC...                                               |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 120SPEA041                                                                        |                                                                                   | 120SDEA041                                                                         | 105698*                                                                             |                                                                                     | OMK91VXL045G                                                                        |                                                                                     |
| 14                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 140GPEA041<br>140SPEA041                                                          |                                                                                   | 140SDEA041                                                                         | 105699*                                                                             | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |                                                                                     |
| 16                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 57                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 160GPEA041<br>160SPEA041                                                          |                                                                                   | 160SDEA041                                                                         |                                                                                     |                                                                                     | OMK91VXL057G                                                                        |                                                                                     |
| 18                                                                                                                                                                                                                       | 45                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 62                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 180SDEA041                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| INTENZ®                                                                                                                                                                                                                  |                                                                                  |                                                                                   |                                                                                   |                                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 140SPET041<br>INTENZ                                                              |                                                                                   | 140SDET041<br>INTENZ                                                               |                                                                                     | OMK91PX052G                                                                         | OMK91VXL052G                                                                        |                                                                                     |
| 16                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 57                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 160SDET041<br>INTENZ                                                               |                                                                                     |                                                                                     | OMK91VXL057G                                                                        |                                                                                     |
| MICRO-LITE® and MICRO-LITE® INTENZ®                                                                                                                                                                                      |                                                                                  |                                                                                   |                                                                                   |                                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                          | 90PX, 90SG                                                                        | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 124MLEA041                                                                         |                                                                                     | OMK90PX045G                                                                         |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                          | 90PX, 90SG                                                                        | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 144MLEA041<br>144MLET041<br>INTENZ                                                 |                                                                                     | OMK90SG-52E                                                                         |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                          | 90PX, 90SG                                                                        | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 164MLEA041                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|  PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |                                                                                  |                                                                                   |                                                                                   | 104P, 180, 285S, 345, 350, 352, 352S, 357, 360, E305AV, SOME SAWS MAY ALSO TAKE A .325 PITCH CHAIN. |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                       | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 120SPEA041                                                                        |                                                                                   | 120SDEA041                                                                         | 105698*                                                                             |                                                                                     | OMK91VXL045G                                                                        |                                                                                     |
| 14                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 53                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 140GPEA041<br>140SPEA041                                                          |                                                                                   | 140SDEA041                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 57                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 160GPEA041<br>160SPEA041                                                          |                                                                                   | 160SDEA041                                                                         |                                                                                     |                                                                                     | OMK91VXL057G                                                                        |                                                                                     |
| 18                                                                                                                                                                                                                       | 45                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 63                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 180SDEA041                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| INTENZ®                                                                                                                                                                                                                  |                                                                                  |                                                                                   |                                                                                   |                                                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                       | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 53                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   | 140SPET041<br>INTENZ                                                              |                                                                                   | 140SDET041<br>INTENZ                                                               |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                       | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                          | 91VXL                                                                             | 57                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 160SDET041<br>INTENZ                                                               |                                                                                     |                                                                                     | OMK91VXL057G                                                                        |                                                                                     |



\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                 | Green Label Chain Loop Low Kickback Chain                                         | Yellow Label Chain Loop Professional Chain                                          |                                                                                     |

SHINDAIWA

550, 575, 577

|    |    |     |      |  |                         |    |   |            |            |            |  |  |         |  |                                                            |
|----|----|-----|------|--|-------------------------|----|---|------------|------------|------------|--|--|---------|--|------------------------------------------------------------|
| 13 | 33 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 52 | 7 |            | 138RNDD009 | 138SLHD009 |  |  |         |  |                                                            |
| 15 | 38 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 56 | 7 |            |            | 158SLHD009 |  |  |         |  |                                                            |
| 16 | 40 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 60 | 7 | 168ATMD009 | 168RNDD009 | 168SLHD009 |  |  | 109116* |  | OMK73LGX060G                                               |
| 18 | 45 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 68 | 7 | 188ATMD009 | 188RNDD009 | 188SLHD009 |  |  | 109117* |  | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20 | 50 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 72 | 7 | 208ATMD009 | 208RNDD009 | 208SLHD009 |  |  | 109118* |  | OMK73DPX072G<br>OMK73LGX072G                               |
| 22 | 55 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 76 | 7 |            | 228RNDD009 |            |  |  |         |  |                                                            |
| 24 | 60 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 84 | 7 | 248ATMD009 | 248RNDD009 |            |  |  |         |  | OMK73LGX084G                                               |
| 26 | 66 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 89 | 8 |            | 268RNDD009 |            |  |  |         |  | OMK73DPX089G                                               |
| 28 | 70 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 92 | 7 |            | 288RNDD009 |            |  |  |         |  |                                                            |

POLE SAW MODELS†: M242, M254, P230, P231, PRUNER ATTACHMENT #78701, PRUNER TOOL #65002

|    |    |        |      |            |            |    |   |  |  |  |  |            |  |                            |  |
|----|----|--------|------|------------|------------|----|---|--|--|--|--|------------|--|----------------------------|--|
| 10 | 25 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 39 | 6 |  |  |  |  | 104MLEA218 |  | OMK90SG039G<br>OMK90SG-39E |  |
| 12 | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 44 | 6 |  |  |  |  | 124MLEA218 |  | OMK90PX044G                |  |

SHINDAIWA

680, 695, 757, 757C, 757W...



|    |    |     |      |  |                         |    |   |            |            |            |  |  |         |  |              |
|----|----|-----|------|--|-------------------------|----|---|------------|------------|------------|--|--|---------|--|--------------|
| 13 | 33 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 52 | 7 |            | 138RNDD009 | 138SLHD009 |  |  |         |  |              |
| 15 | 38 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 56 | 7 |            |            | 158SLHD009 |  |  |         |  |              |
| 16 | 40 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 60 | 7 | 168ATMD009 | 168RNDD009 | 168SLHD009 |  |  | 109116* |  | OMK73LGX060G |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     | RETAIL PACKS                                                                        |                                                                                     |                                                                                     |                                                                                     |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |                                                                                     |
| SHINDAIWA                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| ... 680, 695, 757, 757C, 757W                                                   |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 18                                                                              | 45                                                                               | 3/8                                                                               | .058                                                                              | 73DPX<br>73LGX<br>73LPX                                                           | 68                                                                                | 7                                                                                 | 188ATMD009                                                                        | 188RNDD009                                                                        | 188SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     | 109117*                                                                             |                                                                                     | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G                          |                                                                                     |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .058                                                                              | 73DPX<br>73LGX<br>73LPX                                                           | 72                                                                                | 7                                                                                 | 208ATMD009                                                                        | 208RNDD009                                                                        | 208SLHD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     | 109118*                                                                             |                                                                                     | OMK73DPX072G<br>OMK73LGX072G                                                        |                                                                                     |
| 22                                                                              | 55                                                                               | 3/8                                                                               | .058                                                                              | 73DPX<br>73LGX<br>73LPX                                                           | 76                                                                                | 7                                                                                 |                                                                                   | 228RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 24                                                                              | 60                                                                               | 3/8                                                                               | .058                                                                              | 73DPX<br>73LGX<br>73LPX                                                           | 84                                                                                | 7                                                                                 | 248ATMD009                                                                        | 248RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     | OMK73LGX084G                                                                        |                                                                                     |
| 26                                                                              | 66                                                                               | 3/8                                                                               | .058                                                                              | 73DPX<br>73LGX<br>73LPX                                                           | 89                                                                                | 8                                                                                 |                                                                                   | 268RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     | OMK73DPX089G                                                                        |                                                                                     |
| 28                                                                              | 70                                                                               | 3/8                                                                               | .058                                                                              | 73DPX<br>73LGX<br>73LPX                                                           | 93                                                                                | 7                                                                                 |                                                                                   | 288RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 30                                                                              | 75                                                                               | 3/8                                                                               | .058                                                                              | 73DPX<br>73LGX<br>73LPX                                                           | 102                                                                               | 8                                                                                 |                                                                                   | 308RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     | OMK73LGX102G                                                                        |                                                                                     |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .063                                                                              | 75DPX<br>75LGX<br>75LPX                                                           | 72                                                                                | 7                                                                                 |                                                                                   | 203RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                                         |                                                                                     |
| 24                                                                              | 60                                                                               | 3/8                                                                               | .063                                                                              | 75DPX<br>75LGX<br>75LPX                                                           | 84                                                                                | 7                                                                                 |                                                                                   | 243RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     | OMK75DX084G<br>OMK75DPX084G<br>OMK75LGX084G                                         |                                                                                     |
| 28                                                                              | 70                                                                               | 3/8                                                                               | .063                                                                              | 75DPX<br>75LGX<br>75LPX                                                           | 93                                                                                | 7                                                                                 |                                                                                   | 283RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 32                                                                              | 81                                                                               | 3/8                                                                               | .063                                                                              | 75DPX<br>75LGX<br>75LPX                                                           | 105                                                                               | 7                                                                                 |                                                                                   | 323RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 36                                                                              | 90                                                                               | 3/8                                                                               | .063                                                                              | 75DPX<br>75LGX<br>75LPX                                                           | 115                                                                               | 7                                                                                 |                                                                                   | 363RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 42                                                                              | 107                                                                              | 3/8                                                                               | .063                                                                              | 75DPX<br>75LGX<br>75LPX                                                           | 135                                                                               | 7                                                                                 |                                                                                   | 423RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 20                                                                              | 50                                                                               | .404                                                                              | .063                                                                              | 68LX<br>68LX                                                                      | 65                                                                                | 7                                                                                 |                                                                                   | 203RNFD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 36                                                                              | 90                                                                               | .404                                                                              | .063                                                                              | 68LX<br>68LX                                                                      | 104                                                                               | 7                                                                                 |                                                                                   | 363RNFD009                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

 New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                    |                                                                                     |                                                                                     |                      |                                                       |                                                     |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------|-----------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |                      |                                                       |                                                     |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW,<br>GN, PM)                                               | Pro-Lite®<br>(SL, GL, SP,<br>GP, MG, MP)                                           | Pro-Am®<br>(SF, SX, PX,<br>GD, MLB)                                                 | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part<br>Number | Green Label<br>Chain Loop<br>Low<br>Kickback<br>Chain | Yellow Label<br>Chain Loop<br>Professional<br>Chain |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                      |                                                       |                                                     |

|                                     |    |        |      |            |            |    |   |            |            |                          |            |                                    |            |              |              |
|-------------------------------------|----|--------|------|------------|------------|----|---|------------|------------|--------------------------|------------|------------------------------------|------------|--------------|--------------|
| SINA                                |    |        |      |            |            |    |   |            |            |                          |            |                                    |            |              |              |
| SCS3800I                            |    |        |      |            |            |    |   |            |            |                          |            |                                    |            |              |              |
| 12                                  | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL      | 45 | 6 |            |            |                          | 120SPEA041 |                                    | 120SDEA041 |              | OMK91VXL045G |
| 14                                  | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL      | 52 | 6 |            |            |                          | 140SPEA041 |                                    | 140SDEA041 | OMK91PX052G  | OMK91VXL052G |
| 16                                  | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL      | 56 | 6 |            |            |                          | 160SPEA041 |                                    | 160SDEA041 | OMK91PX056G  | OMK91VXL056G |
| INTENZ®                             |    |        |      |            |            |    |   |            |            |                          |            |                                    |            |              |              |
| 14                                  | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL      | 52 | 6 |            |            | 140SPET041<br>INTENZ     |            | 140SDET041<br>INTENZ               |            | OMK91PX052G  | OMK91VXL052G |
| 16                                  | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL      | 56 | 6 |            |            |                          |            | 160SDET041<br>INTENZ               |            | OMK91PX056G  | OMK91VXL056G |
| MICRO-LITE® and MICRO-LITE® INTENZ® |    |        |      |            |            |    |   |            |            |                          |            |                                    |            |              |              |
| 12                                  | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 45 | 6 |            |            |                          |            | 124MLEA041                         |            | OMK90PX045G  |              |
| 14                                  | 35 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 52 | 6 |            |            |                          |            | 144MLEA041<br>144MLET041<br>INTENZ |            | OMK90SG-52E  |              |
| 16                                  | 40 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 56 | 6 |            |            |                          |            | 164MLEA041                         |            |              |              |
| SCS4500I                            |    |        |      |            |            |    |   |            |            |                          |            |                                    |            |              |              |
| 15                                  | 38 | .325   | .058 | 21BPX      | 21LPX      | 64 | 7 |            | 158RNBK095 | 158SLBK095<br>158SLGK095 |            |                                    |            | OMK21BPX064G |              |
| 16                                  | 40 | .325   | .058 | 21BPX      | 21LPX      | 66 | 7 | 168ATMK095 | 168RNBK095 | 168SLGK095               |            |                                    |            | OMK21BPX066G |              |
| 18                                  | 45 | .325   | .058 | 21BPX      | 21LPX      | 72 | 7 | 188ATMK095 | 188RNBK095 | 188SLGK095               |            |                                    |            | OMK21BPX072G |              |
| 20                                  | 50 | .325   | .058 | 21BPX      | 21LPX      | 78 | 7 | 208ATMK095 | 208RNBK095 | 208SLGK095               |            |                                    |            | OMK21BPX078G |              |

|          |    |     |      |  |                         |    |   |            |            |            |  |  |  |  |                                                              |
|----------|----|-----|------|--|-------------------------|----|---|------------|------------|------------|--|--|--|--|--------------------------------------------------------------|
| SINA     |    |     |      |  |                         |    |   |            |            |            |  |  |  |  |                                                              |
| SCS5200I |    |     |      |  |                         |    |   |            |            |            |  |  |  |  |                                                              |
| 15       | 38 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 56 | 7 |            | 158RNDK095 |            |  |  |  |  |                                                              |
| 16       | 40 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 60 | 7 | 168ATMK095 | 168RNDK095 | 168SLHK095 |  |  |  |  | OMK73LGX060G                                                 |
| 18       | 45 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 68 | 7 | 188ATMK095 | 188RNDK095 | 188SLHK095 |  |  |  |  | OMK73DPX068G<br>OMK73DPX068G<br>OMK73LGX068G<br>OMK73LGX068G |
| 20       | 50 | 3/8 | .058 |  | 73DPX<br>73LGX<br>73LPX | 72 | 7 | 208ATMK095 | 208RNDK095 | 208SLHK095 |  |  |  |  | OMK73DPX072G<br>OMK73LGX072G                                 |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041  
INTENZ  
Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                                       |                 |        |       |                    |                         |            |             |                |                        | GUIDE BARS                       |                                       |                                  |                                      |                   | RETAIL PACKS                              |                                            |  |
|-------------------------------------------------------------------------------------------------|-----------------|--------|-------|--------------------|-------------------------|------------|-------------|----------------|------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------------|-------------------|-------------------------------------------|--------------------------------------------|--|
|                                                                                                 |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |  |
| Bar Length (")                                                                                  | Bar Length (cm) | Pitch  | Gauge | CHAIN PART NUMBERS |                         | Chain Type | Drive Links | Sprocket Teeth | Armor Tip®<br>(AT, LA) | Power Match®<br>(RN, RW, GN, PM) | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP) | Pro-Am®<br>(SF, SX, PX, GD, MLB) | Double Guard®<br>(SD, DG, MLE)       | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |  |
| SKIL                                                                                            |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |  |
| 1620, 1622, 1624, 1631 Type 3, 1634, 1635, 1636                                                 |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |  |
| 12                                                                                              | 30              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 45         | 6           |                |                        |                                  | 120SPEA041                            |                                  | 120SDEA041                           | 105698*           |                                           | OMK91VXL045G                               |  |
| 14                                                                                              | 35              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 52         | 6           |                |                        |                                  | 140GPEA041<br>140SPEA041              |                                  | 140SDEA041                           | 105699*           | OMK91PX052G                               | OMK91VXL052G                               |  |
| 16                                                                                              | 40              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 56         | 6           |                |                        |                                  | 160GPEA041<br>160SPEA041              |                                  | 160SDEA041                           | 105700*           | OMK91PX056G                               | OMK91VXL056G                               |  |
| 18                                                                                              | 45              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 62         | 6           |                |                        |                                  |                                       |                                  | 180SDEA041                           |                   |                                           |                                            |  |
| INTENZ®                                                                                         |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |  |
| 14                                                                                              | 35              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 52         | 6           |                |                        |                                  | 140SPET041<br>C INTENZ                |                                  | 140SDET041<br>C INTENZ               |                   | OMK91PX052G                               | OMK91VXL052G                               |  |
| 16                                                                                              | 40              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 56         | 6           |                |                        |                                  |                                       |                                  | 160SDET041<br>C INTENZ               |                   | OMK91PX056G                               | OMK91VXL056G                               |  |
| MICRO-LITE® and MICRO-LITE® INTENZ®                                                             |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |  |
| 12                                                                                              | 30              | 3/8 LP | .043  | 90PX, 90SG         | 90PX, 90SG              | 45         | 6           |                |                        |                                  |                                       |                                  | 124MLEA041                           |                   | OMK90PX045G                               |                                            |  |
| 14                                                                                              | 35              | 3/8 LP | .043  | 90PX, 90SG         | 90PX, 90SG              | 52         | 6           |                |                        |                                  |                                       |                                  | 144MLEA041<br>144MLET041<br>C INTENZ |                   | OMK90SG-52E                               |                                            |  |
| 16                                                                                              | 40              | 3/8 LP | .043  | 90PX, 90SG         | 90PX, 90SG              | 56         | 6           |                |                        |                                  |                                       |                                  | 164MLEA041                           |                   |                                           |                                            |  |
| 1600, 1601, 1602, 1610, 1611, 1612, 1613, 1614, 1616, 1700, 1705, 1712                          |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |  |
| 12                                                                                              | 30              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 45         | 6           |                |                        |                                  |                                       |                                  | 120SDEA064                           |                   |                                           | OMK91VXL045G                               |  |
| 16                                                                                              | 40              | 3/8 LP | .050  | 91PX, 91VG         | 91VXL                   | 56         | 6           |                |                        |                                  | 160SPEA064                            |                                  |                                      |                   | OMK91PX056G                               | OMK91VXL056G                               |  |
| 1641                                                                                            |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |  |
| 16                                                                                              | 40              | 3/8    | .050  | 72V                | 72DPX<br>72LGX<br>72LPX | 60         | 7           | 160ATMD176     | 160RNDD176             | 160SLHD176                       |                                       |                                  |                                      |                   |                                           | OMK72LGX060G                               |  |
| 18                                                                                              | 45              | 3/8    | .050  | 72V                | 72DPX<br>72LGX<br>72LPX | 64         | 7           |                |                        | 180SLHD176                       |                                       |                                  |                                      |                   |                                           |                                            |  |
| 18                                                                                              | 45              | 3/8    | .050  | 72V                | 72DPX<br>72LGX<br>72LPX | 66         | 7           |                | 180RNDD176             |                                  |                                       |                                  |                                      |                   |                                           | OMK72LGX066G                               |  |
| 20                                                                                              | 50              | 3/8    | .050  | 72V                | 72DPX<br>72LGX<br>72LPX | 70         | 7           | 200ATMD176     | 200RNDD176             | 200SLHD176                       |                                       |                                  |                                      |                   |                                           | OMK72LGX070G                               |  |
| SOLO                                                                                            |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |  |
| 613, 614, 631, 632, 634, 638, 639, 641, 644, 645, 647, 650, 651, 652, 651SP, 654, 656, 656SP... |                 |        |       |                    |                         |            |             |                |                        |                                  |                                       |                                  |                                      |                   |                                           |                                            |  |
| 16                                                                                              | 40              | .325   | .050  | 20BPX              | 20LPX                   | 67         | 7           | 160ATMK095     | 160RNBK095             | 160SLGK095                       |                                       |                                  |                                      |                   |                                           |                                            |  |
| 18                                                                                              | 45              | .325   | .050  | 20BPX              | 20LPX                   | 73         | 7           |                |                        | 180SLGK095                       |                                       |                                  |                                      |                   |                                           |                                            |  |
| 13                                                                                              | 33              | .325   | .058  | 21BPX              | 21LPX                   | 56         | 7           |                | 138RNBK095             | 138SLBK095                       |                                       |                                  |                                      |                   |                                           |                                            |  |
| 15                                                                                              | 38              | .325   | .058  | 21BPX              | 21LPX                   | 64         | 7           |                | 158RNBK095             | 158SLBK095<br>158SLGK095         |                                       |                                  |                                      |                   | OMK21BPX064G                              |                                            |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

**Chain saws with a green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard.

Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

**Chain saws with a yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041  
C INTENZ

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                        |                                                                                     |                                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |                                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                 |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        | Drive Links                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| SOLO                                                                            |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| ... 603, 662, 665, 667, 667SP, 670, 675, 680, 681, 690, 694                     |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 16                                                                              | 40                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 60                                                                                | 8                                                                                 | 168ATMD009                                                                        | 168RNDD009                                                                        | 168SLHD009                                                                        |                                                                                   | 109116*                                                                             |                                                                                     | OMK73LGX060G                                               |
| 18                                                                              | 45                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 68                                                                                | 8                                                                                 | 188ATMD009                                                                        | 188RNDD009                                                                        | 188SLHD009                                                                        |                                                                                   | 109117*                                                                             |                                                                                     | OMK73DP068G<br>OMK73DPX068G<br>OMK73LG068G<br>OMK73LGX068G |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 72                                                                                | 8                                                                                 | 208ATMD009                                                                        | 208RNDD009                                                                        | 208SLHD009                                                                        |                                                                                   | 109118*                                                                             |                                                                                     | OMK73DPX072G<br>OMK73LGX072G                               |
| 22                                                                              | 55                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 76                                                                                | 7                                                                                 |                                                                                   | 228RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 24                                                                              | 60                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 84                                                                                | 7                                                                                 | 248ATMD009                                                                        | 248RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK73LGX084G                                               |
| 26                                                                              | 66                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 89                                                                                | 8                                                                                 |                                                                                   | 268RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK73DPX089G                                               |
| 28                                                                              | 70                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 92                                                                                | 7                                                                                 |                                                                                   | 288RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 30                                                                              | 75                                                                               | 3/8                                                                               | .058                                                                              |                                                                                   | 73DPX<br>73LGX<br>73LPX                                                           | 102                                                                               | 8                                                                                 |                                                                                   | 308RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK73LGX102G                                               |
| 20                                                                              | 50                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 72                                                                                | 7                                                                                 |                                                                                   | 203RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                |
| 24                                                                              | 60                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 84                                                                                | 7                                                                                 |                                                                                   | 243RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     | OMK75DX084G<br>OMK75DPX084G<br>OMK75LGX084G                |
| 28                                                                              | 70                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 93                                                                                | 7                                                                                 |                                                                                   | 283RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 32                                                                              | 81                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 105                                                                               | 7                                                                                 |                                                                                   | 323RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 36                                                                              | 90                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 115                                                                               | 7                                                                                 |                                                                                   | 363RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 42                                                                              | 107                                                                              | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 135                                                                               | 7                                                                                 |                                                                                   | 423RNDD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 20                                                                              | 50                                                                               | .404                                                                              | .063                                                                              | 68LX                                                                              | 68LX                                                                              | 65                                                                                | 7                                                                                 |                                                                                   | 203RNFD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 28                                                                              | 70                                                                               | .404                                                                              | .063                                                                              | 68LX                                                                              | 68LX                                                                              | 80                                                                                | 7                                                                                 | 283ATMD009                                                                        | 283RNFD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 30                                                                              | 75                                                                               | .404                                                                              | .063                                                                              | 68LX                                                                              | 68LX                                                                              | 92                                                                                | 7                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |
| 36                                                                              | 90                                                                               | .404                                                                              | .063                                                                              | 68LX                                                                              | 68LX                                                                              | 106                                                                               | 7                                                                                 |                                                                                   | 363RNFD009                                                                        |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                            |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number                                                                   | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |

STANLEY HYDRAULIC

|                                                          |    |      |      |       |                         |    |   |  |            |                          |            |  |         |              |              |  |
|----------------------------------------------------------|----|------|------|-------|-------------------------|----|---|--|------------|--------------------------|------------|--|---------|--------------|--------------|--|
| CS05, CS06, SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN... |    |      |      |       |                         |    |   |  |            |                          |            |  |         |              |              |  |
| 13                                                       | 33 | .325 | .058 | 21BPX | 21LPX                   | 56 | 7 |  |            |                          | 138SLBK095 |  |         |              |              |  |
| 15                                                       | 38 | .325 | .058 | 21BPX | 21LPX                   | 64 | 7 |  | 158RNBK095 | 158SLBK095<br>158SLGK095 |            |  |         |              | OMK21BPX064G |  |
| 16                                                       | 40 | .325 | .058 | 21BPX | 21LPX                   | 66 | 7 |  |            | 168SLBK095<br>168SLGK095 |            |  | 105712* | OMK21BPX066G |              |  |
| 18                                                       | 45 | .325 | .058 | 21BPX | 21LPX                   | 72 | 8 |  |            | 188SLBK095<br>188SLGK095 |            |  | 105713* | OMK21BPX072G |              |  |
| 20                                                       | 50 | .325 | .058 | 21BPX | 21LPX                   | 78 | 7 |  | 208RNBK095 | 208SLGK095               |            |  | 105714* | OMK21BPX078G |              |  |
| MICRO-LITE™                                              |    |      |      |       |                         |    |   |  |            |                          |            |  |         |              |              |  |
| 13                                                       | 33 | .325 | .050 | 95VPX | 95VPX                   | 56 | 7 |  |            |                          | 130MLBK095 |  |         |              |              |  |
| 15                                                       | 38 | .325 | .050 | 95VPX | 95VPX                   | 64 | 7 |  |            | 150MPBK095               | 150MLBK095 |  |         |              | OMK95VPX064G |  |
| 16                                                       | 40 | .325 | .050 | 95VPX | 95VPX                   | 66 | 7 |  |            | 160MPBK095               |            |  | 108579* | OMK95VPX066G |              |  |
| 18                                                       | 45 | .325 | .050 | 95VPX | 95VPX                   | 72 | 7 |  |            | 180MPBK095               | 180MLBK095 |  | 108580* | OMK95VPX072G |              |  |
| CS11                                                     |    |      |      |       |                         |    |   |  |            |                          |            |  |         |              |              |  |
| 24                                                       | 60 | 3/8  | .050 | 72V   | 72DPX<br>72LGX<br>72LPX | 82 | 8 |  | 240RND196  |                          |            |  |         |              |              |  |

STIHL

|                                                                                                                                                                                                                                                                                                                                                                                                                                |    |        |      |            |       |    |   |                          |           |            |  |            |  |         |              |              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|--------|------|------------|-------|----|---|--------------------------|-----------|------------|--|------------|--|---------|--------------|--------------|
| 021, 023 C, 025, 025C, MS 230, MS 230C, MS 230 C-BE, MS 250, MS 250 C, MS 250 C-BE, MS 251, MS 251C                                                                                                                                                                                                                                                                                                                            |    |        |      |            |       |    |   |                          |           |            |  |            |  |         |              |              |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                             | 40 | .325   | .063 | 22BPX      | 22LPX | 62 | 7 |                          |           | 163SLBA074 |  |            |  |         | OMK22BPX062G |              |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                             | 45 | .325   | .063 | 22BPX      | 22LPX | 68 | 7 |                          |           | 183SLBA074 |  |            |  |         | OMK22BPX068G |              |
| MICRO-LITE™                                                                                                                                                                                                                                                                                                                                                                                                                    |    |        |      |            |       |    |   |                          |           |            |  |            |  |         |              |              |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                             | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 44 | 6 |                          |           | 120SPEA074 |  | 120SDEA074 |  |         | OMK91PX044G  | OMK91VXL044G |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                             | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 50 | 6 |                          |           | 140SPEA074 |  | 140SDEA074 |  |         |              | OMK91VXL050G |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                             | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 55 | 6 |                          |           | 160SPEA074 |  | 160SDEA074 |  |         | OMK91PX055G  | OMK91VXL055G |
| 024, 024 SUPER, 026, 026 C, 026P, 026 PRO, 028, 028 SUPER, 029, 030, 031, 032, 034, 034 SUPER, 036, 036P, 036 QS, 039, FARM BOSS, MS 260, MS 260 C, MS 260 PRO, MS 261, MS 261 C-Q, MS 270, MS 270 C-B, MS 270 C, MS 270 C-QS, MS 271, MS 280, MS 280 C, MS 280 C-BQ, MS 280 C-QS, MS 290, MS 291, MS 291C-BEQ, MS 360, MS 360 C, MS 360 PRO, MS 360 Q-S, SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS... |    |        |      |            |       |    |   |                          |           |            |  |            |  |         |              |              |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                             | 40 | .325   | .063 | 22BPX      | 22LPX | 67 | 7 | 163ATMD025<br>163LAMD025 | 163RNB025 | 163SLGD025 |  |            |  | 105705* | OMK22BPX067G |              |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                             | 45 | .325   | .063 | 22BPX      | 22LPX | 74 | 8 | 183ATMD025<br>183LAMD025 | 183RNB025 | 183SLGD025 |  |            |  | 105706* | OMK22BPX074G |              |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                             | 50 | .325   | .063 | 22BPX      | 22LPX | 81 | 7 | 203ATMD025               |           | 203SLGD025 |  |            |  |         |              |              |

\*For detailed contents of Bar and Chain Combos refer to page featured after this A-Z Bar and Chain Application Guide.

| SAW CHAIN                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                       |                                                                                     |                                                                                     |                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bar Length (")                                                                                                                                                                                                                                                                                                                                                                                                                     | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                  | Double Guard®<br>(SD, DG, MLE)                                                    | Combo Part Number                                                                  | Green Label Chain Loop Low Kickback Chain                                           | Yellow Label Chain Loop Professional Chain                                          |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| STIHL                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| PowerSharp® A074 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.                                                                                                                                                                                                                                                                                              |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                 | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 44                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SDEA074                                                                        |                                                                                    | OMK91PX044G                                                                         | OMK91VXL044G                                                                        |                                                                                     |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                 | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 50                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 140SDEA074                                                                        | 105702*                                                                            |                                                                                     | OMK91VXL050G                                                                        |                                                                                     |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                 | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 55                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 160SDEA074                                                                        | 105703*                                                                            | OMK91PX055G                                                                         | OMK91VXL055G                                                                        |                                                                                     |
| INTENZ®                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                 | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 44                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 120SDET074<br>INTENZ                                                              |                                                                                    | OMK91PX044G                                                                         | OMK91VXL044G                                                                        |                                                                                     |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                 | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 50                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 140SPET074<br>INTENZ                                                              |                                                                                   | 140SDET074<br>INTENZ                                                              |                                                                                    |                                                                                     | OMK91VXL050G                                                                        |                                                                                     |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                 | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                        | 91VXL                                                                             | 55                                                                                | 6                                                                                 |                                                                                   |                                                                                   | 160SPET074<br>INTENZ                                                              |                                                                                   | 160SDET074<br>INTENZ                                                              |                                                                                    | OMK91PX055G                                                                         | OMK91VXL055G                                                                        |                                                                                     |
| MICRO-LITE®                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                 | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 44                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 124MLEA074                                                                        |                                                                                    | OMK90PX044G                                                                         |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                 | 35                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 50                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 144MLEA074                                                                        |                                                                                    | OMK90PX050G                                                                         |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                 | 40                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 55                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 164MLEA074                                                                        |                                                                                    | OMK90PX055G                                                                         |                                                                                     |                                                                                     |
| POLE PRUNER† MODELS: HT 70, HT 73, HT 75, HT 100, HT 101, HT 130, HT 131, HT 250                                                                                                                                                                                                                                                                                                                                                   |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| MICRO-LITE®                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 12                                                                                                                                                                                                                                                                                                                                                                                                                                 | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 44                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 124MLEA074                                                                        |                                                                                    | OMK90PX044G                                                                         |                                                                                     |                                                                                     |
| 14                                                                                                                                                                                                                                                                                                                                                                                                                                 | 35                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 50                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 144MLEA074                                                                        |                                                                                    | OMK90PX050G                                                                         |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                 | 40                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                        | 90PX, 90SG                                                                        | 55                                                                                | 6                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   | 164MLEA074                                                                        |                                                                                    | OMK90PX055G                                                                         |                                                                                     |                                                                                     |
| STIHL                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 034, 034 SUPER, 036, 036 SUPER, 038, 038 MAGNUM, 038 SUPER MAGNUM, 039, 041, 042, 044, 044M, 045, 046, 046M, 048, 056, 056S, 064, 066, 066 MAGNUM, E15, MS 290, MS 310 FARM BOSS, MS 360, MS 361, MS 380, MS 390, MS 390 FARM BOSS, MS 440, MS 440 MAGNUM, MS 441, MS 441C, MS 460, MS 460 MAGNUM, MS 461, MS 650, MS 660, MS 660M, MS 660 MAGNUM, MSE 220C, SOME SAWS MAY ALSO TAKE A .404 PITCH CHAIN, SEE OTHER APPLICATIONS... |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 15                                                                                                                                                                                                                                                                                                                                                                                                                                 | 38                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 56                                                                                | 7                                                                                 |                                                                                   |                                                                                   | 153RND025                                                                         |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| 16                                                                                                                                                                                                                                                                                                                                                                                                                                 | 40                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 60                                                                                | 8                                                                                 | 163ATMD025<br>163LAMD025                                                          | 163RND025                                                                         | 163SLHD025                                                                        |                                                                                   |                                                                                   | 110782*                                                                            |                                                                                     | OMK75DPX060G                                                                        |                                                                                     |
| 18                                                                                                                                                                                                                                                                                                                                                                                                                                 | 45                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 66                                                                                | 8                                                                                 | 183ATMD025<br>183LAMD025                                                          | 183RND025                                                                         | 183SLHD025                                                                        |                                                                                   |                                                                                   | 110783*                                                                            |                                                                                     | OMK75DX066G<br>OMK75DPX066G<br>OMK75LGX066G                                         |                                                                                     |
| 20                                                                                                                                                                                                                                                                                                                                                                                                                                 | 50                                                                               | 3/8                                                                               | .063                                                                              |                                                                                   | 75DPX<br>75LGX<br>75LPX                                                           | 72                                                                                | 8                                                                                 | 203ATMD025                                                                        | 203RND025                                                                         | 203SLHD025                                                                        |                                                                                   |                                                                                   | 110784*                                                                            |                                                                                     | OMK75DX072G<br>OMK75DPX072G<br>OMK75LGX072G                                         |                                                                                     |

\*For detailed contents of Bar and Chain Combos refer to page featured after this. A-Z Bar and Chain Application Guide.

Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



OREGON

Bar & Chain Applications

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |

STIHL

... 034, 034 SUPER, 036, 036 SUPER, 038, 038 MAGNUM, 038 SUPER MAGNUM, 039, 041, 042, 044, 044M, 045, 046, 046M, 048, 056, 056S, 064, 066, 066 MAGNUM, E15, MS 290, MS 310 FARM BOSS, MS 360, MS 361, MS 380, MS 390, MS 390 FARM BOSS, MS 440, MS 440 MAGNUM, MS 441, MS 441C, MS 460, MS 460 MAGNUM, MS 461, MS 650, MS 660, MS 660M, MS 660 MAGNUM, MSE 220C; SOME SAWS MAY ALSO TAKE A .404 PITCH CHAIN, SEE OTHER APPLICATIONS

|    |     |     |      |  |                         |     |   |            |            |  |  |  |  |  |  |                                             |
|----|-----|-----|------|--|-------------------------|-----|---|------------|------------|--|--|--|--|--|--|---------------------------------------------|
| 22 | 55  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 77  | 8 |            | 223RNDD025 |  |  |  |  |  |  |                                             |
| 24 | 60  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 84  | 7 | 243ATMD025 | 243RNDD025 |  |  |  |  |  |  | OMK75DX084G<br>OMK75DPX084G<br>OMK75LGX084G |
| 28 | 70  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 92  | 8 |            | 283RNDD025 |  |  |  |  |  |  |                                             |
| 30 | 75  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 98  | 7 |            | 303RNDD025 |  |  |  |  |  |  |                                             |
| 36 | 90  | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 114 | 7 |            | 363RNDD025 |  |  |  |  |  |  |                                             |
| 42 | 107 | 3/8 | .063 |  | 75DPX<br>75LGX<br>75LPX | 135 | 7 |            | 423RNDD025 |  |  |  |  |  |  |                                             |

038, 038 SUPER MAGNUM, 039, 041, 042, 044, 044M, 045, 046, 046M, 048, 056, 064, 066, 066 MAGNUM, MS 660; SOME SAWS MAY ALSO TAKE A 3/8 PITCH CHAIN, SEE OTHER APPLICATIONS.

|                                                                                                    |     |      |      |      |      |     |   |                          |            |  |  |  |  |  |  |  |
|----------------------------------------------------------------------------------------------------|-----|------|------|------|------|-----|---|--------------------------|------------|--|--|--|--|--|--|--|
| 20                                                                                                 | 50  | .404 | .063 | 68LX | 68LX | 65  | 7 |                          | 203RNFD025 |  |  |  |  |  |  |  |
| 24                                                                                                 | 60  | .404 | .063 | 68LX | 68LX | 77  | 7 |                          | 243RNFD025 |  |  |  |  |  |  |  |
| 050, 051, 075, 076, 07S, 070, 084, 088, 088M, 08S, 08SEQ, 090AV, E 30, MS 880, MS 880 MAGNUM, S 10 |     |      |      |      |      |     |   |                          |            |  |  |  |  |  |  |  |
| 17*                                                                                                | 43  | .404 | .063 | 68LX | 68LX | 60  | 7 | 173ATME031               | 173RNFE031 |  |  |  |  |  |  |  |
| 21*                                                                                                | 53  | .404 | .063 | 68LX | 68LX | 68  | 7 | 213ATME031               | 213RNFE031 |  |  |  |  |  |  |  |
| 25                                                                                                 | 63  | .404 | .063 | 68LX | 68LX | 80  | 7 | 253ATME031<br>253ATLE031 | 253RNFE031 |  |  |  |  |  |  |  |
| 25                                                                                                 | 63  | .404 | .063 | 68LX | 68LX | 84  | 7 | 253ATLE099               |            |  |  |  |  |  |  |  |
| 30                                                                                                 | 75  | .404 | .063 | 68LX | 68LX | 92  | 7 | 303ATLE099               |            |  |  |  |  |  |  |  |
| 36                                                                                                 | 90  | .404 | .063 | 68LX | 68LX | 104 | 7 | 363ATLE099               |            |  |  |  |  |  |  |  |
| 42                                                                                                 | 107 | .404 | .063 | 68LX | 68LX | 122 | 7 |                          | 423RNFE099 |  |  |  |  |  |  |  |

\*CHANGE NOSE FOR 3/8" APPLICATION (PART NO. 30853) ON POWER MATCH PLUS 17" = 66 DRIVE LINKS, 21" = 75 DRIVE LINKS

TALON

AC3100, AC31AC116-35, AC31A118-38S, AC3100-35C, AC31A114-35, AC31A116-38, AC31A140...

|    |    |        |      |            |       |    |   |  |  |            |  |            |             |              |
|----|----|--------|------|------------|-------|----|---|--|--|------------|--|------------|-------------|--------------|
| 12 | 30 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 44 | 6 |  |  |            |  | 120SDEA318 | OMK91PX044G | OMK91VXL044G |
| 14 | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 49 | 6 |  |  | 140SPEA318 |  | 140SDEA318 |             | OMK91VXL049G |
| 16 | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 54 | 6 |  |  | 160SPEA318 |  | 160SDEA318 | OMK91PX054G | OMK91VXL054G |
| 18 | 45 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 60 | 6 |  |  |            |  | 180SDEA318 |             |              |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.

† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDET041

CutSmart





Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



OREGON

Bar & Chain Applications

| SAW CHAIN                                                                                                                                                                                                              |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | GUIDE BARS                                                                          |                                                                                     |                                                                                     |                                    |                   | RETAIL PACKS                              |                                            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|                                                                                                                                         |  |  |  |                                                                                                                               |  |  |  |  |  |  |  |  |                                    |                   |                                           |                                            |
| Bar Length (")                                                                                                                                                                                                         | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                                                                                                                                             |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                             | Power Match®<br>(RN, RW, GN, PM)                                                    | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                               | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE)     | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
| TANAKA                                                                                                                                                                                                                 |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                    |                   |                                           |                                            |
| ECV 5601                                                                                                                                                                                                               |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                    |                   |                                           |                                            |
| 16                                                                                                                                                                                                                     | 40                                                                               | .325                                                                              | .050                                                                              | 20BPX                                                                                                                                                                                                          | 20LPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   |                                                                                    | 160RNBK095                                                                          | 160SLGK095                                                                          |                                                                                     |                                    |                   | OMK20BPX066G                              |                                            |
| MICRO-LITE™                                                                                                                                                                                                            |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                    |                   |                                           |                                            |
| 16                                                                                                                                                                                                                     | 40                                                                               | .325                                                                              | .050                                                                              | 95VPX                                                                                                                                                                                                          | 95VPX                                                                             | 66                                                                                | 7                                                                                 |                                                                                   |                                                                                    |                                                                                     | 160MPBK095                                                                          |                                                                                     |                                    | 108579*           | OMK95VPX066G                              |                                            |
| 18                                                                                                                                                                                                                     | 45                                                                               | .325                                                                              | .050                                                                              | 95VPX                                                                                                                                                                                                          | 95VPX                                                                             | 72                                                                                | 7                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     | 180MLBK095                                                                          |                                    | 108580*           | OMK95VPX072G                              |                                            |
| 16                                                                                                                                                                                                                     | 40                                                                               | .325                                                                              | .058                                                                              | 21BPX                                                                                                                                                                                                          | 21LPX                                                                             | 66                                                                                | 7                                                                                 | 168ATMK095                                                                        | 168RNBK095                                                                         | 168SLGK095                                                                          |                                                                                     |                                                                                     |                                    |                   | OMK21BPX066G                              |                                            |
| 18                                                                                                                                                                                                                     | 45                                                                               | .325                                                                              | .058                                                                              | 21BPX                                                                                                                                                                                                          | 21LPX                                                                             | 72                                                                                | 7                                                                                 | 188ATMK095                                                                        | 188RNBK095                                                                         | 188SLGK095                                                                          |                                                                                     |                                                                                     |                                    |                   | OMK21BPX072G                              |                                            |
| 20                                                                                                                                                                                                                     | 50                                                                               | .325                                                                              | .058                                                                              | 21BPX                                                                                                                                                                                                          | 21LPX                                                                             | 78                                                                                | 7                                                                                 |                                                                                   | 208RNBK095                                                                         | 208SLGK095                                                                          |                                                                                     |                                                                                     |                                    |                   | OMK21BPX078G                              |                                            |
|  PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section. |                                                                                  |                                                                                   |                                                                                   | ECS-35, ECS-290, ECS-300, ECS-320, ECS-330, ECS-350, ECS-351, ECS-355, ECS-356, ECS-370, ECS-405, ECS-3301, ECS-3351, ECS-3401, ECS-3500, TCS-2801S, TCS-33EB, TCS-3301, TCS-3301PFS, TCS-3351PFS, TCS-3401... |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                    |                   |                                           |                                            |
| 10                                                                                                                                                                                                                     | 25                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 40                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 100SDEA041                         |                   |                                           |                                            |
| 12                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     | 120SPEA041                                                                          |                                                                                     | 120SDEA041                         | 105698*           |                                           | OMK91VXL045G                               |
| 14                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     | 140GPEA041<br>140SPEA041                                                            |                                                                                     | 140SDEA041                         | 105699*           | OMK91PX052G                               | OMK91VXL052G                               |
| 16                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     | 160GPEA041<br>160SPEA041                                                            |                                                                                     | 160SDEA041                         | 105700*           | OMK91PX056G                               | OMK91VXL056G                               |
| 18                                                                                                                                                                                                                     | 45                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 62                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 180SDEA041                         |                   |                                           |                                            |
| INTENZ™                                                                                                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                    |                   |                                           |                                            |
| 14                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     | 140SPET041<br>INTENZ                                                                |                                                                                     | 140SDET041<br>INTENZ               |                   | OMK91PX052G                               | OMK91VXL052G                               |
| 16                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 57                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 160SDET041<br>INTENZ               |                   |                                           | OMK91VXL057G                               |
| MICRO-LITE™ and MICRO-LITE™ INTENZ™                                                                                                                                                                                    |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                    |                   |                                           |                                            |
| 12                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                                                                                                     | 90PX, 90SG                                                                        | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 124MLEA041                         |                   | OMK90PX045G                               |                                            |
| 14                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                                                                                                     | 90PX, 90SG                                                                        | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 144MLEA041<br>144MLET041<br>INTENZ |                   | OMK90SG-52E                               |                                            |
| 16                                                                                                                                                                                                                     | 40                                                                               | 3/8 LP                                                                            | .043                                                                              | 90PX, 90SG                                                                                                                                                                                                     | 90PX, 90SG                                                                        | 56                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     | 164MLEA041                         |                   |                                           |                                            |
| TCS-EDTP                                                                                                                                                                                                               |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                    |                   |                                           |                                            |
| 12                                                                                                                                                                                                                     | 30                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 45                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     | 120SPEA041                                                                          |                                                                                     | 120SDEA041                         | 105698*           |                                           | OMK91VXL045G                               |
| 14                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     | 140GPEA041<br>140SPEA041                                                            |                                                                                     | 140SDEA041                         | 105699*           | OMK91PX052G                               | OMK91VXL052G                               |
| INTENZ™                                                                                                                                                                                                                |                                                                                  |                                                                                   |                                                                                   |                                                                                                                                                                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                    |                   |                                           |                                            |
| 14                                                                                                                                                                                                                     | 35                                                                               | 3/8 LP                                                                            | .050                                                                              | 91PX, 91VG                                                                                                                                                                                                     | 91VXL                                                                             | 52                                                                                | 6                                                                                 |                                                                                   |                                                                                    |                                                                                     | 140SPET041<br>INTENZ                                                                |                                                                                     | 140SDET041<br>INTENZ               |                   | OMK91PX052G                               | OMK91VXL052G                               |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.  
† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.  
160SDET041 INTENZ Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                    | RETAIL PACKS                                                                        |                                                                                     |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   |                                                                                   | Chain Type                                                                        | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                              | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |

|                                                                                               |    |     |      |     |                         |    |   |            |            |            |  |  |  |         |  |              |
|-----------------------------------------------------------------------------------------------|----|-----|------|-----|-------------------------|----|---|------------|------------|------------|--|--|--|---------|--|--------------|
|  <b>TANAKA</b> |    |     |      |     |                         |    |   |            |            |            |  |  |  |         |  |              |
| ECS-505, ECS-506                                                                              |    |     |      |     |                         |    |   |            |            |            |  |  |  |         |  |              |
| 16                                                                                            | 40 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMD176 | 160RNDD176 | 160SLHD176 |  |  |  | 105707* |  | OMK72LGX060G |
| 18                                                                                            | 45 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 64 | 7 |            |            | 180SLHD176 |  |  |  |         |  |              |
| 18                                                                                            | 45 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 66 | 7 |            | 180RNDD176 |            |  |  |  |         |  | OMK72LGX066G |
| 20                                                                                            | 50 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 70 | 7 | 200ATMD176 | 200RNDD176 | 200SLHD176 |  |  |  | 105709* |  | OMK72LGX070G |
| 24                                                                                            | 60 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 81 | 7 |            | 240RNDD176 |            |  |  |  |         |  | OMK72LGX081G |

PRUNER MODELS†: TPS-200 (ATTACHMENT), TPS-210, TPS-250, TPS-250PF, TPS-270, TPS-270PF, TPS-2501, TPS-2510, SF-PS BRUSHCUTTER ATTACHMENT

|                                                                                                      |    |        |      |            |            |    |   |  |  |  |  |  |            |  |             |  |
|------------------------------------------------------------------------------------------------------|----|--------|------|------------|------------|----|---|--|--|--|--|--|------------|--|-------------|--|
|  <b>MICRO-LITE™</b> |    |        |      |            |            |    |   |  |  |  |  |  |            |  |             |  |
| 12                                                                                                   | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 45 | 6 |  |  |  |  |  | 124MLEA041 |  | OMK90PX045G |  |

|                                                                                                 |    |     |      |     |                         |    |   |            |            |                          |  |  |  |         |  |              |
|-------------------------------------------------------------------------------------------------|----|-----|------|-----|-------------------------|----|---|------------|------------|--------------------------|--|--|--|---------|--|--------------|
|  <b>TANAKA</b> |    |     |      |     |                         |    |   |            |            |                          |  |  |  |         |  |              |
| ECS-650, ECS-655                                                                                |    |     |      |     |                         |    |   |            |            |                          |  |  |  |         |  |              |
| 16                                                                                              | 40 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMD176 | 160RNDD176 | 160SLHD176<br>160GLHD176 |  |  |  | 105707* |  | OMK72LGX060G |
| 18                                                                                              | 45 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 64 | 7 |            |            | 180SLHD176               |  |  |  |         |  |              |
| 18                                                                                              | 45 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 66 | 7 |            | 180RNDD176 |                          |  |  |  |         |  | OMK72LGX066G |
| 20                                                                                              | 50 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 70 | 7 |            | 200RNDD176 | 200SLHD176               |  |  |  | 105709* |  | OMK72LGX070G |
| 24                                                                                              | 60 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 81 | 7 |            | 240RNDD176 |                          |  |  |  |         |  | OMK72LGX081G |

|                                                                                                       |    |        |      |            |       |    |   |  |  |            |  |            |         |             |              |  |
|-------------------------------------------------------------------------------------------------------|----|--------|------|------------|-------|----|---|--|--|------------|--|------------|---------|-------------|--------------|--|
|  <b>WEN / WAGNER</b> |    |        |      |            |       |    |   |  |  |            |  |            |         |             |              |  |
| 3814, 4014                                                                                            |    |        |      |            |       |    |   |  |  |            |  |            |         |             |              |  |
| 14                                                                                                    | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 52 | 7 |  |  | 140GPEA041 |  | 140SDEA041 | 105699* | OMK91PX052G | OMK91VXL052G |  |
| 16                                                                                                    | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 56 | 7 |  |  | 160GPEA041 |  | 160SDEA041 | 105700* | OMK91PX056G | OMK91VXL056G |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

 Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

 Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See



# OREGON Bar & Chain Applications

| SAW CHAIN                                                                                                                                                                         |                 |        |       |                    |             |                |   |            |            | GUIDE BARS               |                                  |                                      |                                   |                                | RETAIL PACKS       |                                           |                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|-------|--------------------|-------------|----------------|---|------------|------------|--------------------------|----------------------------------|--------------------------------------|-----------------------------------|--------------------------------|--------------------|-------------------------------------------|--------------------------------------------|
| Bar Length (")                                                                                                                                                                    | Bar Length (cm) | Pitch  | Gauge | CHAIN PART NUMBERS | Drive Links | Sprocket Teeth |   |            |            | Armor Tip®<br>(AT, LA)   | Power Match®<br>(FN, FW, UK, PM) | Pro-Ult®<br>(SL, GL, SP, GP, MG, MP) | Pro-Air®<br>(SF, SX, PX, GD, MLB) | Double Guard®<br>(SD, DG, MLE) | BAR & CHAIN COMBOS | LOOP PACKS                                |                                            |
|                                                                                                                                                                                   |                 |        |       | Chain Type         |             |                |   |            |            |                          |                                  |                                      |                                   |                                | Combo Part Number  | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
| WEN / WAGNER                                                                                                                                                                      |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| 3816, 3818                                                                                                                                                                        |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| 16                                                                                                                                                                                | 40              | 3/8 LP | .050  | 91PX, 91WG         | 91WL        | 56             | 7 |            |            |                          |                                  | 160SPEA095                           |                                   |                                |                    | OMK91PX056G                               | OMK91WL056G                                |
| WORX                                                                                                                                                                              |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| WG300, WG303, WG304                                                                                                                                                               |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| 14                                                                                                                                                                                | 35              | 3/8 LP | .050  | 91PX, 91WG         | 91WL        | 53             | 7 |            |            |                          |                                  | 140GPEA041<br>140SPEA041             |                                   | 140SDEA041                     |                    |                                           |                                            |
| 16                                                                                                                                                                                | 40              | 3/8 LP | .050  | 91PX, 91WG         | 91WL        | 57             | 7 |            |            |                          |                                  | 160GPEA041<br>160SPEA041             |                                   | 160SDEA041                     |                    |                                           | OMK91WL057G                                |
| 18                                                                                                                                                                                | 45              | 3/8 LP | .050  | 91PX, 91WG         | 91WL        | 63             | 7 |            |            |                          |                                  |                                      |                                   | 180SDEA041                     |                    |                                           |                                            |
| ZENOH                                                                                                                                                                             |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| G390, G450AVS, G455, G455AVS, G500, G5000, G5000AVS, G5300                                                                                                                        |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| 16                                                                                                                                                                                | 40              | 3/25   | .050  | 21BPX              | 21LPX       | 66             | 7 |            |            | 160FNBK095               | 160SLGK095                       |                                      |                                   |                                |                    | OMK20BPX066G                              |                                            |
| 18                                                                                                                                                                                | 45              | 3/25   | .050  | 21BPX              | 21LPX       | 72             | 7 |            |            |                          | 180SLGK095                       |                                      |                                   |                                |                    | OMK20BPX072G                              |                                            |
| 13                                                                                                                                                                                | 33              | 3/25   | .058  | 21BPX              | 21LPX       | 56             | 7 |            |            |                          | 138SLBK095                       |                                      |                                   |                                |                    |                                           |                                            |
| 15                                                                                                                                                                                | 38              | 3/25   | .058  | 21BPX              | 21LPX       | 64             | 8 |            |            | 158FNBK095               | 158SLBK095<br>158SLGK095         |                                      |                                   |                                |                    | OMK21BPX064G                              |                                            |
| 16                                                                                                                                                                                | 40              | 3/25   | .058  | 21BPX              | 21LPX       | 66             | 7 | 168ATMK095 | 168FNBK095 | 168SLGK095<br>168SLBK095 |                                  |                                      |                                   | 105712*                        | OMK21BPX066G       |                                           |                                            |
| 18                                                                                                                                                                                | 45              | 3/25   | .058  | 21BPX              | 21LPX       | 72             | 8 | 188ATMK095 | 188FNBK095 | 188SLGK095<br>188SLBK095 |                                  |                                      |                                   | 105712*                        | OMK21BPX072G       |                                           |                                            |
| 20                                                                                                                                                                                | 50              | 3/25   | .058  | 21BPX              | 21LPX       | 78             | 7 | 208ATMK095 | 208FNBK095 | 208SLGK095               |                                  |                                      |                                   | 105714*                        | OMK21BPX078G       |                                           |                                            |
| WOOD-ONE                                                                                                                                                                          |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| 13                                                                                                                                                                                | 33              | 3/25   | .050  | 96VPX              | 96VPX       | 56             | 7 |            |            |                          |                                  | 130MLBK095                           |                                   |                                |                    |                                           |                                            |
| 15                                                                                                                                                                                | 38              | 3/25   | .050  | 96VPX              | 96VPX       | 64             | 7 |            |            |                          | 150MPBK095                       | 150MLBK095                           |                                   |                                |                    | OMK96VPX064G                              |                                            |
| 16                                                                                                                                                                                | 40              | 3/25   | .050  | 96VPX              | 96VPX       | 66             | 7 |            |            |                          | 160MPBK095                       |                                      |                                   | 108570*                        | OMK96VPX066G       |                                           |                                            |
| 18                                                                                                                                                                                | 45              | 3/25   | .050  | 96VPX              | 96VPX       | 72             | 7 |            |            |                          | 180MPBK095                       | 180MLBK095                           |                                   | 108580*                        | OMK96VPX072G       |                                           |                                            |
| G415, GZ4000                                                                                                                                                                      |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| 16                                                                                                                                                                                | 40              | 3/25   | .050  | 21BPX              | 21LPX       | 66             | 7 |            |            |                          | 160SLGK041                       |                                      |                                   |                                |                    | OMK20BPX066G                              |                                            |
| <div> <b>PowerSharp® A041 Applications:</b><br/>           are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.         </div> |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| G250, G360AVS, G300TS, G310TS, G2500, G2500TS, G3100TS, G3200, G3200EZ, G3300, G3300EZ, GZ3500T, GZ380, G3800, G3800AVS, GZ400, GZ4000...                                         |                 |        |       |                    |             |                |   |            |            |                          |                                  |                                      |                                   |                                |                    |                                           |                                            |
| 10                                                                                                                                                                                | 25              | 3/8 LP | .050  | 91PX, 91WG         | 91WL        | 40             | 6 |            |            |                          |                                  |                                      |                                   | 100SDEA041                     |                    |                                           |                                            |
| 12                                                                                                                                                                                | 30              | 3/8 LP | .050  | 91PX, 91WG         | 91WL        | 45             | 6 |            |            |                          |                                  | 120SPEA041                           |                                   | 120SDEA041                     | 105690*            |                                           | OMK91WL045G                                |
| 14                                                                                                                                                                                | 35              | 3/8 LP | .050  | 91PX, 91WG         | 91WL        | 52             | 6 |            |            |                          |                                  | 140GPEA041<br>140SPEA041             |                                   | 140SDEA041                     | 105690*            | OMK91PX052G                               | OMK91WL052G                                |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

## Tools to Maintain Your Bar & Chain

| Tool Name                  | 5/32" | 4.5 mm | 3/16" | 7/32" |
|----------------------------|-------|--------|-------|-------|
| File Part Number, 12-pack  | 70504 | 70511  | 70503 | 70502 |
| Sharpening Kit Part Number | 38276 | 38278  | 38277 | 38275 |
| Assembly File Guide Part   | 37534 | 31692  | 31690 | 31686 |

\*\* Chain saws originally equipped with an Intenz® bar, do not have a "bar-adjustment pin" for tensioning the chain. Use ONLY an Intenz® bar when replacing the guide bar on these saws.

† ANSI B175.1 regarding reduced kickback does not apply to pole saws or pruners.

160SDE041  
Combo

Listings with a blue background denote that this is an Intenz® bar. For more details refer to the "Selecting OREGON® Products" page at the start of this section.

| SAW CHAIN                                                                       |                                                                                  |                                                                                   |                                                                                   |                                                                                   | GUIDE BARS                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   | RETAIL PACKS                                                                      |                                                                                     |                                                                                     |                   |                                           |                                            |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------|--------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |  |                   |                                           |                                            |
| Bar Length (")                                                                  | Bar Length (cm)                                                                  | Pitch                                                                             | Gauge                                                                             | CHAIN PART NUMBERS                                                                |                                                                                   | Drive Links                                                                       | Sprocket Teeth                                                                    | Armor Tip®<br>(AT, LA)                                                            | Power Match®<br>(RN, RW, GN, PM)                                                  | Pro-Lite®<br>(SL, GL, SP, GP, MG, MP)                                             | Pro-Am®<br>(SF, SX, PX, GD, MLB)                                                    | Double Guard®<br>(SD, DG, MLE)                                                      | Combo Part Number | Green Label Chain Loop Low Kickback Chain | Yellow Label Chain Loop Professional Chain |
|                                                                                 |                                                                                  |                                                                                   |                                                                                   | Chain Type                                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                   |                                           |                                            |

## ZENOA

|  |  |                                                                                                                                            |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  | PowerSharp® A041 Applications are available. Please refer to the PowerSharp® fitment guide at the beginning of the guide bar section.      |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  | ... G250, G300AVS, G300TS, G310TS, G2500, G2500TS, G3100TS, G3200, G3200EZ, G3300, G3300EZ, GZ3500T, GZ380, G3800, G3800AVS, GZ400, GZ4000 |  |  |  |  |  |  |  |  |  |  |  |  |  |

|    |    |        |      |            |       |    |   |  |  |                          |  |            |         |             |              |
|----|----|--------|------|------------|-------|----|---|--|--|--------------------------|--|------------|---------|-------------|--------------|
| 16 | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 56 | 6 |  |  | 160GPEA041<br>160SPEA041 |  | 160SDEA041 | 105700* | OMK91PX056G | OMK91VXL056G |
| 18 | 45 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 62 | 6 |  |  |                          |  | 180SDEA041 |         |             |              |

|         |    |        |      |            |       |    |   |  |  |                        |  |                        |  |             |              |
|---------|----|--------|------|------------|-------|----|---|--|--|------------------------|--|------------------------|--|-------------|--------------|
| INTENZ® |    |        |      |            |       |    |   |  |  |                        |  |                        |  |             |              |
| 14      | 35 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 52 | 6 |  |  | 140SPET041<br>C INTENZ |  | 140SDET041<br>C INTENZ |  | OMK91PX052G | OMK91VXL052G |
| 16      | 40 | 3/8 LP | .050 | 91PX, 91VG | 91VXL | 56 | 6 |  |  |                        |  | 160SDET041<br>C INTENZ |  | OMK91PX056G | OMK91VXL056G |

|                                     |    |        |      |            |            |    |   |  |  |  |  |                                      |  |             |  |
|-------------------------------------|----|--------|------|------------|------------|----|---|--|--|--|--|--------------------------------------|--|-------------|--|
| MICRO-LITE® and MICRO-LITE® INTENZ® |    |        |      |            |            |    |   |  |  |  |  |                                      |  |             |  |
| 12                                  | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 45 | 6 |  |  |  |  | 124MLEA041                           |  | OMK90PX045G |  |
| 14                                  | 35 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 52 | 6 |  |  |  |  | 144MLEA041<br>144MLET041<br>C INTENZ |  | OMK90SG-52E |  |
| 16                                  | 40 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 56 | 6 |  |  |  |  | 164MLEA041                           |  |             |  |

## ZENOA

|               |    |     |      |     |                         |    |   |            |            |            |  |  |         |  |              |
|---------------|----|-----|------|-----|-------------------------|----|---|------------|------------|------------|--|--|---------|--|--------------|
| G621, G621AVS |    |     |      |     |                         |    |   |            |            |            |  |  |         |  |              |
| 16            | 40 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 60 | 7 | 160ATMD176 | 160RNDD176 | 160GLHD176 |  |  | 105707* |  | OMK72LGX060G |
| 18            | 45 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 66 | 7 |            | 180RNDD176 |            |  |  |         |  | OMK72LGX066G |
| 20            | 50 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 70 | 7 | 200ATMD176 | 200RNDD176 | 200SLHD176 |  |  |         |  | OMK72LGX070G |
| 24            | 60 | 3/8 | .050 | 72V | 72DPX<br>72LGX<br>72LPX | 81 | 7 |            | 240RNDD176 |            |  |  |         |  | OMK72LGX081G |

POLE SAW† MODELS: PRO GZ25N, PSZ 2500S, PSZ 2600

|             |    |        |      |            |            |    |   |  |  |  |  |            |  |                            |  |
|-------------|----|--------|------|------------|------------|----|---|--|--|--|--|------------|--|----------------------------|--|
| MICRO-LITE® |    |        |      |            |            |    |   |  |  |  |  |            |  |                            |  |
| 10          | 25 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 39 | 6 |  |  |  |  | 104MLEA218 |  | OMK90SG039G<br>OMK90SG-39E |  |
| 12          | 30 | 3/8 LP | .043 | 90PX, 90SG | 90PX, 90SG | 44 | 6 |  |  |  |  | 124MLEA218 |  | OMK90PX044G                |  |

\*For detailed contents of Bar and Chain Combos refer to page featured after this: A-Z Bar and Chain Application Guide.

Chain saws with a **green triangle** have a displacement of less than 62cc (3.8 cu. in.). These saws must meet the low kickback requirements of the ANSI B175.1 standard. Chain types labelled green meet the low kickback provisions of the ANSI standard. Chain types labelled yellow have higher kickback potential and may not comply with low kickback provisions of the ANSI standard. Part numbers printed in **red italic** are to be discontinued by OREGON® when stocks

New chain loops are added to our range all the time, if a particular chain loop is not listed above please call us on 1300 363 004

Chain saws with a **yellow triangle** have a displacement greater than 62cc (3.8 cu. in.) and may, but are not required to, comply with ANSI low kickback requirements. These saws should be operated by users with experience and specialised training for dealing with kickback and are not recommended for general consumer use. In many cases, a low kickback, green label, saw chain can be applied to these saws but the kickback potential may still exceed that of the low kickback provisions of the ANSI standard. See