



BAR AND CHAIN APPLICATIONS

SAW CHAIN					GUIDE BARS						RETAIL PACKS			REPLACES OEM		
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
ALPINA																
361, 391																
12	30	3/8" LP	.050"	44	6		GAFAD1220RRP			GAFAD1220EL	GAFAD1220DL	GAF20S044DL				120SPEA074 120SDEA074
14	35	3/8" LP	.050"	50	6			GAFAD1420PRP		GAFAD1420EL	GAFAD1420DL	GAF20S050DL		GAF105702		140SPEA074 140SDEA074
16	40	3/8" LP	.050"	56	6			GAFAD1620PRP		GAFAD1620EL	GAFAD1620DL	GAF20S056DL				160SPEA074 160SDEA074
460, 510, 540, 550																
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
600, 650, 660																
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095
760, P70																
16	40	3/8"	.058"	60	8				GAFCB1648RS	GAFCB1648PL		GAF48S060DL	GAF48F060DL	GAF109116	168RNDK095	168SLHD095
18	45	3/8"	.058"	68	8	GAFCB1848RSP	GAFCB1848RRP		GAFCB1848RS	GAFCB1848PL		GAF48S068DL	GAF48F068DL	GAF109117	188RNDK095	188SLHD095
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP		GAFCB2048RS	GAFCB2048PL		GAF48S072DL	GAF48F072DL	GAF109118	208RNDK095	208SLHD095
BLACK & DECKER																
Alligator, LP1000																
6"	15	1/4"	.050"	42								GAF10SD042DL				
BUSHRANGER																
BRU36v9201																
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
CS4020, CS4210																
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700	160SPEA041	160SDEA041
CS4610, CS5410																
16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL		160RNBK095	160SLGK095
18	45	.325"	.050"	72	7					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
NARROW CUT ▼																
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
CS5210																
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
																
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth		Prokult Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokult Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokult Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
BUSHRANGER																
CS5610																
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
DEWALT																
DCM565N-XE																
12	30	3/8" LP	.043"	45								GAF24SN045DL	GAF24STN045DL			
DCM575N-XE, DCM575X1-XE																
16	40	3/8" LP	.043"	56								GAF24SN056DL	GAF24STN056DL			
DOLMAR																
109, 109HS, 110, 110i, 111, 111i, 115, 115i, PS-410, PS-411, PS-460, PS-510, PS-540, PS-5000 D, PS-5100 S, PS-5105, PS-5105 H. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain. PS410 After Serial # 34576 & PS411 After Serial # 33571 use NARROW CUT only.																
16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	7					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	7				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
100, 101, 102, 103, 104, 105, 106, 108, ES-161, ES-171, ES-173 A, PS-32, PS-34, PS-35, PS-45, PS-340, PS-341, PS-350, PS-400, PS-401, PS-420, PS-3300 TH, PS-3410 TH, PS-3410 TH TLC																
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL	GAF24STN045DL			
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL	GAF24STN052DL			144MLEA041
16	40	3/8" LP	.043"	56	6							GAF24SN056DL	GAF24STN056DL			
PS-351, PS-421																
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041
NARROW CUT ▼																
15	38	.325"	.050"	64	7							GAF30SDN064DL				



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth								Chain Loop				
												Semi-Chisel Chain	Full-Chisel Chain			
(")	(cm)					Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose			Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar

DOLMAR

110, 111, 111i, 112, 113, 114, 115, 115i, 116, 116si, 117, 118, 119, 120, PS-460, PS-510, PS-540, PS-5000 D, PS-5100 S, PS-5105, PS-5105 H, PS-6000i, PS-6800i.

Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.

16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
15	38	3/8"	.058"	56	7							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL	168RNDK095	168SLHK095	
17	43	3/8"	.058"	64	7							GAF48S064DL	GAF48F064DL			
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL	188RNDK095	188SLHK095	
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL	208RNDK095	208SLHK095	
24	60	3/8"	.058"	84	7				GAFBB2448RS			GAF48S084DL	GAF48F084DL	248RNDK095		

120 super, 120si

16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL	168RNDK095	168SLHK095	
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL	188RNDK095	188SLHK095	
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL	208RNDK095	208SLHK095	
24	60	3/8"	.058"	84	7				GAFBB2448RS			GAF48S084DL	GAF48F084DL	248RNDK095		

122, 123, 133, 143, 144, 152, 153, 166, CA

20	50	3/8"	.058"	72	7							GAF48S072DL	GAF48F072DL			
----	----	------	-------	----	---	--	--	--	--	--	--	-------------	-------------	--	--	--

PS-6400, PS-6400 H, PS-6400 HS, PS-6400 W, PS-7300, PS-7300 H, PS-7300 HS, PS-7300 W, PS-7310, PS-7310 H, PS-7900 H, PS-7900 HS, PS-7900 W, PS-7900, PS-7910, PS-7910 H, PS-7910 W, PS-9000, PS-9010, PS-9010 FL

16	40	3/8"	.058"	60	8				GAFCB1648RS	GAFCB1648PL		GAF48S060DL	GAF48F060DL	GAF109116	168RND009	168SLHD009
18	45	3/8"	.058"	68	8	GAFCB1848RSP	GAFCB1848RRP		GAFCB1848RS	GAFCB1848PL		GAF48S068DL	GAF48F068DL	GAF109117	188RND009	188SLHD009
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP		GAFCB2048RS	GAFCB2048PL		GAF48S072DL	GAF48F072DL	GAF109118	208RND009	208SLHD009
22	55	3/8"	.058"	76	7				GAFCB2248RS			GAF48S076DL	GAF48F076DL		228RND009	
24	60	3/8"	.058"	82	7	GAFCB2448RSP	GAFCB2448RRP					GAF48S082DL	GAF48F082DL			
24	60	3/8"	.058"	84	7				GAFCB2448RS			GAF48S084DL	GAF48F084DL		248RND009	
26	66	3/8"	.058"	89	8							GAF48S089DL	GAF48F089DL			
28	70	3/8"	.058"	92	7	GAFCB2848RSP			GAFCB2848RS			GAF48S092DL	GAF48F092DL		288RND009	
30	75	3/8"	.058"	102	8				GAFCB3048RS			GAF48S102DL	GAF48F102DL		308RND009	
20	50	3/8"	.063"	72	7	GAFCB2043RSP	GAFCB2043RRP		GAFCB2043RS			GAF43S072DL	GAF43F072DL		203RND009	
24	60	3/8"	.063"	82	7	GAFCB2443RSP	GAFCB2443RRP					GAF43S082DL	GAF43F082DL			
24	60	3/8"	.063"	84	7				GAFCB2443RS			GAF43S084DL	GAF43F084DL		243RND009	
28	70	3/8"	.063"	93	7	GAFCB2843RSP			GAFCB2843RS			GAF43S093DL	GAF43F093DL		283RND009	
30	75	3/8"	.063"	99	7	GAFCB3043RSP						GAF43S099DL	GAF43F099DL		303RND009	
32	81	3/8"	.063"	105	7				GAFCB3243RS			GAF43S105DL	GAF43F105DL		323RND009	
36	90	3/8"	.063"	114	7	GAFCB3643RSP						GAF43S114DL	GAF43F114DL			
36	90	3/8"	.063"	115	7				GAFCB3643RS			GAF43S115DL	GAF43F115DL		363RND009	

ECHO

400, 440, 4000, 4500, CS-400, CS-400EVL, CS-440, CS-440EVL, CS-510, CS-520, CS-3600, CS-3700ES, CS-3900, CS-4000, CS-4100, CS-4200ES, CS-4400, CS-4500, CS-4600, CS-5000, CS-5100

16	40	.325"	.050"	66	7				GAFBA1630RS	GAFBA1630PL		GAF30S066DL	GAF30F066DL	GAF105711	160RNBK041	160SLGK041
18	45	.325"	.050"	72	7					GAFBA1830PL		GAF30S072DL	GAF30F072DL	GAF105715		180SLGK041



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
						Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
Bar Length												Semi-Chisel Chain	Full-Chisel Chain			
(")	(cm)	Pitch	Gauge	Drive Links	Sprocket Teeth											
ECHO																
400, 440, 4000, 4500, CS-400, CS-400EVL, CS-440, CS-440EVL, CS-510, CS-520, CS-3600, CS-3700ES, CS-3900, CS-4000, CS-4100, CS-4200ES, CS-4400, CS-4500, CS-4600, CS-5000, CS-5100																
16	40	.325"	.058"	66	7					GAFBA1638PL		GAF38S066DL	GAF38F066DL			168SLGK041
18	45	.325"	.058"	72	7					GAFBA1838PL		GAF38S072DL	GAF38F072DL			188SLGK041
NARROW CUT ▼																
15	38	.325"	.050"	64	7							GAF30SDN064DL				
CS-501, CS-5500																
16	40	.325"	.050"	68	7							GAF30S068DL	GAF30F068DL			
20	50	.325"	.050"	79	7							GAF30S079DL	GAF30F079DL			
300, 328, 350, CS-280, CS-290, CS-300, CS-300EVL, CS-301, CS-302 (After Serial # 0015304), CS-302S, CS-303T, CS-305, CS-306, CS-310, CS-315, CS-320TES, CS-330, CS-330EVL, CS-330MX4, CS-330T, CS-340, CS-341, CS-345, CS-346, CS-350TES, CS-350WES, CS-351 (After Serial # 0112195), CS-352, CS-355T, CS-360, CS-360T, CS-370, CS-370T, CS-400, CS-2600, CS-2600ES, CS-2700ES, CS-3000, CS-3400, CS-3450, CS-3500, ECS-2000, ECS-3000																
10	25	3/8" LP	.050"	40	6						GAFAA1020DL	GAF20S040DL				100SDEA041
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041
16	40	3/8" LP	.050"	57	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF20S057DL				
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL GAF24STN052DL				144MLEA041
16	40	3/8" LP	.043"	56	6							GAF24SN056DL GAF24STN056DL				
CS-271T																
10	25	3/8" LP	.050"	40	6						GAFAA1020DL	GAF20S040DL				100SDEA041
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
Power pruner / Pole saws: PPF-225, PPF-280, PPT-265, PPT-265H, PPT-265S, PPT-266, PPT-266H, PPT-266S, PPT-280																
10	25	3/8" LP	.050"	39	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF20S039DL				
10	25	3/8" LP	.050"	40	6						GAFAA1020DL	GAF20S040DL				100SDEA041
12	30	3/8" LP	.050"	44	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF20S044DL				
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	49	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF20S049DL				
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
NARROW CUT ▼																
12	30	3/8" LP	.043"	44	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF24SN044DL GAF24STN044DL				
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
14	35	3/8" LP	.043"	49	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF24SN049DL GAF24STN049DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL GAF24STN052DL				144MLEA041



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM														
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar													
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain																
ECHO																													
Pole Saws PPF-210, PPF-211, PPT-230, PPT-231, PPT-260, PPT-261. Power Pruner: PP300, PP400, PP600, PP800, PP1200, PP1250, PP1260, PP1400, PP1400-D, PPF-2100, PPF-2400, PPSR-2122, PPSR-2433, PPT-2100, PPT-2400																													
10	25	3/8" LP	.050"	39	6							GAFAF1020DL	GAF20S039DL			100SDEA218													
12	30	3/8" LP	.050"	44	6								GAF20S044DL																
NARROW CUT ▼																													
10	25	3/8" LP	.043"	39	6							GAFAF1024NL	GAF24SN039DL GAF24STN039DL			104MLEA218													
12	30	3/8" LP	.043"	44	6							GAFAF1224NL	GAF24SN044DL GAF24STN044DL			124MLEA218													
CS-60, CS-60S, CS-451, CS-452, CS-500, CS-501EVL, CS-510EVL, CS-550, CS-590, CS-600P, CS-601, CS-602, CST-610, CS-610T, CS-706																													
16	40	3/8"	.050"	60	7								GAF40S060DL	GAF40F060DL															
18	45	3/8"	.050"	64	7								GAF40S064DL	GAF40F064DL															
18	45	3/8"	.050"	66	7								GAF40S066DL	GAF40F066DL															
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL			GAF40S070DL	GAF40F070DL	200RNDD176	200SLHD176													
24	60	3/8"	.050"	81	7				GAFCG2440RS				GAF40S081DL	GAF40F081DL	240RNDD176														
CS-650, CS-660, CS-670, CS-680, CS-701, CS-702, CS-750, CS-6700, CS-6702, CS-8000, CS-8001, CS-8002																													
16	40	3/8"	.050"	60	7								GAF40S060DL	GAF40F060DL															
18	45	3/8"	.050"	66	7								GAF40S066DL	GAF40F066DL															
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL			GAF40S070DL	GAF40F070DL	200RNDD176	200SLHD176													
24	60	3/8"	.050"	81	7				GAFCG2440RS				GAF40S081DL	GAF40F081DL	240RNDD176														
CS-900, CS-900EVL, CS-1001																													
16	40	3/8"	.050"	60	7								GAF40S060DL	GAF40F060DL		160GLHD196													
20	50	3/8"	.050"	70	7				GAFCG2040RS				GAF40S070DL	GAF40F070DL	200RNDD196														
24	60	3/8"	.050"	81	7								GAF40S081DL	GAF40F081DL															
21	53	3/8"	.063"	79	7								GAF43S079DL	GAF43F079DL															
21	53	.404"	.063"	71	7								GAF53S071DL	GAF53F071DL															
CS-1200VL																													
28	70	.404"	.063"	84	7								GAF53S084DL	GAF53F084DL															
30	75	.404"	.063"	92	7								GAF53S092DL	GAF53F092DL															
36	90	.404"	.063"	104	7								GAF53S104DL	GAF53F104DL															
EFCO																													
132, 132S, MT 2600, MT 3600, MT 3700, MT 3750, MT 4000, MT 4100																													
10	25	3/8" LP	.050"	40	6							GAFAA1020DL	GAF20S040DL			100SDEA041													
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041													
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041													
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041													
137, MT 350, MT 3500																													
14	35	3/8" LP	.050"	53	6					GAFAA1420EL	GAFAA1420DL	GAF20S053DL				140SPEA041 140SDEA041													
16	40	3/8" LP	.050"	57	6					GAFAA1620EL	GAFAA1620DL	GAF20S057DL				160SPEA041 160SDEA041													
141SP, MT 440																													
16	40	.325"	.050"	66	6					GAFBA1630PL		GAF30S066DL	GAF30F066DL			160SLGK041													




BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
EFCO																
147, 152, MT 5200																
16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	7					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
162																
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095
156, 165																
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	68	7							GAF40S068DL	GAF40F068DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095
24	60	3/8"	.058"	84	7				GAFBB2448RS			GAF48S084DL	GAF48F084DL		248RNDK095	
181, MT 6500, MT 7200, MT 8200																
20	50	3/8"	.058"	72	8				GAFCC2048RS			GAF48S072DL	GAF48F072DL		208RNDK024	
24	60	3/8"	.058"	82	8				GAFCC2448RS			GAF48S082DL	GAF48F082DL		248RNDK024	
199																
25	63	.404"	.063"	80	7				GAFDA2553RS			GAF53S080DL	GAF53F080DL		253RNFE031	
36	90	.404"	.063"	104	7							GAF53S104DL	GAF53F104DL			
Multi Mate Pole Pruner PT 2500, PT 2700, PTX 2500, PTX 2700																
10	25	3/8" LP	.043"	39	6							GAF24SN039DL GAF24STN039DL				
EGO																
CS1400E, CS1401E, CS1402E, CS1403E																
14	35	3/8" LP	.043"	52								GAF24SN052DL GAF24STN052DL				
CS1600E, CS1605E																
16	40	3/8" LP	.043"	56								GAF24SN056DL GAF24STN056DL				
CS1800E, CS1805E																
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041
PSA1000																
10	25	3/8" LP	.043"	40								GAF24SN040DL GAF24STN040DL				




BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
																
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
FAIRMONT HYDRAULIC																
38568, 43177, 43178, HCS513, HCS516, HCS520, HPS513, LIMBLOPPER																
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
HCS816, HCS820, HCS824																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	68	7							GAF40S068DL	GAF40F068DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095
24	60	3/8"	.058"	84	7				GAFBB2448RS			GAF48S084DL	GAF48F084DL		248RNDK095	
H6200B																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
HIKOKI																
CS3630DA																
12	30	3/8" LP	.050"	45								GAF20S045DL				
CS3635DB																
14	35	3/8" LP	.050"	52								GAF20S052DL				
HOMELITE																
25, 27, 4100, 4150, 4500, 4550, d4550b, i3850b, i4150b, i4550b, SUPER 240, TIMBERMAN, UT10518, UT10519, UT10520, UT10522, UT10526, UT10550, UT10552, UT10896, UT10910, UT10927A, UT10942A, UT10946A, ZR10520, ZR10522. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																
16	40	.325"	.050"	66	7				GAFBA1630RS	GAFBA1630PL		GAF30S066DL	GAF30F066DL	GAF105711	160RNBK041	160SLGK041
18	45	.325"	.050"	72	7					GAFBA1830PL		GAF30S072DL	GAF30F072DL	GAF105715		180SLGK041
20	50	.325"	.050"	78	7							GAF30S078DL	GAF30F078DL			
20, 20AV, 23, 23AV, 27, 3300, 3314, 3316, 3318, 3350, 3550, 3800, 3850, 4500, 4550, CS-40, d3300, d3350b, d3850, d3850b, i3350b, PS33, RANGER, UT10514, UT10516, UT10517, UT10530, UT10530A, UT10540, UT10548, UT10549, UT10560, UT10568, UT10564, UT10566, UT10569, UT10580, UT10584, UT10586, UT10588, UT10589, UT10640, UT10660, UT10680, UT10901, UT10901A, UT10926, UT10947A, UT10947D, UT10947E, UT43100, UT43102, UT43103, UT43120, UT43122, Z3850, ZR10540, ZR10560, ZR10580. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.																
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS		REPLACES OEM						
																				
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth							Chain Loop								
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain							
						Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose			Semi-Chisel Chain	Full-Chisel Chain	Bar & Chain Combo				
														Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar					

HOMELITE

20, 20AV, 23, 23AV, 27, 3300, 3314, 3316, 3318, 3350, 3550, 3800, 3850, 4500, 4550, CS-40, d3300, d3350b, d3850, d3850b, i3350b, PS33, RANGER, UT10514, UT10516, UT10517, UT10530, UT10530A, UT10540, UT10548, UT10549, UT10560, UT10568, UT10564, UT10566, UT10569, UT10580, UT10584, UT10586, UT10588, UT10589, UT10640, UT10660, UT10680, UT10901, UT10901A, UT10926, UT10947A, UT10947D, UT10947E, UT43100, UT43102, UT43103, UT43120, UT43122, Z3850, ZR10540, ZR10560, ZR10580. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.

NARROW CUT ▼

12	30	3/8" LP	.043"	45	6									GAF24SN045DL GAF24STN045DL			
14	35	3/8" LP	.043"	52	6						GAFAA1424NL			GAF24SN052DL GAF24STN052DL			144MLEA041
16	40	3/8" LP	.043"	56	6									GAF24SN056DL GAF24STN056DL			

180 SERIES, 190, 192, 240, 240SL, 245 (Before Serial # XE339), BANDIT, CLASSIC 192, ELECTRIC 200, LITTLE RED, LX-30, SUPER 2, SUPER 2CC, VI SUPER 2, XEL-14, XEL ELECTRIC, XL, XL2 (After Serial # 504-2001), XL-2CC, XL-10, XL-14, XL-16. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.

12	30	3/8" LP	.050"	48	6									GAF20S048DL			
14	35	3/8" LP	.050"	52	6									GAF20S052DL			
14	35	3/8" LP	.050"	53	6									GAF20S053DL			
16	40	3/8" LP	.050"	59	6									GAF20S059DL			

35SL, 330, 350, 350HG, 350SL, 360, SUPER XL, SUPER XL-AO, XL-12, XL-15

16	40	3/8"	.050"	60	7									GAF40S060DL	GAF40F060DL		
20	50	3/8"	.050"	70	7				GAFFCH2040RS					GAF40S070DL	GAF40F070DL	200RND196	
24	60	3/8"	.050"	81	7									GAF40S081DL	GAF40F081DL		

CWE1814, CWE2016, Electric Saws

12	30	3/8" LP	.050"	48	6									GAF20S048DL			
14	35	3/8" LP	.050"	52	6									GAF20S052DL			
14	35	3/8" LP	.050"	53	6									GAF20S053DL			
16	40	3/8" LP	.050"	59	6									GAF20S059DL			

CSP3314, CSP3316

12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041

NARROW CUT ▼

12	30	3/8" LP	.043"	45	6									GAF24SN045DL GAF24STN045DL			
14	35	3/8" LP	.043"	52	6						GAFAA1424NL			GAF24SN052DL GAF24STN052DL			144MLEA041
16	40	3/8" LP	.043"	56	6									GAF24SN056DL GAF24STN056DL			

CSP4016, PCN4040, PCN4040KB

16	40	.325"	.050"	66	7					GAFFBA1630PL		GAF30S066DL	GAF30F066DL	GAFF105711		160SLGK041
18	45	.325"	.050"	72	7					GAFFBA1830PL		GAF30S072DL	GAF30F072DL	GAFF105715		180SLGK041

CSP4513, PCN4533


15	38	.325"	.050"	64	7							GAFF30SDN064DL				
----	----	-------	-------	----	---	--	--	--	--	--	--	----------------	--	--	--	--

CSP4518, CSP4520

16	40	.325"	.050"	66	7				GAFFBA1630RS	GAFFBA1630PL		GAF30S066DL	GAF30F066DL	GAFF105711	160RNBK041	160SLGK041
18	45	.325"	.050"	72	7					GAFFBA1830PI		GAF30S072DI	GAF30F072DI	GAFF105715		180SLGK041



BAR AND CHAIN APPLICATIONS

SAW CHAIN					GUIDE BARS						RETAIL PACKS			REPLACES OEM		
																
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
HOMELITE																
Pole saw models																
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
400, 410, 450, 460, 540, 550, 650, 700, 750, 800, 825, 850, 900, 922, 923, 8800, SUPER XL-925, V-955, XL-400, XL-700 SERIES, XL-800 SERIES, XL-900 SERIES																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL	GAF105708		
20	50	3/8"	.050"	70	7				GAFCH2040RS			GAF40S070DL	GAF40F070DL		200RND196	
24	60	3/8"	.050"	81	7							GAF40S081DL	GAF40F081DL			
21	53	3/8"	.063"	79	7							GAF43S079DL	GAF43F079DL			
HUSQVARNA																
535i XP, 540i XP, T535i XP, T540i XP																
12	30	.325"	.043"	51	7							GAF34SDN051DL				
14	35	.325"	.043"	59	7							GAF34SDN059DL				
33, 40, 41, 42, 44, 45, 49, 50, 51, 55, 55 RANCHER, 57, 133, 140, 154, 234, 238, 240, 242, 242 XP, 246, 254, 254 XP, 257, 261, 262, 262 XP, 336, 339 XP, 340, 340 e, 345, 345 e, 346, 346 XP, 346 XP E-TECH, 346 XPG, 350, 350 e, 351, 353, 353 E-TECH, 353 G E-TECH, 357 XP, 357 XPG, 359, 359 E-TECH, 360, 435, 435 e, 440 e, 444, 445, 445 e, 450, 450 50TH ANNIVERSARY, 450 e, 455, 455 e RANCHER, 455 RANCHER, 460, 460 RANCHER, 466, 543 XP, 543 XPG, 545, 550 XP, 550 XPG, 555, 560 XP, 560 XPG, 1200 Electric, 1400 Electric, 1500 Electric, 1600 Electric, 1800 Electric, H318																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	68	7							GAF40S068DL	GAF40F068DL			
13	33	3/8"	.058"	50	7							GAF48S050DL	GAF48F050DL			
15	38	3/8"	.058"	56	7							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL	168RNDK095	168SLHK095	
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL	188RNDK095	188SLHK095	
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL	208RNDK095	208SLHK095	
24	60	3/8"	.058"	84	7				GAFBB2448RS			GAF48S084DL	GAF48F084DL	248RNDK095		
16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	7					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL	158RNBK095	158SLBK095	
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
34, 35, 37, 335																
12	30	3/8" LP	.050"	45	6							GAF20S045DL				
16	40	3/8" LP	.050"	56	6							GAF20S056DL				



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth								Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
												Semi-Chisel Chain	Full-Chisel Chain			
(")	(cm)				Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose						

HUSQVARNA																
23, 36, 41, 136, 137, 137 e, 141, 142, 142 e, 235, 235 e, 236, 236 e, 240, 240 e, 243, 249, 315 Electric, 318 Electric, 320 Electric, 321 Electric. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.																

10	25	3/8" LP	.050"	40	6							GAFAA1020DL	GAFAA1020DL			100SDEA041
12	30	3/8" LP	.050"	45	6						GAFAA1220EL	GAFAA1220DL	GAFAA1220DL	GAFAA1220DL	GAFAA1220DL	120SPEA041
14	35	3/8" LP	.050"	52	6						GAFAA1420EL	GAFAA1420DL	GAFAA1420DL	GAFAA1420DL	GAFAA1420DL	140SPEA041
16	40	3/8" LP	.050"	56	6						GAFAA1620EL	GAFAA1620DL	GAFAA1620DL	GAFAA1620DL	GAFAA1620DL	160SPEA041
18	45	3/8" LP	.050"	62	6							GAFAA1820DL	GAFAA1820DL	GAFAA1820DL	GAFAA1820DL	180SDEA041

NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6								GAFAA1242NL	GAFAA1242NL		
14	35	3/8" LP	.043"	52	6								GAFAA1424NL	GAFAA1424NL		144MLEA041
16	40	3/8" LP	.043"	56	6								GAFAA1624NL	GAFAA1624NL		

36, 41, 136, 141, 142. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

20	50	.325"	.050"	78	7							GAFAA2050DL	GAFAA2050DL			
----	----	-------	-------	----	---	--	--	--	--	--	--	-------------	-------------	--	--	--

61, 160, 162, 260, 465 RANCHER																
13	33	3/8"	.058"	52	8								GAFAA1333DL	GAFAA1333DL		
15	38	3/8"	.058"	56	8								GAFAA1538DL	GAFAA1538DL		
16	40	3/8"	.058"	60	7								GAFAA1640DL	GAFAA1640DL		
18	45	3/8"	.058"	68	8	GAFAA1845RSP	GAFAA1845RRP			GAFAA1845RSP	GAFAA1845RSP		GAFAA1845RSP	GAFAA1845RSP	GAFAA1845RSP	180SPEA041
20	50	3/8"	.058"	72	8	GAFAA2048RSP	GAFAA2048RRP			GAFAA2048RSP	GAFAA2048RSP		GAFAA2048RSP	GAFAA2048RSP	GAFAA2048RSP	200SPEA041
22	55	3/8"	.058"	76	7					GAFAA2248RSP	GAFAA2248RSP		GAFAA2248RSP	GAFAA2248RSP	GAFAA2248RSP	220SPEA041
24	60	3/8"	.058"	82	7	GAFAA2448RSP	GAFAA2448RRP			GAFAA2448RSP	GAFAA2448RSP		GAFAA2448RSP	GAFAA2448RSP	GAFAA2448RSP	240SPEA041
24	60	3/8"	.058"	84	7					GAFAA2448RSP	GAFAA2448RSP		GAFAA2448RSP	GAFAA2448RSP	GAFAA2448RSP	240SPEA041
28	70	3/8"	.058"	92	7	GAFAA2848RSP	GAFAA2848RSP			GAFAA2848RSP	GAFAA2848RSP		GAFAA2848RSP	GAFAA2848RSP	GAFAA2848RSP	280SPEA041
20	50	3/8"	.063"	72	7	GAFAA2043RSP	GAFAA2043RRP			GAFAA2043RSP	GAFAA2043RSP		GAFAA2043RSP	GAFAA2043RSP	GAFAA2043RSP	200SPEA041
24	60	3/8"	.063"	82	7	GAFAA2443RSP	GAFAA2443RRP			GAFAA2443RSP	GAFAA2443RSP		GAFAA2443RSP	GAFAA2443RSP	GAFAA2443RSP	240SPEA041
24	60	3/8"	.063"	84	7					GAFAA2443RSP	GAFAA2443RSP		GAFAA2443RSP	GAFAA2443RSP	GAFAA2443RSP	240SPEA041

316 Electric, 334 T, 335, 335 XPT, 338 XPT, 339 XP, 1400, 1600, T435, T536Li XP, T540, T540 XP																
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

12	30	3/8" LP	.050"	45	6			GAFAA1220PRP		GAFAA1220EL		GAFAA1220DL	GAFAA1220DL			120SPEA095
14	35	3/8" LP	.050"	52	6			GAFAA1420PRP		GAFAA1420EL		GAFAA1420DL	GAFAA1420DL			140SPEA095
16	40	3/8" LP	.050"	56	6			GAFAA1620PRP		GAFAA1620EL		GAFAA1620DL	GAFAA1620DL			160SPEA095

NARROW CUT ▼																
14	35	3/8" LP	.043"	52	6								GAFAA1435DL	GAFAA1435DL		

Pole pruner models: 128LDX, 325P4, 325P5X, 326P4, 326P5X, 327P4, 327P4X, 327P5X, 525P4S, 525P5S																
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

12	30	3/8" LP	.050"	45	6			GAFAA1220PRP		GAFAA1220EL		GAFAA1220DL	GAFAA1220DL			120SPEA095
14	35	3/8" LP	.050"	52	6			GAFAA1420PRP		GAFAA1420EL		GAFAA1420DL	GAFAA1420DL			140SPEA095


NARROW CUT ▼																
14	35	3/8" LP	.043"	52	6			GAFAA1620PRP		GAFAA1620EL		GAFAA1620DL	GAFAA1620DL			

362, 362XP																
------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

16	40	.325"	.050"	66	7					GAFAA1630PL		GAFAA1630DL	GAFAA1630DL			160SPEA095
----	----	-------	-------	----	---	--	--	--	--	-------------	--	-------------	-------------	--	--	------------



BAR AND CHAIN APPLICATIONS

SAW CHAIN					GUIDE BARS							RETAIL PACKS		REPLACES OEM		
																
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			

HUSQVARNA

362, 362XP

13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095

NARROW CUT ▼

13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	68	7							GAF40S068DL	GAF40F068DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095
24	60	3/8"	.058"	84	7				GAFBB2448RS			GAF48S084DL	GAF48F084DL		248RNDK095	

180, 181, 185, 266, 268, 272, 281, 285, 288, 288 XP LITE, 298, 365, 371, 371 XP, 372, 372 XP, 372 XPG, 372 XPW, 380, 385, 385 XP, 385 XPG, 385 XPW, 390 XP, 390 XPG, 390 XPW, 394, 394 XP, 395, 395 XP, 395 XPG, 395 XPW, 480, 562 XP, 562 XPG, 570, 575 XP, 575 XPG, 575 XPW, 576 XP, 576 XP AUTO TUNE, 576 XPG, 576 XPW, 1100, 2100, 2101, 3120, 3120 XP, JUNGLE 3120, L 65, L 66, L 70, L 77

13	33	3/8"	.058"	52	8							GAF48S052DL	GAF48F052DL			
15	38	3/8"	.058"	56	8							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	8				GAFCB1648RS	GAFCB1648PL		GAF48S060DL	GAF48F060DL	GAF109116	168RNDK095	168SLHD009
18	45	3/8"	.058"	68	8	GAFCB1848RSP	GAFCB1848RRP		GAFCB1848RS	GAFCB1848PL		GAF48S068DL	GAF48F068DL	GAF109117	188RNDK095	188SLHD009
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP		GAFCB2048RS	GAFCB2048PL		GAF48S072DL	GAF48F072DL	GAF109118	208RNDK095	208SLHD009
22	55	3/8"	.058"	76	7				GAFCB2248RS			GAF48S076DL	GAF48F076DL		228RNDK095	
24	60	3/8"	.058"	82	7	GAFCB2448RSP	GAFCB2448RRP					GAF48S082DL	GAF48F082DL			
24	60	3/8"	.058"	84	7				GAFCB2448RS			GAF48S084DL	GAF48F084DL		248RNDK095	
26	65	3/8"	.058"	89	8							GAF48S089DL	GAF48F089DL			
28	70	3/8"	.058"	92	7	GAFCB2848RSP			GAFCB2848RS			GAF48S092DL	GAF48F092DL		288RNDK095	
30	75	3/8"	.058"	102	8				GAFCB3048RS			GAF48S102DL	GAF48F102DL		308RNDK095	
20	50	3/8"	.063"	72	7	GAFCB2043RSP	GAFCB2043RRP		GAFCB2043RS			GAF43S072DL	GAF43F072DL		203RNDK095	
24	60	3/8"	.063"	82	7	GAFCB2443RSP	GAFCB2443RRP					GAF43S082DL	GAF43F082DL			
24	60	3/8"	.063"	84	7				GAFCB2443RS			GAF43S084DL	GAF43F084DL		243RNDK095	
28	70	3/8"	.063"	92	7	GAFCB2843RSP			GAFCB2843RS			GAF43S092DL	GAF43F092DL		283RNDK095	
30	75	3/8"	.063"	99	7	GAFCB3043RSP						GAF43S099DL	GAF43F099DL		303RNDK095	
32	81	3/8"	.063"	105	7				GAFCB3243RS			GAF43S105DL	GAF43F105DL		323RNDK095	
34	86	3/8"	.063"	110	7							GAF43S110DL	GAF43F110DL			
36	90	3/8"	.063"	114	7	GAFCB3643RSP						GAF43S114DL	GAF43F114DL			
36	90	3/8"	.063"	115	7				GAFCB3643RS			GAF43S115DL	GAF43F115DL		363RNDK095	
42	107	3/8"	.063"	135	7				GAFCB4243RS			GAF43S135DL	GAF43F135DL		423RNDK095	



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length						Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)	Pitch	Gauge	Drive Links	Sprocket Teeth							Semi-Chisel Chain	Full-Chisel Chain			

HUSQVARNA																
180, 181, 185, 266, 268, 272, 281, 285, 288, 288 XP LITE, 298, 365, 371, 371 XP, 372, 372 XP, 372 XPG, 372 XPW, 380, 385, 385 XP, 385 XPG, 385 XPW, 390 XP, 390 XPG, 390 XPW, 394, 394 XP, 395, 395 XP, 395 XPG, 395 XPW, 480, 562 XP, 562 XPG, 570, 575 XP, 575 XPG, 575 XPW, 576 XP, 576 XP AUTO TUNE, 576 XPG, 576 XPW, 1100, 2100, 2101, 3120, 3120 XP, JUNGLE 3120, L 65, L 66, L 70, L 77																

33	84	.404"	.058"	100	7							GAF48S100DL	GAF48F100DL			
20	50	.404"	.063"	65	7							GAF53S065DL	GAF53F065DL			
24	60	.404"	.063"	76	7				GAFCB2453RS			GAF53S076DL	GAF53F076DL		243RNF009	
28	70	.404"	.063"	84	7							GAF53S084DL	GAF53F084DL			
34	86	.404"	.063"	100	7							GAF53S100DL	GAF53F100DL			
36	90	.404"	.063"	104	7							GAF53S104DL	GAF53F104DL			

JOHN DEERE																
------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

45EV, 46EV, 300CS, 450V																
-------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

16	40	.325"	.050"	66	7				GAFBA1630RS	GAFBA1630PL		GAF30S066DL	GAF30F066DL	GAF105711	160RNBK041	160SLGK041
18	45	.325"	.050"	72	7					GAFBA1830PL		GAF30S072DL	GAF30F072DL	GAF105715		180SLGK041
20	50	.325"	.050"	78	7							GAF30S078DL	GAF30F078DL			

25EV, 28, 28V, 30, 30V, 35, 35EV, 40V, 200CS, 230CS, CS36, CS36LE, CS40, CS40LE, CS40V, J3816																
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041

NARROW CUT ▼																
--------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL GAF24STN052DL				144MLEA041
16	40	3/8" LP	.043"	56	6							GAF24SN056DL GAF24STN056DL				

50AV, 50V, 51SV, 55EV, 55V, 55SV, 60V																
---------------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	66	7							GAF40S066DL	GAF40F066DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAF40S070DL	GAF40F070DL		200RND176	200SLHD176
24	60	3/8"	.050"	81	7				GAFCG2440RS			GAF40S081DL	GAF40F081DL		240RND176	

Pole saw models																
-----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

NARROW CUT ▼																
--------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
----	----	---------	-------	----	---	--	--	--	--	--	--	-------------------------------	--	--	--	--

CS46, CS52																
------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	8					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095

NARROW CUT ▼																
--------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095

CS56, CS62. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	8					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM														
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar													
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain																
JOHN DEERE																													
CS56, CS62. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																													
NARROW CUT ▼																													
16	40	.325"	.050"	66	7							GAFBB1630KL		GAF30SDN066DL		GAF108579	160MPBK095												
18	45	.325"	.050"	72	7							GAFBB1830KL		GAF30SDN072DL		GAF108580	180MPBK095												
CS62. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.																													
16	40	3/8"	.050"	60	7									GAF40S060DL	GAF40F060DL														
65, 65EV, 65SV, 66SV, 70V, 80EV, 800V																													
16	40	3/8"	.050"	60	7									GAF40S060DL	GAF40F060DL														
18	45	3/8"	.050"	66	7									GAF40S066DL	GAF40F066DL														
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL				GAF40S070DL	GAF40F070DL	200RNDD176	200SLHD176												
24	60	3/8"	.050"	81	7				GAFCG2440RS					GAF40S081DL	GAF40F081DL	240RNDD176													
CS71, CS81. Note: CH Bar tail slot must be filed .020 for correct fitment.																													
16	40	3/8"	.050"	60	7									GAF40S060DL	GAF40F060DL														
20	50	3/8"	.050"	70	7				GAFCCH2040RS					GAF40S070DL	GAF40F070DL	200RNDD196													
24	60	3/8"	.050"	81	7									GAF40S081DL	GAF40F081DL														
18	45	3/8"	.058"	68	7									GAF48S068DL	GAF48F068DL														
20	50	3/8"	.058"	72	7				GAFCCH2048RS					GAF48S072DL	GAF48F072DL	208RNDD024													
21	53	3/8"	.063"	72	7									GAF43S072DL	GAF43F072DL														
JONSERED																													
45, 49, 50, 51, 52, 370, 410, 420, 425, 435, 450, 451, 455, 510, 521, 525, 535, 2050, 2050 Turbo, 2051, 2054, 2055, 2149, 2149 Turbo, CS2141, CS2141S, CS2145, CS2145S, CS2149 Turbo, CS2150, CS2152 W, CS2153, CS2156, CS2159, CS2159C, CS2159WH, CS2163, CS2240, CS2245, CS2250, CS2250S, CS2255. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																													
16	40	.325"	.050"	66	7							GAFBB1630PL		GAF30S066DL	GAF30F066DL		160SLGK095												
18	45	.325"	.050"	72	7							GAFBB1830PL		GAF30S072DL	GAF30F072DL		180SLGK095												
13	33	.325"	.058"	56	7							GAFBB1338PL		GAF38S056DL	GAF38F056DL		138SLBK095												
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL				GAF38S064DL	GAF38F064DL	158RNBK095	158SLBK095												
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL				GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095											
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL				GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095											
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL				GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095											
NARROW CUT ▼																													
13	33	.325"	.050"	56	7									GAF30SDN056DL															
15	38	.325"	.050"	64	7					GAFBB1530KL				GAF30SDN064DL			150MPBK095												
16	40	.325"	.050"	66	7					GAFBB1630KL				GAF30SDN066DL		GAF108579	160MPBK095												
18	45	.325"	.050"	72	7					GAFBB1830KL				GAF30SDN072DL		GAF108580	180MPBK095												
2014, 2016, 2036, 2036 Turbo, 2040, 2040 Turbo, 2041, 2141, CS 2141. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																													
16	40	.325"	.050"	66	7				GAFBA1630RS	GAFBA1630PL				GAF30S066DL	GAF30F066DL	GAF105711	160RNBK041	160SLGK041											
18	45	.325"	.050"	72	7					GAFBA1830PL				GAF30S072DL	GAF30F072DL	GAF105715		180SLGK041											
16	40	.325"	.058"	66	7					GAFBA1638PL				GAF38S066DL	GAF38F066DL			168SLGK041											
18	45	.325"	.058"	72	7					GAFBA1838PL				GAF38S072DL	GAF38F072DL			188SLGK041											



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth							Chain Loop				
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
						Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose			Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar

JONSERED
2014, 2016, 2036, 2036 Turbo, 2040, 2040 Turbo, 2041, 2141, CS 2141. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.

NARROW CUT ▼

15	38	.325"	.050"	64	7							GAF30SDN064DL				
----	----	-------	-------	----	---	--	--	--	--	--	--	---------------	--	--	--	--

36, 361, 365

12	30	3/8" LP	.050"	45	6							GAF20S045DL				
16	40	3/8" LP	.050"	56	6							GAF20S056DL				

490, 520SP, 525, 535, 590, 2050, 2051, 2055, 2063, 2163, CS2149, CS2050, CS2050 TURBO, CS2054, CS2156, CS2159, CS2159 C, CS2159 CWH, CS2159 WH, CS2163, CS2163 WH, CS2255. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.

16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL	168RNDK095	168SLHK095	
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL	188RNDK095	188SLHK095	
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL	208RNDK095	208SLHK095	
24	60	3/8"	.058"	84	7				GAFBB2448RS			GAF48S084DL	GAF48F084DL	248RNDK095		

2014, 2016, 2033T, 2035, 2036, 2036 TURBO, 2040, 2040 TURBO, 2041, 2045, 2137, 2138, 2150, CS2135, CS2137, CS2138, CS2138S, CS2152W, CS2238S. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.

12	30	3/8" LP	.050"	45	6				GAFAA1220EL	GAFAA1220DL		GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6				GAFAA1420EL	GAFAA1420DL		GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6				GAFAA1620EL	GAFAA1620DL		GAF20S056DL		GAF105700		160SPEA041 160SDEA041
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
14	35	3/8" LP	.043"	52	6					GAFAA1424NL		GAF24SN052DL GAF24STN052DL				144MLEA041
16	40	3/8" LP	.043"	56	6							GAF24SN056DL GAF24STN056DL				

625, 630, 630 Super, 630 West Coast, 635, 670, 2065, 2071, 2077, 2083, 2094, 2095, 2163, 2165, 2171, CS 2165, CS 2171, CS 2171 WH, CS 2186, CS 2186 WH, CS 2188

13	33	3/8"	.058"	52	8							GAF48S052DL	GAF48F052DL			
15	38	3/8"	.058"	56	8							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	8				GAFCB1648RS	GAFCB1648PL		GAF48S060DL	GAF48F060DL	GAF109116	168RND009	168SLHD009
18	45	3/8"	.058"	68	8	GAFCB1848RSP	GAFCB1848RRP		GAFCB1848RS	GAFCB1848PL		GAF48S068DL	GAF48F068DL	GAF109117	188RND009	188SLHD009
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP		GAFCB2048RS	GAFCB2048PL		GAF48S072DL	GAF48F072DL	GAF109118	208RND009	208SLHD009
22	55	3/8"	.058"	76	7				GAFCB2248RS			GAF48S076DL	GAF48F076DL		228RND009	
24	60	3/8"	.058"	82	7	GAFCB2448RSP	GAFCB2448RRP					GAF48S082DL	GAF48F082DL			
24	60	3/8"	.058"	84	7				GAFCB2448RS			GAF48S084DL	GAF48F084DL		248RND009	
26	65	3/8"	.058"	89	8							GAF48S089DL	GAF48F089DL			
28	70	3/8"	.058"	92	7	GAFCB2848RSP			GAFCB2848RS			GAF48S092DL	GAF48F092DL		288RND009	
30	75	3/8"	.058"	102	8				GAFCB3048RS			GAF48S102DL	GAF48F102DL		308RND009	



60, 61, 62, 621, 2350

16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
20	50	3/8"	.050"	70	7				GAFCH2040RS			GAF40S070DL	GAF40F070DL		200RND0196	
24	60	3/8"	.050"	81	7							GAF40S081DL	GAF40F081DL			
20	50	3/8"	.058"	72	8				GAFCC2048RS			GAF48S072DL	GAF48F072DL		208RND0024	
21	53	3/8"	.063"	79	7							GAF43S079DL	GAF43F079DL			



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth								Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
												Semi-Chisel Chain	Full-Chisel Chain			
(")	(cm)															
JONSERED																
66, 70, 75, 77, 80, 81, 90, 110, 111, 601, 751, 801, 820, 830, 910, 920, 930, 939, 941, 1020. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .404" pitch chain.																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
20	50	3/8"	.050"	70	7					GAFCH2040RS		GAF40S070DL	GAF40F070DL		200RND196	
24	60	3/8"	.050"	81	7							GAF40S081DL	GAF40F081DL			
20	50	3/8"	.058"	72	8					GAFCC2048RS		GAF48S072DL	GAF48F072DL		208RND0024	
21	53	3/8"	.063"	79	7							GAF43S079DL	GAF43F079DL			
670 WEST COAST, 2083II. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .404" pitch chain.																
13	33	3/8"	.058"	52	8							GAF48S052DL	GAF48F052DL			
15	38	3/8"	.058"	56	8							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	8					GAFCB1648RS	GAFCB1648PL	GAF48S060DL	GAF48F060DL	GAF109116	168RND009	168SLHD009
18	45	3/8"	.058"	68	8	GAFCB1848RSP	GAFCB1848RRP			GAFCB1848RS	GAFCB1848PL	GAF48S068DL	GAF48F068DL	GAF109117	188RND009	188SLHD009
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP			GAFCB2048RS	GAFCB2048PL	GAF48S072DL	GAF48F072DL	GAF109118	208RND009	208SLHD009
22	55	3/8"	.058"	76	7					GAFCB2248RS		GAF48S076DL	GAF48F076DL		228RND009	
24	60	3/8"	.058"	82	7	GAFCB2448RSP	GAFCB2448RRP					GAF48S082DL	GAF48F082DL			
24	60	3/8"	.058"	84	7					GAFCB2448RS		GAF48S084DL	GAF48F084DL		248RND009	
26	65	3/8"	.058"	89	8							GAF48S089DL	GAF48F089DL			
28	70	3/8"	.058"	92	7	GAFCB2848RSP				GAFCB2848RS		GAF48S092DL	GAF48F092DL		288RND009	
30	75	3/8"	.058"	102	8					GAFCB3048RS		GAF48S102DL	GAF48F102DL		308RND009	
20	50	3/8"	.063"	72	7	GAFCB2043RSP	GAFCB2043RRP			GAFCB2043RS		GAF43S072DL	GAF43F072DL		203RND009	
24	60	3/8"	.063"	82	7	GAFCB2443RSP	GAFCB2443RRP					GAF43S082DL	GAF43F082DL			
24	60	3/8"	.063"	84	7					GAFCB2443RS		GAF43S084DL	GAF43F084DL		243RND009	
28	70	3/8"	.063"	92	7	GAFCB2843RSP				GAFCB2843RS		GAF43S092DL	GAF43F092DL		283RND009	
30	75	3/8"	.063"	99	7	GAFCB3043RSP						GAF43S099DL	GAF43F099DL		303RND009	
32	81	3/8"	.063"	105	7					GAFCB3243RS		GAF43S105DL	GAF43F105DL		323RND009	
36	90	3/8"	.063"	114	7	GAFCB3643RSP						GAF43S114DL	GAF43F114DL			
36	90	3/8"	.063"	115	7					GAFCB3643RS		GAF43S115DL	GAF43F115DL		363RND009	
42	107	3/8"	.063"	135	7					GAFCB4243RS		GAF43S135DL	GAF43F135DL		423RND009	
42	107	3/8"	.063"	137	7	GAFCB4243RSP						GAF43S137DL	GAF43F137DL		423RND009	
20	50	.404"	.063"	65	7							GAF53S065DL	GAF53F065DL			
MAKITA																
DUC122Z, DUC122SF																
4.5	11	1/4"	.050"	42								GAF10SD042DL				
DUC254Z																
10	25	3/8" LP	.043"	40								GAF24SN040DL	GAF24STN040DL			
DUC302PT2, DUC302Z, DUC306PT2, DUC306Z, EY403MP, UC003GM101																
12	30	3/8" LP	.043"	46								GAF24SN046DL	GAF24STN046DL			
DUC355, DUC353Z, DUC353PT2, UC3520A, UC3521A																
14	35	3/8" LP	.043"	52								GAF24SN052DL	GAF24STN052DL			

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
																
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth		Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			

MAKITA

DUC400, DUC400PT2, DUC400Z, DUC405, UC4020A, UC4041A

16	40	3/8" LP	.043"	56								GAF24SN056DL				
												GAF24STN056DL				

DCS 430, DCS 431, DCS 460, DCS 510, DCS 520i, DCS 540, DCS5121, DCS 5200i. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.

16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	7					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095

NARROW CUT ▼

13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095

5012B, 5014B, 5014NB, 5016B, 5016NB, DCS 34, DCS 330S, DCS 330TH, DCS 340, DCS 341, DCS 390, DCS 390S, DCS 400, DCS 401, DCS3416, DE3435, EA3201S, EA3201S35B, EA3501, EA3502, EA3601, EA4300F40B, MDE3435, MDE3440, UC3030A, UC3500, UC3530A, UC4000, UC4030A

12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041

NARROW CUT ▼

12	30	3/8" LP	.043"	45	6							GAF24SN045DL				
												GAF24STN045DL				
14	35	3/8" LP	.043"	52	6					GAFAA1424NL		GAF24SN052DL				144MLEA041
												GAF24STN052DL				
16	40	3/8" LP	.043"	56	6							GAF24SN056DL				
												GAF24STN056DL				

DCS410, DCS411, DCS430. Note: DCS410 After Serial # 34576 & DCS411 After Serial # 33661 use NARROW CUT only.

15	38	.325"	.058"	64	8					GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP				GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP				GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP				GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095

NARROW CUT ▼

15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095

DCS 460, DCS 510, DCS 520i, DCS 540, DCS5121, DCS 5200i, DCS 6000i, EA5000P53G. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.

16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
15	38	3/8"	.058"	56	7							GAF40S056DL	GAF40F056DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length (") (cm)	Pitch	Gauge	Drive Links	Sprocket Teeth								Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
												Semi-Chisel Chain	Full-Chisel Chain			

MAKITA

DCS 6800i

16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL			188SLHK095

DCS 6401, DCS 6421, DCS 7301, DCS 7901, DCS 9000, DCS 9010 FL. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .404" pitch chain.

13	33	3/8"	.058"	52	8							GAF48S052DL	GAF48F052DL			
15	38	3/8"	.058"	56	8							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	8				GAFCB1648RS	GAFCB1648PL		GAF48S060DL	GAF48F060DL	GAF109116	168RND009	168SLHD009
18	45	3/8"	.058"	68	8	GAFCB1848RSP	GAFCB1848RRP		GAFCB1848RS	GAFCB1848PL		GAF48S068DL	GAF48F068DL	GAF109117	188RND009	188SLHD009
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP		GAFCB2048RS	GAFCB2048PL		GAF48S072DL	GAF48F072DL	GAF109118	208RND009	208SLHD009
22	55	3/8"	.058"	76	7				GAFCB2248RS			GAF48S076DL	GAF48F076DL		228RND009	
24	60	3/8"	.058"	82	7	GAFCB2448RSP	GAFCB2448RRP					GAF48S082DL	GAF48F082DL			
24	60	3/8"	.058"	84	7				GAFCB2448RS			GAF48S084DL	GAF48F084DL		248RND009	
26	65	3/8"	.058"	89	8							GAF48S089DL	GAF48F089DL			
28	70	3/8"	.058"	92	7	GAFCB2848RSP			GAFCB2848RS			GAF48S092DL	GAF48F092DL		288RND009	
30	75	3/8"	.058"	102	8				GAFCB3048RS			GAF48S102DL	GAF48F102DL		308RND009	
20	50	3/8"	.063"	72	7	GAFCB2043RSP	GAFCB2043RRP		GAFCB2043RS			GAF43S072DL	GAF43F072DL		203RND009	
24	60	3/8"	.063"	82	7	GAFCB2443RSP	GAFCB2443RRP					GAF43S082DL	GAF43F082DL			
24	60	3/8"	.063"	84	7				GAFCB2443RS			GAF43S084DL	GAF43F084DL		243RND009	
28	70	3/8"	.063"	93	7	GAFCB2843RSP			GAFCB2843RS			GAF43S093DL	GAF43F093DL		283RND009	
30	75	3/8"	.063"	99	7	GAFCB3043RSP						GAF43S099DL	GAF43F099DL		303RND009	
32	81	3/8"	.063"	105	7				GAFCB3243RS			GAF43S105DL	GAF43F105DL		323RND009	
36	90	3/8"	.063"	114	7	GAFCB3643RSP						GAF43S114DL	GAF43F114DL			
36	90	3/8"	.063"	115	7				GAFCB3643RS			GAF43S115DL	GAF43F115DL		363RND009	
42	107	3/8"	.063"	135	7				GAFCB4243RS			GAF43S135DL	GAF43F135DL		423RND009	
42	107	3/8"	.063"	137	7	GAFCB4243RSP						GAF43S137DL	GAF43F137DL		423RND009	

MARUYAMA POLE SAWS

MC-PL10, MC-PS10

10	25	3/8" LP	.050"	40	7					GAFAF1020DL	GAF20S040DL					100SDEA218
----	----	---------	-------	----	---	--	--	--	--	-------------	-------------	--	--	--	--	------------

MCCULLOCH

1849 AV, 2046 AV, 2049 AV, 4600, 4700, 4900, 5000, 5500, MAC 2818 AV, MS 1846 AV, MS 1849 AV, MS 1850, MS 2046 AVCC, MS 2049, MS 2049 AV, MS 2049 AVCC, MS 2050, PM 1845 AV, Pro Mac: 40, 46. PM4300, PM4700, PM5000, PM5200, SILVER EAGLE: 2818, 3020. TIMBER BEAR 20 (later models)

16	40	.325"	.050"	66	8					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	8					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
13	33	.325"	.058"	56	8					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	8	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	8	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth								Chain Loop				
												Semi-Chisel Chain	Full-Chisel Chain			
(")	(cm)					Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose			Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar

MCCULLOCH
1849 AV, 2046 AV, 2049 AV, 4600, 4700, 4900, 5000, 5500, MAC 2818 AV, MS 1846 AV, MS 1849 AV, MS 1850, MS 2046 AV, MS 2046 AVCC, MS 2049, MS 2049 AV, MS 2049 AVCC, MS 2050, PM 1845 AV, Pro Mac: 40, 46. PM4300, PM4700, PM5000, PM5200, SILVER EAGLE: 2818, 3020. TIMBER BEAR 20 (later models)

NARROW CUT ▼

13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	8					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	8					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095

12A/S, EM 12

12	30	3/8" LP	.050"	44	6						GAFAG1220DL	GAF20S044DL				120SDEA318
----	----	---------	-------	----	---	--	--	--	--	--	-------------	-------------	--	--	--	------------

14A/S, EM 16

14	35	3/8" LP	.050"	49	6							GAF20S049DL				
16	40	3/8" LP	.050"	54	6							GAF20S054DL				
18	45	3/8" LP	.050"	60	6							GAF20S060DL				

Pole saw models: MS1015, MS1015P, MCP1510

NARROW CUT ▼

10	25	3/8" LP	.043"	39	5							GAF24SN039DL GAF24STN039DL				
----	----	---------	-------	----	---	--	--	--	--	--	--	-------------------------------	--	--	--	--

MS 1630NT, MS 1640NT

16	40	3/8" LP	.050"	56	6							GAF20S056DL				
----	----	---------	-------	----	---	--	--	--	--	--	--	-------------	--	--	--	--

155, 160S, 165, 175, 310, 320, 330, 340, 355, 365, 375, 430, 435, 440, 445, 2138, 3219, 3514, 3518, 3800, Eager Beaver: 2010, 2014, 2016, 2116, 2318, EB 2.3, EB 6A, EB12ES, EB14ES, EB16ES. Mac Series: Mac 110, Mac 115, Mac 120, Mac 130, Mac 140, Mac 340, Mac 416, Mac 2214AV, Mac 2316AVT, Mac 2416AVT, Mac 2618 CAV, Mac 3210, Mac 3212, Mac 3214, Mac 3216, Mac 3516, Mac 3816, Mac 3818, Mac 3818AV. MacCat: Super 16, Super 18. Super Pro 40 (SP40). MCC1514. Mini Mac (all models). MS1415, MS1420, MS1430, MS1432, MS1435, MS1455, MS1635, MS1635AV, MS1635NAV, MS1635NAVCC, MS1640NT, MS1645, MS1838, MS1838 AVCC, MS1838AV, MS1842 AVCC, MS1846 AVCC. PowerMac Series: 6, 145-14, 225-16, PowerMac 300, PowerMac 380 [with 1 bolt bar], PowerMac 400 [with 1 bolt bar]. ProMac Series: 3200, ProMac 3205, ProMac 3205 AV, ProMac 3205-14, ProMac 3505, ProMac 3805, ProMac 3850, ProMac 510, ProMac 515. Silver Eagle Series: 2010, 2012, 2012S, 2014, 2014S, 2016, 2018S, 2316. Titan Series: 35, 36, 37, 38, 39, 40. Wildcat

10	25	3/8" LP	.050"	39	6						GAFAF1020DL	GAF20S039DL				100SDEA218
12	30	3/8" LP	.050"	44	6						GAFAG1220DL	GAF20S044DL				120SDEA318
14	35	3/8" LP	.050"	49	6							GAF20S049DL				
16	40	3/8" LP	.050"	54	6							GAF20S054DL				
18	45	3/8" LP	.050"	60	6							GAF20S060DL				

NARROW CUT ▼

10	25	3/8" LP	.043"	39	6						GAFAF1024NL	GAF24SN039DL GAF24STN039DL				104MLEA218
12	30	3/8" LP	.043"	44	6						GAFAF1224NL	GAF24SN044DL GAF24STN044DL				124MLEA218

10E, 12E, 14E, 16E. Electric Models: MCC3516, MCC3516F, MCC4516F, MCC4516FK. MS 1425, MS 1630, MS 1630NT, MS 1640, MS 1640NT


10	25	3/8" LP	.050"	39	6						GAFAF1020DL	GAF20S039DL				100SDEA218
12	30	3/8" LP	.050"	45	6						GAFAG1220DL	GAF20S045DL				120SDEA318
14	35	3/8" LP	.050"	50	6							GAF20S050DL				
16	40	3/8" LP	.050"	55	6							GAF20S055DL				
18	45	3/8" LP	.050"	60	6							GAF20S060DL				

ProMac 380 (2 bolt bar), ProMac 400 (2 bolt bar)

16	40	3/8" LP	.050"	55	6							GAF20S055DL				
18	45	3/8" LP	.050"	60	6							GAF20S060DL				



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
																
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			

MCCULLOCH

70, 80, 81, CP 55. Eager Beaver 3.7. Double Eagle 50, 80. Mac 10 Series: 1-10, 2-10, 3-10, 4-10, 5-10, 6-10, 10-10, 10-10A. MacCat™ Super 18AV. ProMac Series: ProMac 55, ProMac 60, ProMac 555, ProMac 570, ProMac 605 (PM605), ProMac 700 (PM700), ProMac 5700. Silver Eagle 3420, Silver Eagle 3720. Super Pro 60 (SP60). Timber Bear (earlier models). Titan 50, Titan 57, Titan 70

16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	64	7							GAF40S064DL	GAF40F064DL			
18	45	3/8"	.050"	66	7							GAF40S066DL	GAF40F066DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAF40S070DL	GAF40F070DL		200RND176	200SLHD176
24	60	3/8"	.050"	81	7				GAFCG2440RS			GAF40S081DL	GAF40F081DL		240RND176	

EB356A, EB358, MAC CAT 438, MC3516, MC4218AV, MCC1435A, MCC1635A, MCC1840B, MP406, MS354A, MS 4016P, MS 4018P, MXC1840D, MXC1840DK

16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041

560, 620, CP70, CP70L. Double Eagle 80. Mac 10 Series: 7-10. ProMac Series: ProMac 610, ProMac 650, ProMac 655, ProMac 700, ProMac 800, ProMac 805, ProMac 850, ProMac 1000, ProMac 8200. Super Pro Series: Super Pro 70 (SP70), Super Pro 80 (SP80), Super Pro 81 (SP81). Titan 70.

16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	64	7							GAF40S064DL	GAF40F064DL			
18	45	3/8"	.050"	66	7							GAF40S066DL	GAF40F066DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAF40S070DL	GAF40F070DL		200RND176	200SLHD176
24	60	3/8"	.050"	81	7				GAFCG2440RS			GAF40S081DL	GAF40F081DL		240RND176	

ProMac 61

18	45	3/8"	.058"	68	7							GAF48S068DL	GAF48F068DL			
20	50	3/8"	.058"	72	7				GAFCC2048RS			GAF48S072DL	GAF48F072DL		208RND0024	

ProMac 5600, ProMac 6800

17	43	3/8"	.058"	64	7							GAF48S064DL	GAF48F064DL			
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095

Super Pro 85, Super Pro 118

20	50	3/8"	.058"	72	7							GAF48S072DL	GAF48F072DL			
----	----	------	-------	----	---	--	--	--	--	--	--	-------------	-------------	--	--	--

MILWAUKEE

M12FHS-0, M12FHS-602B

6	15	3/8" LP	.043"	28								GAF24SN028DL GAF24STN028DL				
---	----	---------	-------	----	--	--	--	--	--	--	--	-------------------------------	--	--	--	--

M18FOPH-CSA

10	25	3/8" LP	.043"	40								GAF24SN040DL GAF24STN040DL				
----	----	---------	-------	----	--	--	--	--	--	--	--	-------------------------------	--	--	--	--

M18FCHS140

14	35	3/8" LP	.043"	52								GAF24SN052DL GAF24STN052DL				
----	----	---------	-------	----	--	--	--	--	--	--	--	-------------------------------	--	--	--	--

M18FCHS-0

16	40	3/8" LP	.043"	56								GAF24SN056DL GAF24STN056DL				
----	----	---------	-------	----	--	--	--	--	--	--	--	-------------------------------	--	--	--	--

MTD

125, 136, 140S

10	25	3/8" LP	.050"	40	6						GAFAA1020DL	GAF20S040DL				100SDEA041
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL				120SPEA041 120SDEA041
14	35	3/8" LP	.050"	50	6					GAFAA1420EL	GAFAA1420DL	GAF20S050DL				140SPEA041



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
						Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth	Sprocket Nose							Semi-Chisel Chain	Full-Chisel Chain	Bar & Chain Combo		
(")	(cm)															
MTD																
125, 136, 140S																
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL				
												GAF24STN045DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL				144MLEA041
												GAF24STN052DL				
16	40	3/8" LP	.043"	56	6							GAF24SN056DL				
												GAF24STN056DL				
152																
16	40	.325"	.058"	68	8	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S068DL	GAF38F068DL		168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
3414, 3616, 3816																
12	30	3/8" LP	.050"	44	6						GAFAG1220DL	GAF20S044DL				120SDEA318
14	35	3/8" LP	.050"	49	6							GAF20S049DL				
16	40	3/8" LP	.050"	54	6							GAF20S054DL				
18	45	3/8" LP	.050"	60	6							GAF20S060DL				
NARROW CUT ▼																
12	30	3/8" LP	.043"	44	6						GAFAF1224NL	GAF24SN044DL				124MLEA218
												GAF24STN044DL				
162																
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095
OLEO-MAC																
1500																
NARROW CUT ▼																
12	30	3/8" LP	.043"	44	6						GAFAD1224NL	GAF24SN044DL		GAF105692		124MLEA074
												GAF24STN044DL				
14	35	3/8" LP	.043"	50	6						GAFAD1424NL	GAF24SN050DL		GAF105694		144MLEA074
												GAF24STN050DL				
932C, 936F, 937, GS260																
10	25	3/8" LP	.050"	40	6						GAFAA1020DL	GAF20S040DL				100SDEA041
12	30	3/8" LP	.050"	45	6						GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698	120SPEA041
																120SDEA041
14	35	3/8" LP	.050"	52	6						GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699	140SPEA041
																140SDEA041
16	40	3/8" LP	.050"	57	6						GAFAA1620EL	GAFAA1620DL	GAF20S057DL			160SPEA041
																160SDEA041
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL				
												GAF24STN045DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL				144MLEA041
												GAF24STN052DL				
16	40	3/8" LP	.043"	57	6							GAF24SN057DL				
												GAF24STN057DL				



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth							Chain Loop				
												Semi-Chisel Chain	Full-Chisel Chain			
(")	(cm)					Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose			Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
OLEO-MAC																
925F, 938, 940C, 941, 941 CX, 942, 945, 946, 947, 947F, 950, 951, 952, 956, 962																
16	40	.325"	.050"	66	8					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	8					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
240, 241, 244, 344, 931, 935, 1700, BLITZ, E1900, OLE 140F, OLE 300																
12	30	3/8" LP	.050"	44	7		GAFAD1220RRP			GAFAD1220EL	GAFAD1220DL	GAF20S044DL				120SPEA074 120SDEA074
14	35	3/8" LP	.050"	50	7			GAFAD1420PRP		GAFAD1420EL	GAFAD1420DL	GAF20S050DL		GAF105702		140SPEA074 140SDEA074
16	40	3/8" LP	.050"	55	7			GAFAD1620PRP		GAFAD1620EL	GAFAD1620DL	GAF20S055DL		GAF105703		160SPEA074 160SDEA074
NARROW CUT ▼																
12	30	3/8" LP	.043"	44	7					GAFAD1224NL	GAF24SN044DL GAF24STN044DL			GAF105692		124MLEA074
14	35	3/8" LP	.043"	50	7					GAFAD1424NL	GAF24SN050DL GAF24STN050DL			GAF105694		144MLEA074
16	40	3/8" LP	.043"	55	7					GAFAD1624NL	GAF24SN055DL GAF24STN055DL			GAF105696		164MLEA074
Power pruner models: EP 100, PP 250, PPX 250, PPX 270																
NARROW CUT ▼																
10	25	3/8" LP	.043"	39	7					GAFAF1024NL**	GAF24SN039DL GAF24STN039DL					104MLEA318
12	30	3/8" LP	.043"	44	7					GAFAF1224NL**	GAF24SN044DL GAF24STN044DL					124MLEA218
250, 250A, 251, 252, 254, 260, 261, 264, 355, 460A SUPER																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
20	50	3/8"	.050"	70	7				GAFCH2040RS			GAF40S070DL	GAF40F070DL		200RND0196	
24	60	3/8"	.050"	81	7							GAF40S081DL	GAF40F081DL			
20	50	3/8"	.058"	72	8				GAFCC2048RS			GAF48S072DL	GAF48F072DL		208RND0024	
48, 70, 264F, 272, 280, 284, 350, 355, 461, 480A SUPER, 970F, 980, 980F, AGRISTAR, SUPER 482 NOTE: CH Bar tail slot must be filed .020 for correct fitment.																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
20	50	3/8"	.050"	70	7				GAFCH2040RS			GAF40S070DL	GAF40F070DL		200RND0196	
20	50	3/8"	.058"	72	8				GAFCC2048RS			GAF48S072DL	GAF48F072DL		208RND0024	
21	53	3/8"	.063"	72	7							GAF43S072DL	GAF43F072DL			
GS720, GS820																
20	50	3/8"	.058"	72	7				GAFCC2048RS			GAF48S072DL	GAF48F072DL		208RND0024	
24	60	3/8"	.058"	82	7				GAFCC2448RS			GAF48S082DL	GAF48F082DL		248RND0024	
962, 962F, 971, 981, 985HD																
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
OLEO-MAC																
999, 999F																
17	43	.404"	.063"	60	7							GAF53S060DL	GAF53F060DL			
21	53	.404"	.063"	68	7				GAFDA2153RS			GAF53S068DL	GAF53F068DL		213RNFE031	
25	63	.404"	.063"	80	7				GAFDA2553RS			GAF53S080DL	GAF53F080DL		253RNFE031	
OREGON 36V																
CS250-E6. Replaces proprietary bar and chain, sharpening stone must be removed.																
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
OPEM																
K1, K2																
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
K2 SUPER																
16	40	3/8"	.058"	60	8				GAFCB1648RS	GAFCB1648PL		GAF48S060DL	GAF48F060DL	GAF109116	168RNDD009	168SLHD009
18	45	3/8"	.058"	68	8	GAFCB1848RSP	GAFCB1848RRP		GAFCB1848RS	GAFCB1848PL		GAF48S068DL	GAF48F068DL	GAF109117	188RNDD009	188SLHD009
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP		GAFCB2048RS	GAFCB2048PL		GAF48S072DL	GAF48F072DL		208RNDD009	208SLHD009
PARKLANDER																
GL3800M-16																
14	35	3/8" LP	.050"	52	7					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	7					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041
18	45	3/8" LP	.050"	62	7						GAFAA1820DL	GAF20S062DL				180SDEA041
NARROW CUT ▼																
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL GAF24STN052DL				144MLEA041
16	40	3/8" LP	.043"	56	6							GAF24SN056DL GAF24STN056DL				
GL4500M-18																
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
GL5200M-20. Note: Please check your saw carefully prior to ordering, when new this model may have also been fitted with 3/8" pitch .063" gauge chain.																
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length (") (cm)	Pitch	Gauge	Drive Links	Sprocket Teeth								Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
												Semi-Chisel Chain	Full-Chisel Chain			

PARTNER

360, 400, P-360, P-400, P-450, P-500, P-5000

16	40	.325"	.050"	66	7							GAFBB1630PL		GAF30S066DL	GAF30F066DL		160SLGK095	
18	45	.325"	.050"	72	7							GAFBB1830PL		GAF30S072DL	GAF30F072DL		180SLGK095	
13	33	.325"	.058"	56	7							GAFBB1338PL		GAF38S056DL	GAF38F056DL		138SLBK095	
15	38	.325"	.058"	64	8						GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL	158RNBK095	158SLBK095	
16	40	.325"	.058"	66	7	GAFBB1638RSP					GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP					GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP					GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095

NARROW CUT ▼

13	33	.325"	.050"	56	7									GAF30SDN056DL				
15	38	.325"	.050"	64	7							GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7							GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7							GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095

365

14	35	3/8" LP	.050"	52	6							GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
----	----	---------	-------	----	---	--	--	--	--	--	--	-------------	-------------	-------------	--	-----------	--	--------------------------

410, 510, 540

13	33	.325"	.050"	56	7									GAF30SDN056DL				
15	38	.325"	.050"	64	7							GAFBB1530KL		GAF30SDN064DL				150MPBK095

330, 340, 350, 1601, 1602, 1610, 1611, 1612, 1613, 1614, 1616, MINI-P SERIES, SPARTAN

12	30	3/8" LP	.050"	45	6									GAF20S045DL				
16	40	3/8" LP	.050"	56	6									GAF20S056DL				

550, 1655, 2055, P-55, R-11, R-12, R-14, R-16, R-17, R-18, R-19, S-50, S-55, S-65

13	33	3/8"	.058"	52	8									GAF48S052DL	GAF48F052DL			
15	38	3/8"	.058"	56	8									GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	8					GAFCB1648RS	GAFCB1648PL			GAF48S060DL	GAF48F060DL	GAF109116	168RNDD009	168SLHD009
18	45	3/8"	.058"	68	7	GAFCB1848RSP	GAFCB1848RRP			GAFCB1848RS	GAFCB1848PL			GAF48S068DL	GAF48F068DL	GAF109117	188RNDD009	188SLHD009
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP			GAFCB2048RS	GAFCB2048PL			GAF48S072DL	GAF48F072DL	GAF109118	208RNDD009	208SLHD009
22	55	3/8"	.058"	77	8					GAFCB2248RS				GAF48S077DL	GAF48F077DL		228RNDD009	
20	50	3/8"	.063"	72	8	GAFCB2043RSP	GAFCB2043RRP			GAFCB2043RS				GAF43S072DL	GAF43F072DL		203RNDD009	

650, 7000, P-65, P-70, P-85, P-100, R-20, R-21, R-22, R-23, R-30, R-35, R-40, R-416, R-420, R-421, R-435, R-440

13	33	3/8"	.058"	52	8									GAF48S052DL	GAF48F052DL			
15	38	3/8"	.058"	56	8									GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	8							GAF48S060DL	GAF48F060DL	GAF109116	168RNDD009	168SLHD009		
18	45	3/8"	.058"	68	7	GAF48S1848RSP	GAF48S1848RRP					GAF48S068DL	GAF48F068DL	GAF109117	188RNDD009	188SLHD009		
20	50	3/8"	.058"	72	8	GAF48S2048RSP	GAF48S2048RRP					GAF48S072DL	GAF48F072DL	GAF109118	208RNDD009	208SLHD009		
20	50	3/8"	.063"	72	8	GAF48S2043RSP	GAF48S2043RRP					GAF43S072DL	GAF43F072DL		203RNDD009			



PIONEER

1074, P-21, P-26, P-28

16	40	.325"	.050"	66	7							GAFBB1630PL		GAF30S066DL	GAF30F066DL		160SLGK095
18	45	.325"	.050"	72	7							GAFBB1830PL		GAF30S072DL	GAF30F072DL		180SLGK095



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
																
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
PIONEER																
1074, P-21, P-26, P-28																
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095
P-10, P-12																
12	30	3/8" LP	.050"	45	6							GAF20S045DL				
16	40	3/8" LP	.050"	56	6							GAF20S056DL				
POULAN / POULAN PRO																
285, 295, 305, 306SA, 310, 315, 335 PREDATOR, 336, 2700, 2750, 2775, 2800, 2900, 2900 FARM HAND, 2900FH, 3000, 3050, 3100, 3300, 4600, 4620, 4620AV, 4620AVX. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																
16	40	.325"	.050"	66	7				GAFBA1630RS	GAFBA1630PL		GAF30S066DL	GAF30F066DL	GAF105711	160RNBK041	160SLGK041
18	45	.325"	.050"	72	7					GAFBA1830PL		GAF30S072DL	GAF30F072DL	GAF105715		180SLGK041
20	50	.325"	.050"	78	7							GAF30S078DL	GAF30F078DL			
NARROW CUT ▼																
15	38	.325"	.050"	64	7							GAF30SDN064DL				
325, PP5118																
16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	7					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
ES300, ES350																
16	40	3/8" LP	.043"	56	6							GAF24SN056DL GAF24STN056DL				



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length (") (cm)	Pitch	Gauge	Drive Links	Sprocket Teeth								Chain Loop				
												Semi-Chisel Chain	Full-Chisel Chain			
					Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose				Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar

POULAN / POULAN PRO

25A, 180, 190, 200, 205, 210, 220, 221, 222, 225, 230, 235, 236, 240, 250, 255, 260, 262, 1220, 1630, 1634, 1800, 1838, 1900, 1900LE, 1950, 1950LE, 1975, 1975LE, 2000, 2025, 2050, 2050AVWT, 2055, 2055LE, 2075, 2075C, 2150, 2150AV, 2155, 2160, 2175, 2250, 2250LE, 2300, 2350, 2375, 2375AVWT, 2375LE, 2450, 2450C, 2550, 2550LE, 2555, 3314, 3314 WS, 3314 WSA, 3416, 3516, 3516 PR, 3516AVX, 3816, 3816AV, 3818, 4018, 4018WT, 4218, 4218AV, 4218AVX, E14E, E16E, ES350, ES400, Micro 25 (XX SERIES & XXV SERIES), S23, S25, S25AV, S25CVA, S25D, S25DA, S35 (After modifying from 1/4" to 3/8" pitch). Electric models: 400E, 1420, 1425, 1625, 2100, 2400, 2500, 2600, Patriot 1900, PP3516AVX, PP3616, PP3816, PP4018, PP4618, Wild Thing, Woodshark. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.

10	25	3/8" LP	.050"	40	6						GAFAA1020DL	GAFAA1020DL				100SDEA041
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAFAA1220DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAFAA1420DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAFAA1620DL		GAF105700		160SPEA041 160SDEA041
18	45	3/8" LP	.050"	62	6					GAFAA1820DL	GAFAA1820DL	GAFAA1820DL				180SDEA041

NARROW CUT ▼

12	30	3/8" LP	.043"	45	6							GAFAA1220DL	GAFAA1220DL			
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAFAA1424NL	GAFAA1424NL			144MLEA041
16	40	3/8" LP	.043"	56	6							GAFAA1620DL	GAFAA1620DL			

Micro XXV (Micro 25PS)

14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAFAA1420DL		GAF105699		140SPEA041 140SDEA041
----	----	---------	-------	----	---	--	--	--	--	-------------	-------------	-------------	--	-----------	--	--------------------------

PLN1514

14	35	3/8" LP	.050"	49	6							GAFAA1420DL	GAFAA1420DL			
----	----	---------	-------	----	---	--	--	--	--	--	--	-------------	-------------	--	--	--

PLN3516F

16	40	3/8" LP	.050"	55	6							GAFAA1620DL	GAFAA1620DL			
----	----	---------	-------	----	---	--	--	--	--	--	--	-------------	-------------	--	--	--

203, 245, 306, 306A, 360, 361, 375, 385, 400, 446, 450, 3400, 3700, 3800

16	40	3/8"	.050"	60	7							GAFAA1620DL	GAFAA1620DL			
18	45	3/8"	.050"	64	7							GAFAA1820DL	GAFAA1820DL			
18	45	3/8"	.050"	66	7							GAFAA1820DL	GAFAA1820DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAFAA2020DL	GAFAA2020DL		200RND176	200SLHD176
24	60	3/8"	.050"	81	7				GAFCG2440RS			GAFAA2420DL	GAFAA2420DL		240RND176	

PP4818

20	50	3/8"	.050"	66	7				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAFAA2020DL	GAFAA2020DL			
20	50	3/8"	.050"	68	7							GAFAA2020DL	GAFAA2020DL			

395, 3900, 4000, 4200, 4400, 4900, 5000, 5200, 5400, 5500, 6000, 6700

16	40	3/8"	.050"	60	7							GAFAA1620DL	GAFAA1620DL			
18	45	3/8"	.050"	64	7							GAFAA1820DL	GAFAA1820DL			
18	45	3/8"	.050"	66	7							GAFAA1820DL	GAFAA1820DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAFAA2020DL	GAFAA2020DL		200RND176	200SLHD176
24	60	3/8"	.050"	81	7				GAFCG2440RS			GAFAA2420DL	GAFAA2420DL		240RND176	

6900, 7700, 8500. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .404" pitch chain.

16	40	3/8"	.050"	60	7							GAFAA1620DL	GAFAA1620DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS			GAFAA2020DL	GAFAA2020DL		200RND196	
24	60	3/8"	.050"	81	7							GAFAA2420DL	GAFAA2420DL			



BAR AND CHAIN APPLICATIONS

SAW CHAIN					GUIDE BARS						RETAIL PACKS		REPLACES OEM			
																
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			

POULAN / POULAN PRO

6900, 7700, 8500. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .404" pitch chain.

21	53	3/8"	.063"	79	7							GAF43S079DL	GAF43F079DL			
----	----	------	-------	----	---	--	--	--	--	--	--	-------------	-------------	--	--	--

415, 425, 445, 475, 505. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .404" pitch chain.

13	33	3/8"	.058"	52	8							GAF48S052DL	GAF48F052DL			
15	38	3/8"	.058"	56	8							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	8				GAFCB1648RS	GAFCB1648PL		GAF48S060DL	GAF48F060DL	GAF109116	168RNDD009	168SLHD009
18	45	3/8"	.058"	68	8	GAFCB1848RSP	GAFCB1848RRP		GAFCB1848RS	GAFCB1848PL		GAF48S068DL	GAF48F068DL	GAF109117	188RNDD009	188SLHD009
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP		GAFCB2048RS	GAFCB2048PL		GAF48S072DL	GAF48F072DL	GAF109118	208RNDD009	208SLHD009
22	55	3/8"	.058"	76	7				GAFCB2248RS			GAF48S076DL	GAF48F076DL		228RNDD009	
24	60	3/8"	.058"	82	7	GAFCB2448RSP	GAFCB2448RRP					GAF48S082DL	GAF48F082DL			
24	60	3/8"	.058"	84	7				GAFCB2448RS			GAF48S084DL	GAF48F084DL		248RNDD009	
26	66	3/8"	.058"	89	8							GAF48S089DL	GAF48F089DL			
28	70	3/8"	.058"	92	7	GAFCB2848RSP			GAFCB2848RS			GAF48S092DL	GAF48F092DL		288RNDD009	
30	75	3/8"	.058"	102	8				GAFCB3048RS			GAF48S102DL	GAF48F102DL		308RNDD009	
20	50	3/8"	.063"	72	7	GAFCB2043RSP	GAFCB2043RRP		GAFCB2043RS			GAF43S072DL	GAF43F072DL		203RNDD009	
24	60	3/8"	.063"	82	7	GAFCB2443RSP	GAFCB2443RRP					GAF43S082DL	GAF43F082DL			
24	60	3/8"	.063"	84	7				GAFCB2443RS			GAF43S084DL	GAF43F084DL		243RNDD009	
28	70	3/8"	.063"	93	7	GAFCB2843RSP			GAFCB2843RS			GAF43S093DL	GAF43F093DL		283RNDD009	
30	75	3/8"	.063"	99	7	GAFCB3043RSP						GAF43S099DL	GAF43F099DL		303RNDD009	
32	81	3/8"	.063"	105	7				GAFCB3243RS			GAF43S105DL	GAF43F105DL		323RNDD009	
36	90	3/8"	.063"	114	7	GAFCB3643RSP						GAF43S114DL	GAF43F114DL			
36	90	3/8"	.063"	115	7				GAFCB3643RS			GAF43S115DL	GAF43F115DL		363RNDD009	
42	107	3/8"	.063"	135	7				GAFCB4243RS			GAF43S135DL	GAF43F135DL		423RNDD009	
42	107	3/8"	.063"	137	7	GAFCB4243RSP						GAF43S137DL	GAF43F137DL		423RNDD009	
36	90	.404"	.063"	104	7							GAF53S104DL	GAF53F104DL			

PP6120

18	45	3/8"	.058"	68	7							GAF48S068DL	GAF48F068DL			
20	50	3/8"	.058"	72	7				GAFCC2048RS			GAF48S072DL	GAF48F072DL		208RNDD024	

POWER PRUNER / ECHO POWER PRUNER

PP300, PP400, PP600, PP800, PP1200, PP1250, PP1260, PP1400, PP1400-D, PPF-210, PPF-211, PPF-225, PPF-2100, PPF-2400, PPT-230, PPT-231, PPT-260, PPT-261, PPT-2100, PPT-2400, PPSR-2122, PPSR-2433

10	25	3/8" LP	.050"	39	6						GAFAF1020DL	GAF20S039DL				100SDEA218
12	30	3/8" LP	.050"	44	6							GAF20S044DL				

NARROW CUT ▼



10	25	3/8" LP	.043"	39	6						GAFAF1024NL	GAF24SN039DL GAF24STN039DL				104MLEA218
12	30	3/8" LP	.043"	44	6						GAFAF1224NL	GAF24SN044DL GAF24STN044DL				124MLEA218

PPF-280, PPT-265, PPT-265H, PPT-280

10	25	3/8" LP	.050"	39	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF20S039DL				
10	25	3/8" LP	.050"	40	6						GAF20S040DL					100SDEA041
12	30	3/8" LP	.050"	44	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF20S044DL				



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
																
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
POWER PRUNER / ECHO POWER PRUNER																
PPF-280, PPT-265, PPT-265H, PPT-280																
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
NARROW CUT ▼																
12	30	3/8" LP	.043"	44	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF24SN044DL GAF24STN044DL				
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
14	35	3/8" LP	.043"	49	6				O.E.M. Guide Bar	O.E.M. Guide Bar	O.E.M. Guide Bar	GAF24SN049DL GAF24STN049DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL GAF24STN052DL				144MLEA041
REDMAX																
G390, G450AVS, G455AVS, G5000, G5000AVS, G5300																
16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	7					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL	158RNBK095	158SLBK095	
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
G250, G300AVS, G300TS, G310TS, G2500, G2500TS, G3100TS, G3200EZ, G3300EZ, GZ3500T, GZ380, G3800, G3800AVS, GZ400, GZ4000																
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL GAF24STN052DL				144MLEA041
16	40	3/8" LP	.043"	56	6							GAF24SN056DL GAF24STN056DL				
G621AVS																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	66	7							GAF40S066DL	GAF40F066DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAF40S070DL	GAF40F070DL	200RNDD176	200SLHD176	
24	60	3/8"	.050"	81	7				GAFCG2440RS			GAF40S081DL	GAF40F081DL	240RNDD176		
Pole saw models: PRO GZ25N, PSZ 2500S																
NARROW CUT ▼																
12	30	3/8" LP	.043"	44	6							GAF24SN044DL GAF24STN044DL				124MLEA218



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth		Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			

RYOBI

PCN3335, Electric models ECR1835, ECR1935, ECR2040, RGS3214, RYS3816

10	25	3/8" LP	.050"	40	6						GAFAA1020DL	GAF20S040DL				100SDEA041
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041

NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL GAF24STN052DL				144MLEA041
16	40	3/8" LP	.043"	56	6							GAF24SN056DL GAF24STN056DL				

PCN4040, PCN4040KB, PCN4545, PCN4545KB, PCN4550																
16	40	.325"	.050"	66	7				GAFAA1630RS	GAFAA1630PL		GAF30S066DL	GAF30F066DL	GAF105711	160RNBK041	160SLGK041
18	45	.325"	.050"	72	7					GAFAA1830PL		GAF30S072DL	GAF30F072DL	GAF105715		180SLGK041

NARROW CUT ▼																
15	38	.325"	.050"	64	7							GAF30SDN064DL				

CS184 (Electric), CS214 (Electric), CS3516, CS3816AC, CS3818AC, HC410, HC41A																
10	25	3/8" LP	.050"	39	7						GAFAA1020DL	GAF20S039DL				100SDEA218
12	30	3/8" LP	.050"	44	7						GAFAA1220DL	GAF20S044DL				120SDEA318
14	35	3/8" LP	.050"	49	7							GAF20S049DL				
16	40	3/8" LP	.050"	54	7							GAF20S054DL				
18	45	3/8" LP	.050"	60	7							GAF20S060DL				

NARROW CUT ▼																
12	30	3/8" LP	.043"	44	7						GAFAA1224NL	GAF24SN044DL GAF24STN044DL				124MLEA218

RFS4518, RFS5418																
16	40	.325"	.058"	66	7	GAFAA1638RSP			GAFAA1638RS	GAFAA1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFAA1838RSP			GAFAA1838RS	GAFAA1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFAA2038RSP			GAFAA2038RS	GAFAA2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095

SHINDAIWA																
360, 366, 377, 400, 415, 416, 446, 446S, 450, 451, 488, 488PI, 488S, 490, 500, 502S. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																
16	40	.325"	.050"	66	7				GAFAA1630RS	GAFAA1630PL		GAF30S066DL	GAF30F066DL	GAF105711	160RNBK041	160SLGK041
18	45	.325"	.050"	72	7					GAFAA1830PL		GAF30S072DL	GAF30F072DL	GAF105715		180SLGK041
20	50	.325"	.050"	78	7							GAF30S078DL	GAF30F078DL			

NARROW CUT ▼																
15	38	.325"	.050"	64	7							GAF30SDN064DL				

90, 100, 110, 120, 140, 150 (Electric), 160 (Electric), 362T																
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	57	6					GAFAA1620EL	GAFAA1620DL	GAF20S057DL				160SPEA041 160SDEA041
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth								Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
												Semi-Chisel Chain	Full-Chisel Chain			
(")	(cm)															

SHINDAIWA

90, 100, 110, 120, 140, 150 (Electric), 160 (Electric), 362T

NARROW CUT ▼

12	30	3/8" LP	.043"	45	6									GAF24SN045DL GAF24STN045DL		
14	35	3/8" LP	.043"	52	6						GAFAA1424NL			GAF24SN052DL GAF24STN052DL		144MLEA041
16	40	3/8" LP	.043"	56	6									GAF24SN056DL GAF24STN056DL		

104P, 180, 285S, 345, 350, 352, 352S, 357, 360, E305AV. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.

12	30	3/8" LP	.050"	45	6						GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698	120SPEA041 120SDEA041
14	35	3/8" LP	.050"	53	6						GAFAA1420EL	GAFAA1420DL	GAF20S053DL			140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6								GAF20S056DL			160SPEA041 160SDEA041
16	40	3/8" LP	.050"	57	6					GAFAA1620EL	GAFAA1620DL	GAF20S057DL				
18	45	3/8" LP	.050"	63	6						GAFAA1820DL	GAF20S063DL				180SDEA041

550, 575, 577

13	33	3/8"	.058"	52	7								GAF48S052DL	GAF48F052DL		
15	38	3/8"	.058"	56	7								GAF48S056DL	GAF48F056DL		
16	40	3/8"	.058"	60	7					GAFCB1648RS	GAFCB1648PL	GAF48S060DL	GAF48F060DL	GAF109116	168RNDD009	168SLHD009
18	45	3/8"	.058"	68	7	GAFCB1848RSP	GAFCB1848RRP			GAFCB1848RS	GAFCB1848PL	GAF48S068DL	GAF48F068DL	GAF109117	188RNDD009	188SLHD009
20	50	3/8"	.058"	72	7	GAFCB2048RSP	GAFCB2048RRP			GAFCB2048RS	GAFCB2048PL	GAF48S072DL	GAF48F072DL	GAF109118	208RNDD009	208SLHD009
22	55	3/8"	.058"	76	7					GAFCB2248RS		GAF48S076DL	GAF48F076DL		228RNDD009	
24	60	3/8"	.058"	82	7	GAFCB2448RSP	GAFCB2448RRP					GAF48S082DL	GAF48F082DL			
24	60	3/8"	.058"	84	7					GAFCB2448RS		GAF48S084DL	GAF48F084DL		248RNDD009	
26	66	3/8"	.058"	89	8							GAF48S089DL	GAF48F089DL			
28	70	3/8"	.058"	92	7	GAFCB2848RSP				GAFCB2848RS		GAF48S092DL	GAF48F092DL		288RNDD009	

Pole saw models: M242, M254, P230, P231, Pruner attachment #78701, Pruner tool #65002

10	25	3/8" LP	.043"	39	6						GAFAF1024NL	GAF24SN039DL GAF24STN039DL				104MLEA218
12	30	3/8" LP	.043"	44	6						GAFAF1244NL	GAF24SN044DL GAF24STN044DL				124MLEA218

680, 695, 757, 757C, 757W

13	33	3/8"	.058"	52	7							GAF48S052DL	GAF48F052DL			
15	38	3/8"	.058"	56	7							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	7					GAFCB1648RS	GAFCB1648PL	GAF48S060DL	GAF48F060DL	GAF109116	168RNDD009	168SLHD009
18	45	3/8"	.058"	68	7	GAFCB1848RSP	GAFCB1848RRP			GAFCB1848RS	GAFCB1848PL	GAF48S068DL	GAF48F068DL	GAF109117	188RNDD009	188SLHD009
20	50	3/8"	.058"	72	7	GAFCB2048RSP	GAFCB2048RRP			GAFCB2048RS	GAFCB2048PL	GAF48S072DL	GAF48F072DL	GAF109118	208RNDD009	208SLHD009
22	55	3/8"	.058"	76	7					GAFCB2248RS		GAF48S076DL	GAF48F076DL		228RNDD009	
24	60	3/8"	.058"	82	7	GAFCB2448RSP	GAFCB2448RRP					GAF48S082DL	GAF48F082DL			
24	60	3/8"	.058"	84	7					GAFCB2448RS		GAF48S084DL	GAF48F084DL		248RNDD009	
26	66	3/8"	.058"	89	8							GAF48S089DL	GAF48F089DL			
28	70	3/8"	.058"	93	7	GAFCB2848RSP				GAFCB2848RS		GAF48S093DL	GAF48F093DL		288RNDD009	
30	75	3/8"	.058"	102	8					GAFCB3048RS		GAF48S102DL	GAF48F102DL		308RNDD009	
20	50	3/8"	.063"	72	7	GAFCB2043RSP	GAFCB2043RRP			GAFCB2043RS		GAF43S072DL	GAF43F072DL		203RNDD009	



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
						Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo		
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth								Semi-Chisel Chain	Full-Chisel Chain			
(")	(cm)															

SHINDAIWA

680, 695, 757, 757C, 757W

28	70	3/8"	.063"	93	7	GAFCB2843RSP			GAFCB2843RS			GAF43S093DL	GAF43F093DL		283RND009	
30	75	3/8"	.063"	99	7	GAFCB3043RSP						GAF43S099DL	GAF43F099DL		303RND009	
32	81	3/8"	.063"	105	7				GAFCB3243RS			GAF43S105DL	GAF43F105DL		323RND009	
36	90	3/8"	.063"	114	7	GAFCB3643RSP						GAF43S114DL	GAF43F114DL			
36	90	3/8"	.063"	115	7				GAFCB3643RS			GAF43S115DL	GAF43F115DL		363RND009	
42	107	3/8"	.063"	135	7				GAFCB4243RS			GAF43S135DL	GAF43F135DL		423RND009	
42	107	3/8"	.063"	137	7	GAFCB4243RSP						GAF43S137DL	GAF43F137DL		423RND009	
20	50	.404"	.063"	65	7							GAF53S065DL	GAF53F065DL			
36	90	.404"	.063"	104	7							GAF53S104DL	GAF53F104DL			

SINA

SCS3800I

12	30	3/8" LP	.050"	45	6				GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041	120SDEA041
14	35	3/8" LP	.050"	52	6				GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041	140SDEA041
16	40	3/8" LP	.050"	56	6				GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041	160SDEA041

12	30	3/8" LP	.043"	45	6						GAF24SN045DL	GAF24STN045DL				
14	35	3/8" LP	.043"	52	6					GAFAA1424NL	GAF24SN052DL	GAF24STN052DL				144MLEA041
16	40	3/8" LP	.043"	56	6						GAF24SN056DL	GAF24STN056DL				

15	38	.325"	.058"	64	7				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095

15	38	3/8"	.058"	56	7							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	7				GAFBB1648RS	GAFBB1648PL		GAF48S060DL	GAF48F060DL		168RNDK095	168SLHK095
18	45	3/8"	.058"	68	7	GAFBB1848RSP			GAFBB1848RS	GAFBB1848PL		GAF48S068DL	GAF48F068DL		188RNDK095	188SLHK095
20	50	3/8"	.058"	72	7	GAFBB2048RSP			GAFBB2048RS	GAFBB2048PL		GAF48S072DL	GAF48F072DL		208RNDK095	208SLHK095

SKIL



1620, 1622, 1624, 1631 Type 3, 1634, 1635, 1636

12	30	3/8" LP	.050"	45	6				GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041	120SDEA041
14	35	3/8" LP	.050"	52	6				GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041	140SDEA041
16	40	3/8" LP	.050"	56	6				GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041	160SDEA041
18	45	3/8" LP	.050"	62	6					GAFAA1820DL	GAF20S062DL				180SDEA041	

12	30	3/8" LP	.043"	45	6							GAF24SN045DL	GAF24STN045DL			
14	35	3/8" LP	.043"	52	6					GAFAA1424NL	GAF24SN052DL	GAF24STN052DL				144MLEA041



BAR AND CHAIN APPLICATIONS

SAW CHAIN					GUIDE BARS						RETAIL PACKS			REPLACES OEM		
																
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum SugiHara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum SugiHara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum SugiHara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
SKIL																
1600, 1601, 1602, 1610, 1611, 1612, 1613, 1614, 1616, 1700, 1705, 1712																
12	30	3/8" LP	.050"	45	6							GAF20S045DL				
16	40	3/8" LP	.050"	56	6							GAF20S056DL				
1641																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	64	7							GAF40S064DL	GAF40F064DL			
18	45	3/8"	.050"	66	7							GAF40S066DL	GAF40F066DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAF40S070DL	GAF40F070DL		200RND176	200SLHD176
SOLO																
613, 614, 631, 632, 634, 638, 639, 641, 644, 645, 647, 650, 651, 651 SP, 652, 654, 656, 656 SP																
16	40	.325"	.050"	67	7					GAFBB1630PL		GAF30S067DL	GAF30F067DL			160SLGK095
18	45	.325"	.050"	73	7					GAFBB1830PL		GAF30S073DL	GAF30F073DL			180SLGK095
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	7				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL	158RNBK095	158SLBK095	
16	40	.325"	.058"	67	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S067DL	GAF38F067DL	168RNBK095	168SLGK095	
18	45	.325"	.058"	73	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S073DL	GAF38F073DL	188RNBK095	188SLGK095	
20	50	.325"	.058"	79	8	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S079DL	GAF38F079DL	208RNBK095	208SLGK095	
NARROW CUT ▼																
13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
630, 633, 635, 635 ECO, 636, 637, 640, 643																
12	30	3/8" LP	.050"	45	6				GAFAE1220PRP		GAFAE1220EL		GAF20S045DL			120SPEA095
14	35	3/8" LP	.050"	52	6				GAFAE1420PRP		GAFAE1420EL		GAF20S052DL			140SPEA095
16	40	3/8" LP	.050"	56	6				GAFAE1620PRP		GAFAE1620EL		GAF20S056DL			160SPEA095
NARROW CUT ▼																
14	35	3/8" LP	.043"	52	6							GAF24SN052DL GAF24STN052DL				
Pruning saw attachment																
10	25	3/8" LP	.050"	39	6						GAFAF1020DL	GAF20S039DL				100SDEA218
NARROW CUT ▼																
10	25	3/8" LP	.043"	39	6						GAFAF1024NL	GAF24SN039DL GAF24STN039DL				104MLEA218
603, 662, 665, 667, 667SP, 670, 675, 680, 681, 690, 694																
13	33	3/8"	.058"	52	8							GAF48S052DL	GAF48F052DL			
15	38	3/8"	.058"	56	8							GAF48S056DL	GAF48F056DL			
16	40	3/8"	.058"	60	8					GAFCB1648RS	GAFCB1648PL	GAF48S060DL	GAF48F060DL	GAF109116	168RND009	168SLHD009
18	45	3/8"	.058"	68	8	GAFCB1848RSP	GAFCB1848RRP			GAFCB1848RS	GAFCB1848PL	GAF48S068DL	GAF48F068DL	GAF109117	188RND009	188SLHD009
20	50	3/8"	.058"	72	8	GAFCB2048RSP	GAFCB2048RRP			GAFCB2048RS	GAFCB2048PL	GAF48S072DL	GAF48F072DL	GAF109118	208RND009	208SLHD009
22	55	3/8"	.058"	76	7					GAFCB2248RS		GAF48S076DL	GAF48F076DL		228RND009	
24	60	3/8"	.058"	82	7	GAFCB2448RSP	GAFCB2448RRP					GAF48S082DL	GAF48F082DL			



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			

SOLO
603, 662, 665, 667, 667SP, 670, 675, 680, 681, 690, 694

28	70	3/8"	.058"	92	7	GAFCB2848RSP			GAFCB2848RS			GAF48S092DL	GAF48F092DL		288RND009	
30	75	3/8"	.058"	102	8				GAFCB3048RS			GAF48S102DL	GAF48F102DL		308RND009	
20	50	3/8"	.063"	72	7	GAFCB2043RSP	GAFCB2043RRP		GAFCB2043RS			GAF43S072DL	GAF43F072DL		203RND009	
24	60	3/8"	.063"	82	7	GAFCB2443RSP	GAFCB2443RRP					GAF43S082DL	GAF43F082DL			
24	60	3/8"	.063"	84	7				GAFCB2443RS			GAF43S084DL	GAF43F084DL		243RND009	
28	70	3/8"	.063"	93	7	GAFCB2843RSP			GAFCB2843RS			GAF43S093DL	GAF43F093DL		283RND009	
30	75	3/8"	.063"	99	7	GAFCB3043RSP						GAF43S099DL	GAF43F099DL		303RND009	
32	81	3/8"	.063"	105	7				GAFCB3243RS			GAF43S105DL	GAF43F105DL		323RND009	
36	90	3/8"	.063"	114	7	GAFCB3643RSP						GAF43S114DL	GAF43F114DL			
36	90	3/8"	.063"	115	7				GAFCB3643RS			GAF43S115DL	GAF43F115DL		363RND009	
42	107	3/8"	.063"	135	7				GAFCB4243RS			GAF43S135DL	GAF43F135DL		423RND009	
42	107	3/8"	.063"	137	7	GAFCB4243RSP						GAF43S137DL	GAF43F137DL		423RND009	
20	50	.404"	.063"	65	7							GAF53S065DL	GAF53F065DL			
28	70	.404"	.063"	84	7							GAF53S084DL	GAF53F084DL			
30	75	.404"	.063"	92	7							GAF53S092DL	GAF53F092DL			
36	90	.404"	.063"	106	7							GAF53S106DL	GAF53F106DL			

STANLEY FATMAX

FMXOP24602

16	40	3/8" LP	.050"	55								GAF20S055DL				
----	----	---------	-------	----	--	--	--	--	--	--	--	-------------	--	--	--	--

FMXOP25203

18	45	.325"	.058"	72								GAF38S072DL	GAF38F072DL			
----	----	-------	-------	----	--	--	--	--	--	--	--	-------------	-------------	--	--	--

SFMCCS630M1-XE, SFMCCSB664-XE

16	40	3/8" LP	.043"	56								GAF24SN056DL GAF24STN056DL				
----	----	---------	-------	----	--	--	--	--	--	--	--	-------------------------------	--	--	--	--

STANLEY HYDRAULIC

CS05, CS06. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.

13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	7				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095

NARROW CUT ▼

13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7				GAFBB1530KL			GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7				GAFBB1630KL			GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7				GAFBB1830KL			GAF30SDN072DL		GAF108580		180MPBK095

CS11

24	60	3/8"	.050"	82	8							GAF40S082DL	GAF40F082DL			
----	----	------	-------	----	---	--	--	--	--	--	--	-------------	-------------	--	--	--




BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
STIHL																
GTA 26																
4	10	1/4"	.043"	28	6							GAF14SD028DL				
MS 150, MS 151, MS 150 T, MS 151 T, MS 193 T, MS 194 T, MSA 120, MSA 140, MSA 160, MSA 160 T, MSA 200																
10	25	1/4"	.043"	56	6							GAF14SD056DL				
12	30	1/4"	.043"	64	6							GAF14SD064DL				
MS 150 T, MS 193 T, MSA 160, MSA 200																
14	35	1/4"	.043"	72	6							GAF14SD072DL				
MSA 161 T																
12	30	1/4"	.043"	65	10											
021, 023 C, 025, 025 C, MS 230, MS 230 C, MS 230 C-BE, MS 231, MS 231 C-BE, MS 250, MS 250 C, MS 250 C-BE, MS 251, MS 251 C-BE, MS 251 C-BEQ, MS 251 C																
16	40	.325"	.063"	62	7			GAFAD1633PRP		GAFAD1633PL		GAF33S062DL	GAF33F062DL			163SLBA074
18	45	.325"	.063"	68	7			GAFAD1833PRP		GAFAD1833PL		GAF33S068DL	GAF33F068DL			183SLBA074
NARROW CUT ▼																
12	30	3/8" LP	.050"	44	6			GAFAD1220RRP		GAFAD1220EL	GAFAD1220DL	GAF20S044DL				120SPEA074 120SDEA074
14	35	3/8" LP	.050"	50	6			GAFAD1420PRP		GAFAD1420EL	GAFAD1420DL	GAF20S050DL		GAF105702		140SPEA074 140SDEA074
16	40	3/8" LP	.050"	55	6			GAFAD1620PRP		GAFAD1620EL	GAFAD1620DL	GAF20S055DL		GAF105703		160SPEA074 160SDEA074
024, 024 SUPER, 026, 026 C, 026P, 026 PRO, 028, 028 SUPER, 029, 030, 031, 032, 034, 034 SUPER, 036, 036P, 036 QS, 039, FARM BOSS, MS 260, MS 260 C, MS 260 PRO, MS 261, MS 261 C-Q, MS 270, MS 270 C-B, MS 270 C, MS 270 C-QS, MS 271, MS 280, MS 280 C, MS 280 C-BQ, MS 280 C-QS, MS 290, MS 291, MS 291 C-BEQ, MS 360, MS 360 C, MS 360 PRO, MS 360 Q-S. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																
16	40	.325"	.063"	67	7	GAFCD1633RSP				GAFCD1633PL		GAF33S067DL	GAF33F067DL	GAF105705		163SLGD025
18	45	.325"	.063"	74	8					GAFCD1833PL		GAF33S074DL	GAF33F074DL	GAF105706		183SLGD025
20	50	.325"	.063"	81	7			GAFCD2003HS				GAF33S081DL	GAF33F081DL		203ATMD025	
009, 009 L, 010, 011, 012, 015, 017, 018, 018 C, 019, 019 T, 020, 020 SUPER, 020 T, 021, 023, 023 C, 023 L, E 10, E 14, E 140, MS 170, MS 171, E 160, E 180, E 180 C, MS 180 C, MS 180 C-B, MS 180 C-BE, MS 181, MS 181 C, MS 181 C-BE, MS 190 T, MS 191, MS 191 T, MS 192, MS 192 C, MS 192 T, MS 192 TC, MS 192 T C-E, MS 193, MS 193 T, MS 200, MS 200 T, MS 201 C, MS 201 T, MS 201 TC-M, MS 210, MS 210 C, MS 210 C-BE, MS 211, MS 211 C, MS 211 C-BE, MS 220, MS 220 Q, MSE 140, MSE 140 C, MSE 140 C-BQ, MSE 170, MSE 170 C-BQ, MSE 180, MSE 180 C, MSE 180 C-BQ, MSE 200, MSE 210 C-BQ. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .325" pitch chain.																
12	30	3/8" LP	.050"	44	6			GAFAD1220RRP		GAFAD1220EL	GAFAD1220DL	GAF20S044DL				120SPEA074 120SDEA074
14	35	3/8" LP	.050"	50	6			GAFAD1420PRP		GAFAD1420EL	GAFAD1420DL	GAF20S050DL		GAF105702		140SPEA074 140SDEA074
16	40	3/8" LP	.050"	55	6			GAFAD1620PRP		GAFAD1620EL	GAFAD1620DL	GAF20S055DL		GAF105703		160SPEA074 160SDEA074
NARROW CUT ▼																
12	30	3/8" LP	.043"	44	6					GAFAD1224NL	GAF24SN044DL GAF24STN044DL			GAF105692		124MLEA074
14	35	3/8" LP	.043"	50	6					GAFAD1424NL	GAF24SN050DL GAF24STN050DL			GAF105694		144MLEA074
16	40	3/8" LP	.043"	55	6					GAFAD1624NL	GAF24SN055DL GAF24STN055DL			GAF105696		164MLEA074
Pole pruner models: HT 75, HT 101, HT 103, HT 133, HTA 65, HTA, 85, HTE 60. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" LP pitch chain.																
NARROW CUT ▼																
10	25	1/4"	.043"	56	6							GAF14SD056DL				
12	30	1/4"	.043"	64	6							GAF14SD064DL				



BAR AND CHAIN APPLICATIONS

SAW CHAIN					GUIDE BARS						RETAIL PACKS		REPLACES OEM			
																
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			

STIHL
Pole pruner models: HT 70, HT 73, HT 75, HT 100, HT 101, HT 130, HT 131, HT 250, HT-KM. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 1/4" pitch chain.

NARROW CUT ▼																
12	30	3/8" LP	.043"	44	6							GAFAD1224NL	GAF24SN044DL GAF24STN044DL	GAF105692		124MLEA074
14	35	3/8" LP	.043"	50	6							GAFAD1424NL	GAF24SN050DL GAF24STN050DL	GAF105694		144MLEA074
16	40	3/8" LP	.043"	55	6							GAFAD1624NL	GAF24SN055DL GAF24STN055DL	GAF105696		164MLEA074
034, 034 SUPER, 036, 036 Super, 038, 038 Magnum, 038 Super Magnum, 039, 041, 042, 044, 044 Magnum, 045, 046, 046 Magnum, 048, 056, 056S, 064, 066, 066 Magnum, E15, MS 290, MS 310, MS 311, MS 360, MS 361, MS 361 C, MS 361 C-B, MS 361 C-Q, MS 362, MS 362 C-M, MS 362 C-MQ, MS 362 C-Q, MS 380, MS 381, MS 390, MS 390 Farm Boss, MS 440, MS 440 Magnum, MS 441, MS 441 C, MS 460, MS 460 Magnum, MS 461, MS 462, MS 462 C-M, MS 500i, MS 650, MS 660, MS 660 Magnum, MS 661, MS 661 RC-M, MSE 220 C, MSE 250 C. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a .404" pitch chain.																

15	38	3/8"	.063"	56	7							GAF43S056DL	GAF43F056DL			
16	40	3/8"	.063"	60	8	GAFCD1643RSP			GAFCD1643RS	GAFCD1643PL		GAF43S060DL	GAF43F060DL	GAF110782	163RNDD025	163SLHD025
18	45	3/8"	.063"	66	8	GAFCD1843RSP	GAFCD1843RRP		GAFCD1843RS	GAFCD1843PL		GAF43S066DL	GAF43F066DL	GAF110783	183RNDD025	183SLHD025
20	50	3/8"	.063"	72	8	GAFCD2043RSP	GAFCD2043RRP		GAFCD2043RS	GAFCD2043PL		GAF43S072DL	GAF43F072DL	GAF110784	203RNDD025 203ATMD025	203SLHD025
22	55	3/8"	.063"	77	8				GAFCD2243RS			GAF43S077DL	GAF43F077DL		223RNDD025	
24	60	3/8"	.063"	84	7				GAFCD2443RS			GAF43S084DL	GAF43F084DL		243RNDD025 243ATMD025	
25	63	3/8"	.063"	84	7	GAFCD2543RSP	GAFCD2543RRP					GAF43S084DL	GAF43F084DL			
25	63	3/8"	.063"	85	8	GAFCD2543RSP	GAFCD2543RRP					GAF43S085DL	GAF43F085DL			
28	70	3/8"	.063"	92	8							GAF43S092DL	GAF43F092DL			
30	75	3/8"	.063"	98	7	GAFCD3043RSP			GAFCD3043RS			GAF43S098DL	GAF43F098DL		303RNDD025	
36	90	3/8"	.063"	114	7	GAFCD3643RSP			GAFCD3643RS			GAF43S114DL	GAF43F114DL		363RNDD025	
42	107	3/8"	.063"	135	7	GAFCD4243RSP			GAFCD4243RS			GAF43S135DL	GAF43F135DL		423RNDD025	

038, 038 Super Magnum, 039, 041, 042, 044, 044 Magnum, 045, 046, 046 Magnum, 048, 056, 064, 066, 066 Magnum, MS 660. Note: Please check your saw carefully prior to ordering, some of these saw models were also released fitted with a 3/8" pitch chain.																
20	50	.404"	.063"	65	7					GAFCD2053RS				GAF53S065DL	GAF53F065DL	
24	60	.404"	.063"	77	7					GAFCD2453RS				GAF53S077DL	GAF53F077DL	

050, 051, 075, 076, 07 S, 070, 084, 088, 088 Magnum, 08 S, 08 S-EQ, 090 AV, E 30, MS 880, MS 880 Magnum, S 10																
17	43	.404"	.063"	60	7							GAF53S060DL	GAF53F060DL			
21	53	.404"	.063"	68	7				GAFDA2153RS			GAF53S068DL	GAF53F068DL		213RNFE031	
25	63	.404"	.063"	80	7	GAFDB2553RSP			GAFDA2553RS			GAF53S080DL	GAF53F080DL		253RNFE031	
30	75	.404"	.063"	92	7							GAF53S092DL	GAF53F092DL			
36	90	.404"	.063"	104	7	GAFDB3653RSP						GAF53S104DL	GAF53F104DL		363RNFE099	
42	107	.404"	.063"	122	7				GAFDB4253RS			GAF53S122DL	GAF53F122DL		423RNFE099	

TALON																
AC3100, AC3100-35C, AC31A114-35, AC31AC116-35, AC31A116-38, AC31A118-38S, AC31A140																
12	30	3/8" LP	.050"	44	6						GAFAG1220DL	GAF20S044DL				120SDEA318
14	35	3/8" LP	.050"	49	6							GAF20S049DL				
16	40	3/8" LP	.050"	54	6							GAF20S054DL				
18	45	3/8" LP	.050"	60	6							GAF20S060DL				



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth								Chain Loop				
												Semi-Chisel Chain	Full-Chisel Chain			
(")	(cm)														Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
TALON																
AC3100, AC3100-35C, AC31A114-35, AC31AC116-35, AC31A116-38, AC31A118-38S, AC31A140																
NARROW CUT ▼																
12	30	3/8" LP	.043"	44	6						GAFAF1224NL	GAF24SN044DL	GAF24STN044DL			124MLEA218
AC3105-42C, AC310518, AC310518, AC31A118-38																
NARROW CUT ▼																
14	35	3/8" LP	.050"	52	6							GAF20S052DL				
16	40	3/8" LP	.050"	56	6							GAF20S056DL				
AC3102-55C, AC3103-42C, AC310218, AC310220S, AC310318																
16	40	.325"	.050"	66	7						GAFBB1630PL	GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	68	7						GAFBB1830PL	GAF30S068DL	GAF30F068DL			180SLGK095
NARROW CUT ▼																
15	38	.325"	.050"	64	7						GAFBB1530KL	GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7						GAFBB1630KL	GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7						GAFBB1830KL	GAF30SDN072DL		GAF108580		180MPBK095
Electric models: AC2103C, AC211114, AC211116, AC21052168A																
12	30	3/8" LP	.050"	44	6							GAF20S044DL				
NARROW CUT ▼																
12	30	3/8" LP	.043"	44	6						GAFAF1224NL	GAF24SN044DL	GAF24STN044DL			124MLEA218
Pruner attachment: ACA007																
NARROW CUT ▼																
10	25	3/8" LP	.050"	39	6						GAFAF1020DL	GAF20S039DL				100SDEA218
TANAKA																
ECS-415, ECS-4000, ECS-4000B, ECV-3801, ECV-4501, TCS40EA, TCS51EAP																
16	40	.325"	.050"	66	7					GAFBA1630RS	GAFBA1630PL	GAF30S066DL	GAF30F066DL	GAF105711	160RNBK041	160SLGK041
18	45	.325"	.050"	72	7						GAFBA1830PL	GAF30S072DL	GAF30F072DL	GAF105715		180SLGK041
20	50	.325"	.050"	78	7							GAF30S078DL	GAF30F078DL			
NARROW CUT ▼																
15	38	.325"	.050"	64	7							GAF30SDN064DL				
ECV 5601																
16	40	.325"	.050"	66	7						GAFBB1630PL	GAF30S066DL	GAF30F066DL			160SLGK095
NARROW CUT ▼																
16	40	.325"	.050"	66	7						GAFBB1630KL	GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7						GAFBB1830KL	GAF30SDN072DL		GAF108580		180MPBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	7	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
ECS-35, ECS-290, ECS-300, ECS-320, ECS-330, ECS-350, ECS-351, ECS-355, ECS-356, ECS-370, ECS-405, ECS-3301, ECS-3351, ECS-3401, ECS-3500, TCS-2801S, TCS-33EB, TCS-3301, TCS- 3301PFS, TCS-3351PFS, TCS-3401																
10	25	3/8" LP	.050"	40	6						GAFAA1020DL	GAF20S040DL				100SDEA041
12	30	3/8" LP	.050"	45	6						GAFAA1220EL	GAFAA1220DL	GAF20S045DL	GAF105698		120SPEA041 120SDEA041 140SDEA041



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
						Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo		
Bar Length	Pitch	Gauge	Drive Links	Sprocket Teeth	Sprocket Nose							Semi-Chisel Chain	Full-Chisel Chain		Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)															
TANAKA																
ECS-35, ECS-290, ECS-300, ECS-320, ECS-330, ECS-350, ECS-351, ECS-355, ECS-356, ECS-370, ECS-405, ECS-3301, ECS-3351, ECS-3401, ECS-3500, TCS-2801S, TCS-33EB, TCS-3301, TCS- 3301PFS, TCS-3351PFS, TCS-3401																
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL GAF24STN052DL				144MLEA041
16	40	3/8" LP	.043"	56	6							GAF24SN056DL GAF24STN056DL				
TCS-EDTP																
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL			GAF105698	120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL			GAF105699	140SPEA041 140SDEA041
ECS-505, ECS-506																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	64	7							GAF40S064DL	GAF40F064DL			
18	45	3/8"	.050"	66	7							GAF40S066DL	GAF40F066DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAF40S070DL	GAF40F070DL		200RNDD176	200SLHD176
24	60	3/8"	.050"	81	7				GAFCG2440RS			GAF40S081DL	GAF40F081DL		240RNDD176	
Pruner models: TPS-200 (Attachment), TPS-210, TPS-250, TPS-250PF, TPS-270, TPS-270PF, TPS-2501, TPS-2510, SF-PS (Brushcutter Attachment)																
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
ECS-650, ECS-655																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	64	7							GAF40S064DL	GAF40F064DL			
18	45	3/8"	.050"	66	7							GAF40S066DL	GAF40F066DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAF40S070DL	GAF40F070DL		200RNDD176	200SLHD176
24	60	3/8"	.050"	81	7				GAFCG2440RS			GAF40S081DL	GAF40F081DL		240RNDD176	
WEN / WAGNER																
3814, 4014																
14	35	3/8" LP	.050"	52	7					GAFAA1420EL	GAFAA1420DL	GAF20S052DL			GAF105699	140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	7					GAFAA1620EL	GAFAA1620DL	GAF20S056DL			GAF105700	160SPEA041 160SDEA041
3816, 3818																
16	40	3/8" LP	.050"	56	7					GAFAE1620EL		GAF20S056DL				160SPEA095
WORX																
Jawsaw																
6"	15	1/4"	.050"	42								GAF10SD042DL				
WG300, WG303, WG304																
14	35	3/8" LP	.050"	53	7					GAFAA1420EL	GAFAA1420DL	GAF20S053DL				140SPEA041 140SDEA041
16	40	3/8" LP	.050"	57	7					GAFAA1620EL	GAFAA1620DL	GAF20S057DL				160SPEA041 160SDEA041
18	45	3/8" LP	.050"	63	7						GAFAA1820DL	GAF20S063DL				180SDEA041



BAR AND CHAIN APPLICATIONS

SAW CHAIN						GUIDE BARS						RETAIL PACKS			REPLACES OEM	
Bar Length		Pitch	Gauge	Drive Links	Sprocket Teeth	Prokut Platinum Sugihara Solid Professional Bar / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Replaceable Sprocket Nose	Prokut Platinum Sugihara Reduced Weight Pro Series / Laminated	Solid Professional Bar / Replaceable Sprocket Nose (RS) / Hard Nose (HS)	Semi-Professional Laminated Bar/ Multi-rivet Sprocket Nose	Consumer Laminated Bar/ Single Rivet Sprocket Nose	Chain Loop		Bar & Chain Combo	Replaces Oregon Solid Bar	Replaces Oregon Laminated Bar
(")	(cm)											Semi-Chisel Chain	Full-Chisel Chain			
ZENOAH																
G390, G450AVS, G455, G455AVS, G500, G5000, G5000AVS, G5300																
16	40	.325"	.050"	66	7					GAFBB1630PL		GAF30S066DL	GAF30F066DL			160SLGK095
18	45	.325"	.050"	72	7					GAFBB1830PL		GAF30S072DL	GAF30F072DL			180SLGK095
13	33	.325"	.058"	56	7					GAFBB1338PL		GAF38S056DL	GAF38F056DL			138SLBK095
15	38	.325"	.058"	64	8				GAFBB1538RS	GAFBB1538PL		GAF38S064DL	GAF38F064DL		158RNBK095	158SLBK095
16	40	.325"	.058"	66	7	GAFBB1638RSP			GAFBB1638RS	GAFBB1638PL		GAF38S066DL	GAF38F066DL	GAF105712	168RNBK095	168SLGK095
18	45	.325"	.058"	72	8	GAFBB1838RSP			GAFBB1838RS	GAFBB1838PL		GAF38S072DL	GAF38F072DL	GAF105713	188RNBK095	188SLGK095
20	50	.325"	.058"	78	7	GAFBB2038RSP			GAFBB2038RS	GAFBB2038PL		GAF38S078DL	GAF38F078DL	GAF105714	208RNBK095	208SLGK095
NARROW CUT ▼																
13	33	.325"	.050"	56	7							GAF30SDN056DL				
15	38	.325"	.050"	64	7					GAFBB1530KL		GAF30SDN064DL				150MPBK095
16	40	.325"	.050"	66	7					GAFBB1630KL		GAF30SDN066DL		GAF108579		160MPBK095
18	45	.325"	.050"	72	7					GAFBB1830KL		GAF30SDN072DL		GAF108580		180MPBK095
G415, GZ4000																
16	40	.325"	.050"	66	7				GAFBA1630RS	GAFBA1630PL		GAF30S066DL	GAF30F066DL	GAF105711	160RNBK041	160SLGK041
G250, G300AVS, G300TS, G310TS, G2500, G2500TS, G3100TS, G3200, G3200EZ, G3300, G3300EZ, GZ3500T, GZ380, G3800, G3800AVS, GZ400, GZ4000																
10	25	3/8" LP	.050"	40	6						GAFAA1020DL	GAF20S040DL				100SDEA041
12	30	3/8" LP	.050"	45	6					GAFAA1220EL	GAFAA1220DL	GAF20S045DL		GAF105698		120SPEA041 120SDEA041
14	35	3/8" LP	.050"	52	6					GAFAA1420EL	GAFAA1420DL	GAF20S052DL		GAF105699		140SPEA041 140SDEA041
16	40	3/8" LP	.050"	56	6					GAFAA1620EL	GAFAA1620DL	GAF20S056DL		GAF105700		160SPEA041 160SDEA041
18	45	3/8" LP	.050"	62	6						GAFAA1820DL	GAF20S062DL				180SDEA041
NARROW CUT ▼																
12	30	3/8" LP	.043"	45	6							GAF24SN045DL GAF24STN045DL				
14	35	3/8" LP	.043"	52	6						GAFAA1424NL	GAF24SN052DL GAF24STN052DL				144MLEA041
16	40	3/8" LP	.043"	56	6							GAF24SN056DL GAF24STN056DL				
G621, G621AVS																
16	40	3/8"	.050"	60	7							GAF40S060DL	GAF40F060DL			
18	45	3/8"	.050"	66	7							GAF40S066DL	GAF40F066DL			
20	50	3/8"	.050"	70	7				GAFCG2040RS	GAFCG2040PL		GAF40S070DL	GAF40F070DL		200RND176	200SLHD176
24	60	3/8"	.050"	81	7				GAFCG2440RS			GAF40S081DL	GAF40F081DL		240RND176	
Pole saw models: PRO GZ25N, PSZ 2500S, PSZ 2600																
NARROW CUT ▼																
10	25	3/8" LP	.043"	39	6						GAFAF1024NL	GAF24SN039DL GAF24STN039DL				104MLEA218
12	30	3/8" LP	.043"	44	6						GAFAF1224NL	GAF24SN044DL GAF24STN044DL				124MLEA218