



STENS PACKAGING


- 100% recyclable, environmentally friendly
- Tamper proof
- Ensures kit sets are complete with no missing parts
- The packaged blades have a low profile, allowing more blade sets per display hook
- Easy to read fitting and safety instructions on the back of the packs
- Allows customer to see and compare parts for correct product match
- Australian made packaging

- Made in Australia
- Made from CK1055 steel sourced from New Zealand
- Hardened in Australia in a controlled atmosphere furnace to match the steel grade and then tested
- Tempered to 43-45 Rockwell (a strength determined to be ideal for mower blades) and then tested for hardness and ductility



HANDY HINTS

























Help your customers get the right blade by teaching them to measure correctly.



















A. Measure the blade straight from centre of bolt hole to cutting edge for its length.

B. Measure the blade from the top to bottom for its width.






	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-036PK 	High flute blade suits Cox Crusader; Deluxe 18" (460mm) cut rear catcher models; recommended torque 15NM	95mm	38.5mm	13mm	1.6mm	10 pr.	120-012BAPK
		 (Priced per pack, sold per pack)					9 311891 597571	
	900-063P 	A01118K, A00672K Above 110-036 blade with matching bolt set in a retail pack					10 sets included	
							9 311891 592187	
	110-036WPK 	Above 110-036W blade loose in workshop box					200	120-012BAPK single
		 (Priced per pack, sold per pack)					9 311891 597588	
 	110-062PK	Flat blade with dished bolt hole suits Cox Workman 21" (530mm) cut utility models; recommended torque 13.6-19NM	136mm	45mm	15.5mm	1.9mm	10 pr.	120-009PK
		 (Priced per pack, sold per pack)					9 311891 597786	
	900-099P	900321/ 900331 Above 110-062 blade with matching bolt set in a retail pack					5 sets Included	
							9 311891 592422	
	110-043PK	MB1575 Stepped and fluted blade suits Mowmobile 5-25 25" (640mm) cut; 5-28 28" (710mm) cut; Scout 25" (640mm) cut; Nova 38" (965mm) cut; recommended torque 36-40NM	137mm	50mm	13mm	3mm	5 pr.	120-005BPK
		 (Priced per pack, sold per pack)					9 311891 597656	
	900-043P	Above 110-043 blade with matching bolt set in a retail pack					5 sets Included	
							9 311891 593979	
	110-043HWPK	Bulk pack of 110-043						
		 (Priced per pack, sold per pack)					9 311891 597649	
	110-068PK	SMB150SHD Stepped and low fluted blade suits 28" (710mm) Stockman, Scout & Orion; 48" (1220mm) Stockman (3 discs); recommended torque 36-40NM	150mm	50mm	13mm	3mm	5 pr.	120-005BPK
		 (Priced per pack, sold per pack)					9 311891 597779	
	900-068P	Above 110-068 blade with matching bolt set in a retail pack					5 sets included	
							9 311891 593153	

BELTS/
BLADES

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-063PK	SMB150AHD Stepped and high fluted blade suits Stockman, Scout, Orion, 28" (710mm) cut; Stockman 48" (1220mm) cut mowing attachments; recommended torque 36-40NM	150mm	50mm	13mm	3mm	5 pr	120-005BPK
	 (Priced per pack, sold per pack)					9 311891 597762	
900-084P	SKIT33 Above 110-063 blade with matching bolt set in a retail pack					5 sets included	
						9 311891 592194	
110-063HWPK	Above 110-063 blade loose in workshop box					100	120-005BPK
	 (Priced per pack, sold per pack)					9 311891 597755	
 110-089PK	MB198AHD Stepped & fluted blade suits 32" (812mm) cut Stockman, Orion ZL, Nova and Supa Nova; recommended torque 36-40NM	198mm	50mm	13mm	3mm	5 pr	120-005BPK
	 (Priced per pack, sold per pack)					9 311891 597847	
900-089P	MB198AHD SKIT 55 Above 110-089 blade with matching bolt set in a retail pack					5 sets included	
						9 311891 592200	
110-089WPK	Bulk pack of 110-089					80	120-005BPK
	 (Priced per pack, sold per pack)					9 311891 597854	
 110-007PK	MB198S Stepped and low fluted blade right hand cut suits 32" cut Orion XL, Nova, Supa Nova and Stockman models; recommended torque - refer to owner's manual	198mm	50mm	13mm		1 pr	120-005BPK
	 (Priced per pack, sold per pack)					9 311891 597441	
900-007P	750556 Above 110-007 blade with matching bolt set in a retail pack					1 set Included	
						9 311891 593818	





DEUTSCHER

	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-042PK	DR1, H26 Flat blade suits all ride-on and self propelled models; recommended torque - refer to owners manual	114mm	45mm	16mm	2mm	10 pr	
		 (Priced per pack, sold per pack)					9 311891 597625	
	110-042WPK	Bulk pack of 110-042						
		 (Priced per pack, sold per pack)					9 311891 597632	



ELECTROLUX/FLYMO

	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-001PK	Including Flymo RL480, RL480B, RL480P, RL480L, RL480SP, RL480XM, RL480XE, RL480S, RL480ES, RL480XL, RL320, RL488XE40, RL4881C, RL508SES, RL488ES, FC378, FC378XTE, RL180M, RL180XE, FT558; Husqvarna Viking models; Weedeater WE180, WE320, WE580, WE488XE35, WE480LRL; recommended torque 13.6-19NM	104mm	45mm	15.5mm	1.9mm	10 pr.	120-001BPK
		 (Priced per pack, sold per pack)					9 311891 597403	
	900-001P	288151 Above 110-001 blade with matching bolt set in retail pack					10 sets included	
							9 311891 592330	



Replacement SWING BACK BLADES



GREENFIELD

















BELTS/
BLADES

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 900-088P	GD5636 Fluted blade & bolts suits rear catcher model 419. 19" (482mm) cut all domestic models; including bolts in a retail pack; recommended torque 44NM	91mm	45mm	15mm	1.9mm	1 set	Included
							9 311891 592385
110-088WPK	Bulk pack of 900-088P blades  (Priced per pack, sold per pack)						9 311891 597830
 900-080P	GT148, GT932 Stepped and fluted blade and bolts suits 28" (710mm) cut right hand throw HD8 Ride On, IPD Slasher (pre 1991); including bolts in a retail pack; recommended torque 44NM	185mm	65mm	13mm	2.5mm	5 sets	Included
							9 311891 593078
110-080WPK	Bulk pack of 900-080P blades  (Priced per pack, sold per pack)						9 311891 597793
 900-081P	GT2127 Fluted blade and bolts suits 28" (710mm) cut left hand throw models as used on 8HP, 10HP, 11HP, Mini 8HP, Tractor 8HP, 10HP, 11HP, 28" (710mm) cut and Tractor 11.30 MKI 30" (760mm) cut; including bolts in a retail pack; recommended torque 44NM	185mm	65mm	13mm	2.5mm	5 sets	Included
							9 311891 593085
110-081WPK	GT2127 Fluted blade and bolts suits 28" (710mm) cut left hand throw models  (Priced per pack, sold per pack)	185mm	65mm	13mm	2.5mm	80 single	
							9 311891 597809
 900-082P	GT1610 Stepped and fluted blade and bolts right hand throw 26" (660mm) cut models as used on 5-8 HP XL series, 5XL, 8XL, 5GB and 5 HP Stallion, Ultimo (selected models); including bolts in a retail pack; recommended torque 44NM	155mm	64mm	13mm	2.5mm	5 sets	Included
							9 311891 593092
110-082WPK	Bulk pack of 900-082P blades  (Priced per pack, sold per pack)					80 single	
							9 311891 597816
 900-083P	GT2139 Fluted blade left hand throw from 1987 suits Anniversary 28" (710mm), 30" (760mm), 32" (812mm) cut 8 HP, 11 HP and 12 HP models; Evolution 1, 2, 3 and 2000 30" (760mm), 32" (813mm) and 34" (863mm) cut models; Tractor 11.30 MKII 30" (760mm) cut models; including bolts in a retail pack; recommended torque 44NM	185mm	65mm	15mm	2.5mm	5 pr.	Included
							9 311891 592217
110-083WPK	Above 110-083 blade loose in workshop box  (Priced per pack, sold per pack)					80 single	120-083BPK
							9 311891 597823
900-093P	GT2106 Stepped & fluted blade right hand throw suits 28" (710mm) cut late model I.P.D.; Slashers (1990 and newer) and Jillaroo 28" (710mm) and 30" (760mm) cut ride ons; packed with matching bolt set; including bolts in a retail pack; recommended torque 44NM	185mm	65mm	15mm	2.5mm	5 sets	included
							9 311891 593122



HONDA

BELTS/
BLADES

	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-016PK	72511-VA3-K810 Stepped and high fluted rear catcher blade suits Buffalo model HRU194PU, HRU195 19" (482mm) cut, HRU214SU 21" (532mm) cut self propelled models; Use our 110-216 blade for the following models: Buffalo Buck HRU19R, HRU19D Mulch and Catch 19" cut; Buffalo Bull HRU197, HRU197D; Mulch & Catch 19"; Buffalo Classic HRU196, HRU196D; Mulch & Catch 19"; recommended torque 38NM	122m	44m	16mm	1.9mm	10 pr.	120-016BPK
		 (Priced per pack, sold per pack)						
	900-016P	New 06720-VA3-K00 Old L1238-HRU-001 Above 110-016 blade with matching bolt set in a retail pack					10 sets included	
								
	100-016WSP	Above 110-016 blade in a reuseable sturdy cardboard box containing 50 pr each of loose blades, bolts, nuts and washers for workshop use					1 kit included	
		 (Priced per pack, sold per pack)						
	110-016WPK	Above 110-016 blade loose in workshop box					150 single	120-016BPK
		 (Priced per pack, sold per pack)						
	110-216PK	L1283-19L-010 Stepped and low fluted rear catcher blade; Buffalo Buck HRU19R, HRU19D; Mulch & Catch 19" cut; Buffalo Bull HRU197, HRU197D; Mulch & Catch 19"; Buffalo Classic HRU196, HRU196D; Mulch & Catch 19" (use in conjunction with Bynorm Part No 110-016 x 1 pr); recommended torque 38NM	122mm	45mm	16mm	1.9mm	10 pr.	120-016BPK
		 (Priced per pack, sold per pack)						
	900-216P	06720-VK0-A10 Above 110-216 blade with matching bolt set in a retail pack					10 sets included	
								
	900-416P	06720-VK0-600 Above 110-216 low flute blade x 2 and 110-016 high flute blade x 2 including bolt set in a retail pack					5 sets included	
								
	110-216WPK	Above 110-216 blade loose in workshop box					150 single	120-016BPK
		 (Priced per pack, sold per pack)						



Replacement SWING BACK BLADES



HONDA (Cont.)











BELTS/
BLADES

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-217PK	L1283-21L-010 Stepped and low flute rear catcher blade suits models HRU215 Buffalo Classic HRU216SU, 21" cut, HRU216DSU; Mulch & Catch 21" cut Buffalo Bull; HRU217DPU 21" cut (use in conjunction with 110-218 blade below); recommended torque 38NM	151mm	50mm	16mm	2mm	10 pr.	120-016BPK
	 (Priced per pack, sold per pack)						
900-217P	06720-VJ9-A00 Above 110-217 blade with matching bolt set in a retail pack					5 sets included	
							
110-217WPK	Above 110-217 blade loose in workshop box					100 single	120-016BPK
	 (Priced per pack, sold per pack)						
 110-218PK	L1283-21H-010 Stepped and high fluted rear catcher blade; Buffalo Classic HRU216SU 21" cut 21" cut; HRU216DSU Mulch & Catch 21" cut; Buffalo Bull HRU217DPU 21" cut; (use in conjunction with 110-217 x 1 pr see above); recommended torque 38NM	151mm	50mm	16mm	2mm	10 pr.	120-016BPK
	  (Priced per pack, sold per pack)						
900-218P	06720-VJ9-000 Above 110-218 blade with matching bolt set in a retail pack					5 sets included	
							
900-418P	06720-VJ9-600 Above 110-217 low flute blade x 2 and 110-218 high flute blade x 2 with matching bolt sets in a retail pack					5 sets included	
							
110-218WPK	Above 110-218 blade loose in workshop box					100 single	120-016BPK
	 (Priced per pack, sold per pack)						
 110-017PK	06720-VB4-000 Fluted rear catcher blade with dished bolt hole fits Buffalo model HRU194PU; 19" (482mm) cut, HRU214SU 21" (532mm); 16mm cut self-propelled models; 1.9mm; recommended torque 38NM	123mm	44mm	16mm	1.9mm	10 pr.	120-017BPK
	 (Priced per pack, sold per pack)						
900-017P	06720-VB4-000 Above 110-017 blade with matching bolt set in a retail pack					10 sets included	
							
 110-015APK	L1238-UTI-215 Stepped blade - no flute; fits Utility model 21" cut, 1996 and newer; recommended torque 38NM	122mm	44mm	16mm	1.9mm	10 pr.	120-016BPK
	 (Priced per pack, sold per pack)						







HOWARD

BELTS/
BLADES

	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-013PK	78241 Metric 248-011 (10mm bolts); Imperial 248-010 (3/8" bolts) Stepped & fluted left hand throw blade; fits Howard Stealth Rollamowa; Please Note: 3mm heavy-duty blade; (N.B. 2mm gauge also available if required; recommended torque 36-40 NM	102mm	50mm	13mm	3mm	5 pr.	
		 9 311891 597465						
		 (Priced per pack, sold per pack)						
	110-047PK	78016 Metric 248-011 (10mm bolts) Imperial 248-010 (3/8" bolts) Stepped blade sharpened two edges; fits Howard Stealth Rollamowa and B22 models; Please Note: 3mm heavy-duty blade (N.B. 2mm gauge available if required use 110-064); recommended torque 36-40NM	102mm	50mm	13mm	3mm	5 pr.	Metric
		 9 311891 597663						
		 (Priced per pack, sold per pack)						
	110-047WPK	78016	102mm	50mm	13mm	3mm	100 single	Metric
		 (Priced per pack, sold per pack)						
		 9 311891 597670						
	244-012	78663 Bolt (1); Nut (1); ush (1) Stepped and twisted slasher blade fits Howard units including: 4' 6" (1422mm) 5' (1524mm); 6' (1829mm) 7' (2134mm) cut models; (N.B. nib neck bolt set available use 248-012A); recommended torque - refer to owner's manual	355mm	82mm	32mm	12mm	1	248-012
		 9 311891 511676						



HUSQVARNA



	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-001PK	288151/01 Fluted blade fits rear catcher Husqvarna Viking models Recommended torque 13.6-19NM	104mm	45mm	15.5mm	1.9mm	10 pr.	120-001BPK
		 9 311891 597403						
		 (Priced per pack, sold per pack)						
	900-001P	Above 110-001 blade with matching bolt sets in a retail pack					10 sets included	
		 9 311891 592330						



Replacement SWING BACK BLADES
















INTERNATIONAL HARVESTER

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 244-054	1H-825696RI Stepped slasher blade sharpened on two edges fits selected international Harvester models; recommended torque - refer to owner's manual	155mm	65mm	25.4mm	5mm	1	Not Avail.
						 9 311891 511706	














JETFAST/SUPASWIFT

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-026PK Shogun, also Vulcan, Turner, Black & Decker, Falcon 460; recommended torque 15NM  (Priced per pack, sold per pack)	86mm	43mm	14mm	1.9mm	10 pr.	120-008BPK
						 9 311891 597540	
 	110-061PK 900322 Flat blade with dished bolt hole suits Supa Swift, Little Bob, Jetfast utility 18" (455mm) cut Light Commercial; recommended torque 13.6-19NM  (Priced per pack, sold per pack)	92mm	50mm	15.5mm	1.9mm	10 pr.	120-009PK
						 9 311891 597748	
900-098P	900322/ 900321 Above 110-061 blade with matching bolt set in a retail pack					5 sets	included
						 9 311891 592415	
 	110-062PK 900331 Flat blade with dished bolt hole suits 21" (530mm) cut Utility models Supa Swift, Big Bob, Jetfast Honda, Commercial Worker, 21" (530mm) cut; recommended torque 13.6-19NM  (Priced per pack, sold per pack)	136mm	50mm	15.5mm	1.9mm	10 pr.	120-009PK
						 9 311891 597786	
900-099P	900321/ 900331 Above 110-062 blade with matching bolt set in a retail pack					5 sets	included
						 9 311891 592422	










KUBOTA

BELTS/
BLADES

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-091PK	121mm 65mm 13mm 3mm Stepped and fluted left hand throw blade as used with conversion bar 242-086; no flute for sandy conditions; suits Kubota 60" (1520mm) cut models; recommended torque 36-40NM					1 pr.	248-010PK
	 (Priced per pack, sold per pack)						
110-091WPK	Above 110-091 blade loose in workshop box					100 single	248-010PK
	 (Priced per pack, sold per pack)						
 110-092PK	121mm 65mm 13mm 3mm Stepped and fluted right hand throw blade as used with conversion bar 242-085, 242-086, 242-142 suits 60" (1520mm) low cut No flute for sandy conditions RC6071H & RC6082H and 72" (1830mm) cut models; recommended torque 36-40NM					1 pr.	248-010PK
	 (Priced per pack, sold per pack)						
100-092WSP	Above 110-092 blade in a reusable sturdy cardboard box containing 30 pair each of loose blades, bolts, nuts and washers for workshop use					30 pr. included	
							
110-092WPK	Above 110-092 blade loose in workshop box					100 single	248-010PK
	 (Priced per pack, sold per pack)						



MASPORT/MORRISON

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-096PK	590014 100mm 44.5mm 13mm 1.6mm Flat and fluted blade suits 18" (455mm) cut rear catcher models; including series 430M, Craftsman 435, Whirlwind 435, President 635, Craftsman 640X, President 640I, President 642B; recommended torque 20-25NM					10 pr.	120-096BPK
	 (Priced per pack, sold per pack)						
900-096P	529578 Above 110-096 blade with matching bolt set in a retail pack					10 sets included	
							
110-096WPK	Above 110-096 blade loose in workshop box					150 single	120-096BPK
  (Priced per pack, sold per pack)							





























Replacement SWING BACK BLADES



MASPORT/MORRISON [Cont.]

BELTS/
BLADES

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-097PK	529648, 80658 Stepped & fluted blade with dished bolt hole suits blade carriers fitted to Cushion Cut/Quick Cut 18" (455mm) cut models including Masport Series 300-4, 400-4, 600-4, 600I-2, 600I-4 and Morrison Vinaro 475AL, 500AL, 550AL, Missile 450ST, Torpedo 475ST Chipper 2 in 1; recommended torque 20-25NM  (Priced per pack, sold per pack)	100mm	44.5mm	13mm	1.9mm	10 pr.	120-097BPK
 900-070P	529594/7806585 Above 110-097 blade with matching bolt set in a retail pack					10 sets included	
100-070WSP	529594 Above 110-097 blade in a reusable sturdy cardboard box containing 50 pair each of loose blades, bolts, nuts and washers for workshop use  (Priced per pack, sold per pack)					1 kit included	
 110-097WPK	Above 110-097 blade loose in workshop box  (Priced per pack, sold per pack)					150 single	
 110-030PK	108mm 44mm 13mm Blade suits rear catcher models Masport 19" cut MSV "Beast"; recommended torque - refer to owner's manual  (Priced per pack, sold per pack)	108mm	44mm	13mm		5 pr.	120-097BPK
 900-030P	Above blade 110-030 with matching bolt set in a retail pack					10 sets Included	
 110-030WPK	Above 110-030 blade loose in workshop box  (Priced per pack, sold per pack)					20 single	
 110-006PK	980659 New 529582 Old Stepped & fluted rear catcher blade with a dished bolt hole as fitted to bar type blade holder (not disc); suits Cushion Cut/Quick Cut 20" (505mm) cut 900I-4, 900I-4SP models; recommended torque 20-25NM  (Priced per pack, sold per pack)	123mm	45mm	13mm	1.9mm	5 pr.	120-097BPK
 900-006P	529582 Above 110-006 blade with matching bolt sets in a retail pack - 1 pr					10 Included	
 110-006WPK	Bulk pack of 110-006  (Priced per pack, sold per pack)					100 single	
 110-094WPK	Flat and fluted blade fits rear catcher and side throw models including 505 20" (505mm) side throw contractor, model 500-1 20" (505mm) rear catcher and 900-1; recommended torque 20-25NM; 122mm L; 44mm W; 13mm hole; 1.6mm gauge  (Priced per pack, sold per pack)					200 single	





PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-011PK	Stepped and fluted rear catcher blade suits models fitted to swing back conversion bar; ecommended torque 36-40NM	113mm	50mm	13mm	3mm	5 pr.	120-005BPK
	 (Priced per pack, sold per pack)					9 311891 597458	
 110-023PK	753-9008 Flat and fluted blade with dished offset bolt hole suits Yardman 18" (455mm) and 21" (532mm) rear catcher models including 036101, 036102, 036103, 036104; recommended torque 15NM	93mm	50mm	13mm	1.9mm	10 pr.	120-013BAPK
	 (Priced per pack, sold per pack)					9 311891 597526	
900-023P	Above 110-023 blade with matching bolt set in a retail pack - 2 blades per set					10 sets included	
						9 311891 592224	
900-423P	753-9006 Above 110-023 blade with matching bolt set in a retail pack - 4 blades per set					5 sets included	
						9 311891 593054	
110-023WPK	Above 110-023 blade loose in workshop box					150 single	120-013BAPK
	 (Priced per pack, sold per pack)					9 311891 597533	
 110-043PK	Stepped and fluted blade suits MTD 20" (505mm) cut models; fitted to a swing back conversion bar	137mm	50mm	13mm	3mm	5 pr.	120-005BPK
	 (Priced per pack, sold per pack)					9 311891 597656	
900-043P	Above 110-043 blades with matching bolt set in retail pack					5 sets Included	
						9 311891 593979	
 110-063PK	Stepped and high fluted blade suits MTD 19" (482mm) cut and 21" (533mm) cut models fitted with a swing back conversion bar; recommended torque 36-40NM	150mm	50mm	13mm	3mm	5 pr.	120-005BPK
	 (Priced per pack, sold per pack)					9 311891 597762	
900-084P	Above 110-063 blade with matching bolt set packed in a retail display pack					5 sets included	
						9 311891 592194	
110-063HWPk	Above 110-063 blade loose in workshop box					100 single	120-005BPK
	 (Priced per pack, sold per pack)					9 311891 597755	



Replacement SWING BACK BLADES





NUPOWER

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 900-802P	Stepped and high flute rear catcher blade; suits model 450E Includes 2 pair blades, bolts, nuts and washers in retail pack	115mm	45mm		2.0mm	10 sets	Included
						 9 311891 592798	







ROSS

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 900-802P	Stepped and high flute rear catcher blade and bolt set suits Ross RGM139, Xceed EXMCC375, Icon, ICPLM 139cc - 45cm; Wesco WS46CM, WS465DM Includes bolts in retail pack	115mm	45mm	16mm	2.0mm	10 sets	Included
						 9 311891 592798	



ROVER

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-036PK	A01118 Flat and high fluted blade suits Rover rear catcher models including ES, 200ES, 200ESXL, 200ESX, Easystart, Easystart Extra, Combat, Craftsman, Craftsman Deluxe, Powerstart, Pedigree, 2 stroke XL, Supercut, Supercut 220, Thoroughbred, 18" (455mm) and 20" (505mm) cut, self-propelled, Baron, CAMS, Challenger, Premier, Regal, MSAA, Economo, Princess and Regent; recommended torque 15NM   (Priced per pack, sold per pack)	95mm	38.1mm	13mm	1.6mm	10 pr.	120-012BAPK
						 9 311891 597571	
900-063P	A01118K/ A00672K Above blade with matching bolt set in a retail blister pack					10 sets included	
						 9 311891 592187	
100-036WSP	A01118, A00672 Above blade in a reusable sturdy cardboard box containing 50 pair each of loose blades, bolts, nuts and washers for workshop use					1 kit included	
						 9 311891 502148	
110-036WPK	Above blade loose in workshop box   (Priced per pack, sold per pack)					200 single	120-012BAPK
						 9 311891 597588	



ROVER [Cont.]

BELTS/
BLADES

	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-436PK	AO3830 Heavy duty high fluted blade with offset bolt hole; Replacement for Rover Superior blade suits Rover rear catcher models including 200ES, 200ESXL, 200ESX, Easy Start, Easy Start Extra, Combat, Craftsman, Craftsman Deluxe, Powerstart, Pedigree, 2 Stroke XL, Supercut, Supercut 220, Thoroughbred, 18" (455mm) and 20" (505mm) cut self propelled, Baron, CAMS, Challenger, Premier, Regal, MSAA, Economo, Princess, Regent; recommended torque 15NM	95mm	50mm	13mm	1.9mm	10 pr.	120-013BAPK
		 (Priced per pack, sold per pack)						
	900-063SHP	AO3930-672K Above blade with matching heavy-duty bolt set in a retail display pack - 2 blade set					5 sets included	
								
	900-436P	Above blade with matching bolt set in a retail blister pack. - 4 blade set					5 sets included	
								
	110-436WPK	Above blade loose in workshop box					150 single	120-013BAPK
		 (Priced per pack, sold per pack)						
	900-436MP	AO3830 Heavy-duty high fluted blade with offset bolt hole. Replacement for Rover Mulch 'N' Catch blade suits Rover mulching models including 200ES, 200ESXL, 200ESZ, Easy Start, Easy Start Extra, Combat, Craftsman, Craftsman Deluxe, Powerstart, Pedigree, 2 Stroke XL, Supercut, Supercut 220, Thoroughbred, 18" (455mm) and 20" (505mm) cut self propelled, Baron, CAMS, Challenger, Premier, Regal, MSAA, Economo, Princess, Regent; in retail pack - 4 blade set; recommended torque 15NM	95mm	50mm	13mm	1.9mm	5 sets	Included
								
	900-236MP	AO3830-672K 900-436MP with heavy-duty bolt set; in retail display pack - 2 blade set					5 sets included	
								
	110-436MWPk	Above blade only loose in workshop box					200 single	120-013BAPK
		 (Priced per pack, sold per pack)						
	900-463P	Above blade with matching bolt set in a retail pack - 4 blade set					5 sets	120-013BAPK
								
	110-037PK	A01201 Flat and fluted blade suits 19" (480mm) and 21" (530mm) cut side catcher models including Rapid, Royal, Super 21; recommended torque 15NM	108mm	38.1mm	13mm	1.6mm	10 pr.	120-013BAPK
		 (Priced per pack, sold per pack)						



Replacement SWING BACK BLADES



ROVER (Cont.)

	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-104PK	A16108 Stepped and fluted blade (2mm step) suits 20" Rover Pro models including Honcho and Professional Supercut 50 and 22" Super Pro fitted to a bar type carrier; recommended torque 36-40NM	120mm	65mm	13mm	3mm	5 pr.	120-005BPK
		(Priced per pack, sold per pack)						9 311891 597946
	900-104P	A16108, 4139K Above 110-104 blade with matching bolt set packed in a retail display pack					5 sets	included
								9 311891 560100
	110-104WPK	A16108 Above 110-104 blade loose in workshop box					100	120-005BPK single
		(Priced per pack, sold per pack)						9 311891 597953
	110-041PK	A07873 Fluted blade suits Rover ride-on models including Colt, Ranger, Rancher and Raider models; use with 1 pr x 110-040 blades listed above; recommended torque 15NM	138.5mm	50mm	13mm	1.9mm	5 pr.	120-013BAPK
		(Priced per pack, sold per pack)						9 311891 597601
	900-041P	A07873 Above 110-041 blade with matching bolt set in a retail display pack.					5 sets	included
								9 311891 592262
	110-041WPK	Above 110-041 blade loose in workshop box					100	120-013BAPK single
		(Priced per pack, sold per pack)						9 311891 597618



SANLI

	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	900-522P		121mm	50mm	15mm		1pr.	included
								9 311891 595225







	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-036PK	6105 183 6070 Flat and fluted rear catcher blade suits Stihl Viking MB440, MB450 18" (455mm) cut; Early models to mid 1996 with flat bolt hole in blade; recommended torque 15NM	95mm	38.1mm	13mm	1.6mm	10 pr.	120-012BAPK
		 (Priced per pack, sold per pack)						
	900-063P	Above blade with matching bolt set in a retail blister pack					10 sets included	
								
	100-036WSP	6105 183 6070 Above blade only in a reusable sturdy cardboard box containing 50 pr each of blades, bolts, nuts and washers (Priced per pack, sold per pack)					1 kit included	
								
	110-036WPK	Above blade only loose in workshop box					200 single	120-012BAPK
		 (Priced per pack, sold per pack)						
	110-023PK	93mm 50mm 13mm 1.9mm Flat and fluted blade with dished offset suits Stihl Viking 18" (455mm) and 21" (530mm) cut 1998 rear catcher models including MB424Q, MB425, MB425M, MB425I, MB455 from Serial No. 40505282, MB455SP from serial No 40074410 and MB460SP from Serial No. 40506782; recommended torque 15NM					10 pr.	120-013BAPK
		 (Priced per pack, sold per pack)						
	900-023P	6123 007 1000 Above blade with matching bolt set in a retail display pack - 2 blades per set					5 sets included	
								
	900-423P	753-9008 Above blade with matching bolt set in a retail pack - 4 blades per set					5 sets included	
								
	110-023WPK	Above blade only loose in workshop box					150 single	120-013BAPK
		 (Priced per pack, sold per pack)						
	110-097PK	100mm 44.5mm 13mm 1.9mm Stepped and fluted blade with dished bolt hole suits blade carriers fitted to Turbo Cut 'N' Catch 46cm cut models; including MB434, MB434Q, MB435i and MB435M and MB435; recommended torque 20-25NM					10 pr	120-097BPK
		 (Priced per pack, sold per pack)						
	900-070P	6352-007-1000 Above blade with matching bolt set packed in a retail pack					10 sets included	
								

Replacement SWING BACK BLADES




STIHL VIKING (Cont.)

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-006PK	123mm 45mm 13mm 1.9mm Stepped and fluted rear catcher blade dished bolt hole suits blade carriers fitted to Turbo Cut 'N' Catch 52cm cut models; including MB436, MB436i and MB436iSP Recommended torque 20-25NM					5 pr.	120-097BPK
	 (Priced per pack, sold per pack)					9 311891 597427	
900-006P	6370-702-0100 Above blade packed with matching bolt set in display pack					5 sets	Included
						9 311891 592279	
 110-021PK	6105 999 2000 136mm 50.8mm 13mm 1.99mm Flat and fluted rear catcher blade suits Stihl Viking MB455, MB455SP 21" (530mm) cut (Early models to mid 1996 with flat bolt hole in blade)					5 pr.	120-013BAPK
	 (Priced per pack, sold per pack)					9 311891 597519	





SUPERIOR/PAGE

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 244-002	S1584 460mm 75mm 32mm 16mm Flat slasher blade sharpened on two edges suits 6" (1828mm) cut models Recommended torque - refer to owners manual						
						9 311891 511584	






TALON

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-436PK	95mm 50mm 13mm 1.9mm Heavy-duty high lift blade with offset bolt hole (Replacement for Talon blade); Suits model AM3050 - 2 blades per unit; model AM3054 - 4 blades per unit; recommended torque 38NM					10 pr.	120-103PK
	 (Priced per pack, sold per pack)					9 311891 598035	
900-103P	AO9228-305001 Above 110-436 blade with matching heavy-duty bolt set packed in a retail pack - 2 blades per pack					10 sets	included
						9 311891 592439	
























VICTA

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-054PK	CAO9351 99mm 38.1mm 15mm 1.9mm Flat blade with dished bolt hole (short blade) suits Power Torque engined utility models 1984 on including MSAA, Craftsman, Utility and Professional 460; recommended torque 13.6-19NM					10 pr.	120-073BA
	 (Priced per pack, sold per pack)					9 311891 502667	
900-054P	CAO9351S/ CAO9277S Above 110-054 blade with matching bolt set in a retail blister pack					10 sets	included
						9 311891 592378	



VICTA [Cont.]

BELTS/
BLADES

	PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
	110-055PK	CAO9306 Fluted rear catcher blade with a dished bolt hole suits 1974 on rear catcher models including Auto Drive, Bronco, Charger, Commando, Commodore, Compact, Corvette, Corsair, Cortina, Craftsman, Electric, Jogger, Lancer, Lightweight, Mayfair, Mustang, Pace, Pacer, Pro-deluxe, Quadra, Quantum, Rapier, Sabre, Silver Streak, Sports, Standard, Storebrand, Sunbeam models Vortex, Tiger, Marque and Wildcat; recommended torque 13.6-19NM	97mm	44mm	15mm	1.9mm	10 pr.	120-073BA
								9 311891 597687
		 (Priced per pack, sold per pack)						
	900-056P	CAO9506S Above 110-055 blade with matching bolt set in a retail blister pack					10 sets included	
								9 311891 592156
	100-055WSP	CAO9506 Above 110-055 blade in a reusable sturdy cardboard box containing 50 pr loose each of blades, bolts, nuts and washers for workshop use (Priced per pack, sold per pack)					1 kit included	
								9 311891 530059
	110-055WPK	Above 110-055 blade loose in a workshop box					200 120-073BA single	
		 (Priced per pack, sold per pack)						9 311891 597694
	110-059PK	CAO9276P Flat and fluted blade with a dished bolt hole suits Super 24" (610mm) cut Professional 550 and Super 600; recommended torque 13.6-19NM	143mm	56mm	15mm	2mm	5 pr.	120-073BA
		 (Priced per pack, sold per pack)						9 311891 597724
	900-059P	Above 110-059 blade with matching bolt set in retail pack					5 sets Included	
								9 311891 592316
	110-455PK	CAO9433P Fluted heavy duty high lift blade (2mm thick) suits Victa 18" (455mm) cut rear catcher models including "Premium Featured" lawnmowers 1998 and newer; recommended torque 13.6-19NM	99mm	57mm	15mm	2mm	10 pr.	120-073BA
		 (Priced per pack, sold per pack)						9 311891 598059
	900-255P	CAO9434S Above 110-455 blade with matching bolt set in a retail pack - 2 blade set					10 sets included	
								9 311891 592255
	900-455P	CAO9434S Above 110-455 blade with matching bolt set in a retail pack - 4 blade set					5 sets included	
								9 311891 592507
	100-455WSP	Above 110-455 blade in a reusable sturdy cardboard box containing 50 pair loose each of blades, bolts, nuts and washers for workshop use (Priced per pack, sold per pack)					1 kit included	
								9 311891 538376
	110-455WPK	Above 110-455 blade loose in a workshop box					150 120-073BA single	
		 (Priced per pack, sold per pack)						9 311891 598066





















Replacement SWING BACK BLADES





VICTA (Cont.)

BELTS/
BLADES

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-058PK 	Flat and fluted rear catcher blade with a dished bolt hole suits 20" (505mm) cut models including Supreme, 500 Twin, Rambo, Mustang 20" self propelled and key start; Razor 19" (480mm) Tornado 19" (480mm) and Corvette 19" (480mm) cut and catch models 2004 and newer; recommended torque 13.6-19NM	120mm	44mm	15mm	1.9mm	10 pr	120-073BA
	 (Priced per pack, sold per pack)						
900-058P 	CA09470S/ CA09393S Above 110-058 blade with matching bolt set in a retail pack					10 sets included	
900-458P	Above 110-058 blade with matching bolt set in a retail pack 4 blades set					5 sets included	
110-058WPK 	Above 110-058 blade loose in workshop box  (Priced per pack, sold per pack)					150 single	
 110-089PK	MB198AHD Stepped and fluted blade suits 32" (812mm) cut Corvette; recommended torque 13.6-19NM	198mm	50mm	13mm	3mm	5 pr.	120-005BPK
	 (Priced per pack, sold per pack)						
900-089P 	Above 110-089 blade with matching bolt set in a retail blister pack					5 sets included	
 110-060WPK	Fluted rear catcher blade with a dished bolt hole fits Vortex 1983-84 red cowl models; packed in a retail display pack; recommended torque 13.6-19NM; 75mm L; 44mm W; 15mm hole; 2mm gauge  (Priced per pack, sold per pack)					300 single	120-073BA
							




WEEDEATER

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-001PK	104mm 45mm 15.5mm 1.9mm Flat and fluted blade with dished bolt hole suits rear catcher models including Weedeater WE180, WE320, WE580, WE488XE35 and WE480LRL Recommended torque 13.6-19NM					10 pr	120-001BPK
	 (Priced per pack, sold per pack)						
900-001P	Above 110-001 blade with matching bolt set packed in a retail blister pack					10 sets included	

BELTS/
BLADES





WESCO

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 900-802P	115mm 45mm 16mm 2.0mm Stepped and high flute rear catcher blade and bolt set suits Westco WS46CM, WS465DM Packed in retail display pack					10 sets	Included




WESTWOOD

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 110-004PK	80153 150mm 50mm 16mm 3mm Stepped and fluted blade suits Westwood ride-on mowers including 30" (760mm) and 36" (915mm) cut, T1200 (twin cutter spindle models only) and T1600 models Recommended torque 20-25NM					1 pr.	
	 (Priced per pack, sold per pack)						



XCEED

PART NO.	REPLACES DESCRIPTION	L	W	HOLE	GAUGE	STD PACK	BOLT SET
 900-802P	115mm 45mm 16mm 2.0mm Stepped and high fluted rear catcher blade and bolt set suits Xceed EXMCC375, Icon and ICPLM 139cc - 45cm Packed in retail display pack					10 sets	Included